

DRUG FORMULARY (UPDATED DECEMBER 2013)
PHARMACY DEPARTMENT
HOSPITAL TENGKU AMPUAN RAHIMAH, KLANG

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|---|-----------------|-------------------|--|------------|----------------|-------------------|
| 1 | Acarbose 50 mg Tablet | Glucobay | A/KK | Only for treatment of: i) Non insulin dependent diabetes mellitus (NIDDM) when diet therapy is insufficient ii) Non insulin dependent diabetes mellitus (NIDDM) in combination with existing conventional oral therapy where glycaemic control is inadequate | MED | 14.85 (100's) | |
| 2 | Acetazolamide 250 mg Tablet | Diamox | B | Reduction of intraocular pressure in open-angle glaucoma, secondary glaucoma and peri-operatively in angle-closure glaucoma | OPHTHAL | 10.78 (1000's) | |
| 3 | Acetazolamide 500 mg Injection | Diamox | B | Reduction of intra-ocular pressure in open-angle glaucoma, secondary glaucoma and peri-operatively in angle-closure glaucoma | | 68.00 | |
| 4 | Acetylcysteine 200 mg/ml Injection | | A* | Antidote for paracetamol poisoning. <i>KPK LUAR INDIKASI : For dengue-associated liver failure.</i> | MED | 8.24 | KPK LUAR INDIKASI |
| 5 | Acetylcysteine 5 g/25 ml Injection | | KPK Luar Indikasi | Paracetamol Poisoning and Severe Hepatitis in Dengue | MED | 88.55 | KPK Luar Indikasi |
| 6 | Acetylcysteine 600 mg Tablet | Fluimucil A | KPK | Preventing Contrast-Induced Nephropathy in high risk patients undergoing contrast CT scan. | MED | 24.80 (10's) | KPK |
| 7 | | | | KPK APPLICATION : EMACO (etoposide + dactinomycin + methotrexate) regime for high risk gestational trophoblastic neoplasia (GTN) | MED | | |
| 8 | Acetylsalicylic Acid 100 mg, Glycine 45 mg Tablet | Cardiprin | B | Prevention of myocardial infarct, stroke, vascular occlusion and deep vein thrombosis. Transient ischaemic attacks | MED | 2.16 (30's) | |
| 9 | Acetylsalicylic Acid 300 mg Soluble Tablet | Aspirin Soluble | C | Mild to moderate pain | | 2.90 (30's) | |
| 10 | Acitretin 25 mg Capsule | Neotigason | A* | Generalised pustular and or erythrodermic psoriasis, pityriasis rubra pilaris, Darier's Disease, Ichthyosiform Erythrodermas - Bullous and non-bullous forms, extensive naevus verrucosus, extensive psoriasis | DERM | 705.00 (100's) | |
| 11 | Acriflavine 0.1% Lotion | - | C | Infected skin, lesions, cuts, abrasions, wounds and burns. | | 2.78 (100 ml) | Flavine Lotion |
| 12 | Actinomycin D (Dactinomycin) 500 mcg/ml Injection | Cosmegen | A | i) For solid tumours ii) Gestational trophoblastic disease | O&G | 60.00 | Import Permit |
| 13 | Acyclovir 200 mg Tablet | Zovirax | A/KK | i) Mucocutaneous Herpes Simplex infection in immunocompromised and AIDS patients ii) Primary and recurrent Varicella Zoster infection in immunocompromised and AIDS patients iii) Severe Kaposi Varicella Eruption (Eczema herpeticum) iv) Severe primary HSV infections (eg. Neonatal herpes, encephalitis, eczema herpeticum, genital herpes, gingival stomatitis, vaginal delivery with maternal vulva herpes) v) Severe and complicated varicella infection (eg. Encephalitis, purpura fulminans) vi) Severe zoster infection in paediatrics (eg. Encephalitis, purpura fulminans, immunocompromised patients and facial, sacral and motor zoster) | | 13.70 (25's) | |
| 14 | Acyclovir 800 mg Tablet | Zovirax | A/KK | | MED | 16.90 (25's) | |
| 15 | Acyclovir 200 mg/5 ml Suspension | Zovirax | A* | | | 77.50 (125 ml) | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|---|--------------|----------|--|--------------------------|----------------|---------|
| 16 | Acyclovir 250 mg Injection | Zovirax | A* | Treatment and prophylaxis of herpes simplex in immunocompromised, severe initial genital herpes and Varicella -Zoster | | 5.80 | |
| 17 | Acyclovir 3% Eye Ointment | Zovirax | A* | Only for the treatment of herpes simplex keratitis | | 23.80 (4.5 g) | |
| 18 | Acyclovir 5% Cream | Zovirax | A* | Herpes simplex infections of the skin, including initial and recurrent labial and genital herpes simplex infections | | 6.00 (5 g) | |
| 19 | Adalimumab 40 mg Injection | Humira® | A* | Third line treatment of: i) Severe rheumatoid arthritis ii) Psoriatic arthritis iii) Ankylosing spondylitis after failure of conventional DMARDs or other biologics | RHEUMATO | | |
| 20 | Adapalene 0.1% Gel | Differin | A* | Acne vulgaris where comedones, papules and pustules predominate in those sensitive to benzoyl peroxide or topical tretinoin [third line treatment] | DERM | 36.00 (30 g) | |
| 21 | Adefovir Dipivoxil 10 mg Tablet | Hepsera | A* | i) Treatment of chronic HBeAg positive and HBeAg negative hepatitis B infection in adults with compensated liver function (lamivudine should be tried first) ii) Lamivudine-resistant chronic hepatitis B virus infection with either compensated or decompensated hepatitis function (only by hepatologist and gastroenterologist for approved indications) | MED | 252.60 (30's) | |
| 22 | Adenosine 3 mg/ml Injection | Adenocor | B | Rapid conversion of paroxysmal supraventricular tachycardia to sinus rhythm | | 63.60 | |
| 23 | Adrenaline Acid (Epinephrine) Tartrate 1 mg/ml Injection | - | B | Cardiopulmonary resuscitation | | 0.89 | |
| 24 | Agomelatine 25 mg Tablet | Valdoxan | A* | For the treatment of major depressive episodes in adult. | PSY | 109.60 (28's) | |
| 25 | Albendazole 200 mg Tablet | Zentel | C | i) Single or mixed infestations of intestinal parasites ii) Strongyloides infection | | 34.45 (100's) | |
| 26 | Albendazole 200 mg/5 ml Suspension | Zentel | C | i) Single or mixed infestations of intestinal parasites ii) Strongyloides infection | | 3.88 (10 ml) | |
| 27 | Alendronate Sodium 70 mg and Cholecalciferol 5600 IU Tablet | Fosamax Plus | A* | Osteoporosis in post menopausal women with a history of vertebral fracture and whom oestrogen replacement therapy is contraindicated. Review treatment after 2 years and if there is positive response, treatment may be continued up to 5 years and then re-evaluate. Treatment should be stopped if there is no positive response after 5 years. Otherwise, patient needs to be given drug holiday for 1 to 2 years and then continue treatment shall the benefit outweigh the risk. | ORTHO, MED, DENTAL | 85.00 (4's) | |
| 28 | Alfacalcidol 0.25 mcg Capsule | One-alpha | A/KK | Treatment of: i) Renal osteodystrophy in patients on haemodialysis ii) Hypoparathyroidism and pseudohypoparathyroidism iii) Adjunct to the management of tertiary hyperparathyroidism iv) Rickets and osteomalacia v) Osteoporosis | ORTHO, NEPHRO, MED | 24.30 (100's) | |
| 29 | Alfacalcidol 1 mcg Capsule | one-alpha | A/KK | | NEPHRO, ENDOCRINE | 113.00 (100's) | |
| 30 | Alfacalcidol 2 mcg/ml Drops | One-Alpha | A* | Treatment of: i) Renal osteodystrophy in patients on haemodialysis ii) Hypoparathyroidism and pseudohypoparathyroidism iii) Adjunct to the management of tertiary hyperparathyroidism iv) Rickets and osteomalacia v) Osteoporosis | NEPHRO, PAEDS | 217.20 (20 ml) | |
| 31 | Alfacalcidol 2 mcg/ml Injection | One-Alpha | A* | Treatment of: i) Renal osteodystrophy in patients on haemodialysis ii) Hypoparathyroidism and pseudohypoparathyroidism iii) Adjunct to the management of tertiary hyperparathyroidism iv) Rickets and osteomalacia v) Osteoporosis | NEPHRO | 12.07 | |
| 32 | Alfuzosin HCl 10 mg Tablet | Xatral XL | A* | Treatment of functional symptoms related with benign prostatic hypertrophy (BPH) | SURG | 30.00 (30's) | |
| 33 | Alkaline Nasal Douche | | B | To remove nasal plug due to radiation | | Compound | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|---|------------------|----------|--|------------|----------------|---------|
| 34 | Allopurinol 300 mg Tablet | Zyloric | A/KK | i) Frequent and disabling attacks of gouty arthritis (3 or more attacks/year). ii) Clinical or radiographic signs of erosive gouty arthritis. iii) The presence of tophaceous deposits. iii) Urate nephropathy. iv) Urate nephrolithiasis. v) Impending cytotoxic chemotherapy or radiotherapy for lymphoma or leukaemia | MED | 13.78 (100's) | |
| 35 | Alprazolam 0.25 mg Tablet | Xanax | A/KK | Anxiety disorders | | 0.28 | |
| 36 | Alprazolam 0.5 mg Tablet | Xanax | A | | | 0.43 | |
| 37 | Alprostadil 500 mcg/ml Injection | Prostin VR | A* | For treatment of congenital heart diseases which are ductus arteriosus dependent | PAED | 1702.00 | |
| 38 | Amantadine HCl 100 mg Capsule | Symmetrel | B | Parkinson's disease | MED | 67.00 (100's) | |
| 39 | Amikacin 250 mg/2 ml Injection | Amikin | A | | | 0.44 | |
| 40 | Amikacin 500 mg/2 ml Injection | Amikin | A | Infections due to susceptible organisms | | 6.72 | |
| 41 | Amiloride HCl 5 mg & Hydrochlorothiazide 50 mg Tablet | | B | i) Diuretic as an adjunct to the management of oedematous states ii) Hypertension | MED | 8.80 (100's) | |
| 42 | Aminophylline 25 mg/ml Injection | - | B | Reversible airways obstruction, acute severe asthma | | 4.40 | |
| 43 | Amiodarone 200 mg Tablet | Cordarone | A* | Arrhythmias | MED | 39.70 (30's) | |
| 44 | Amiodarone 50 mg/ml Injection | Cordarone | A* | Arrhythmias when other drugs are contraindicated or ineffective | MED | 79.00 (60's) | |
| 45 | Amisulpride 100 mg Tablet | Solian | A* | Treatment of psychoses, particularly acute or chronic schizophrenia disorders characterized by positive symptoms(e.g. delusion, hallucinations, thought disorders) and/or negative symptoms(e.g. blunted emotions, emotional and social withdrawal) including when the negative symptoms predominate | PSY | 42.00 (30's) | |
| 46 | Amisulpride 400 mg Tablet | Solian | A* | | PSY | 156.90 (30's) | |
| 47 | Amitriptyline HCl 25 mg Tablet | Laroxyl | B | Depression | | 0.15 | |
| 48 | Amlodipine 5 mg Tablet | Norvasc | B | Hypertension | MED | 2.29 (100's) | |
| 49 | Amlodipine 10 mg Tablet | Norvasc | B | | MED | 3.40 (100's) | |
| 50 | Amlodipine 5 mg and Valsartan 160 mg Tablet | Exforge | A/KK | Essential hypertension in patients whose blood pressure is not adequately controlled by monotherapy | ENDOCRINE | 43.50 (28's) | |
| 51 | Ammonium Bicarbonate, Tincture Ipecac, etc Mixture (Expect Stimulant) | Expect Stimulant | C | Cough | | Compound | |
| 52 | Amorolfine 5 % Nail Lacquer | Loceryl | A* | Fungal nail infections | DERM | 90.96 (2.5 ml) | |
| 53 | Amoxicillin & Clavulanate 228 mg/5 ml Syrup | Augmentin | A/KK | Infections caused by susceptible organisms | | 14.00 (70 ml) | |
| 54 | Amoxicillin 1 g & Clavulanate 200 mg Injection | Augmentin | A | Infections caused by susceptible organisms. Respiratory tract, skin, soft tissue, GUT infection, septicaemia, peritonitis, post-operative infection & osteomyelitis | | 3.08 | |
| 55 | Amoxicillin 250 mg Capsule | | B | Infections caused by susceptible strains of gram positive and gram negative organisms | | 230.95 (500's) | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|--|-------------|----------|---|---------------------------|------------------------|--------------------|
| 56 | Amoxicillin 500 mg & Clavulanate 125 mg Tablet | Augmentin | A/KK | Infections due to beta-lactamase producing strain where amoxicillin alone is not appropriate. Respiratory tract, skin, soft tissue, GUT infection, septicaemia, peritonitis, post-operative infection & osteomyelitis | | 190.20 (70's) | |
| 57 | Amoxicillin Trihydrate 125 mg/5 ml Syrup | - | B | Infections caused by susceptible strains of gram positive and gram negative organisms | | 1.20 | |
| 58 | Amphotericin B 0.15% Eye Drops | - | A | Fungal infection of the cornea | OPHTHAL | Compound | |
| 59 | Amphotericin B 50 mg Injection | | A | Systemic fungal infections | | 22.02 | |
| 60 | Ampicillin Sodium & Sulbactam Sodium 375 mg Tablet | Unasyn | A/KK | Treatment of susceptible bacterial infections | ENT | 1.29 | |
| 61 | Ampicillin Sodium 1g & Sulbactam Sodium 500mg Injection | Unasyn 1.5g | A | Treatment of susceptible bacterial infections | | 2.20 | |
| 62 | Ampicillin Sodium 500 mg Injection | Penbritin | B | Treatment of susceptible bacterial infections (non beta-lactamase-producing organisms); meningitis | | 2.32 | |
| 63 | Ampicillin Trihydrate 125 mg/5 ml Suspension | Penbritin | B | Treatment of susceptible bacterial infections (non beta-lactamase-producing organisms) | | 8.11 (60 ml) | |
| 64 | Anagrelide 0.5 mg Tablet | | KPK | Essential thrombocytemia | HEMATO | 709.50 (100's) | CDR, KPK |
| 65 | Anastrozole 1 mg Tablet | Arimidex | A* | Treatment of hormone responsive metastatic or locally advanced breast cancer after failure of tamoxifen | SURG | 57.00 (30's) | |
| 66 | Anidulafungin 100 mg Injection | Eraxis® | A* | Treatment of invasive candidiasis, including candidemia in adults when intolerance or resistance to Amphotericin B or Fluconazole | SURG, HEMATO, ANAES | 517.00 | |
| 67 | Antazoline HCl, Tetrahydrozoline HCl and Benzalkonium Chloride Eye Drops | Spersallerg | A/KK | Hay fever, conjunctivitis, allergic conjunctivitis, vernal keratoconjunctivitis and eczematosa | OPHTHAL | 5.78 (10 ml) | |
| 68 | Anti RhD Gamma Globulin 250 mcg/2 ml Injection (500 units=100 mcg) | Rhogam | B | Prevention of Rh(D) sensitisation by IM injection to rhesus-negative woman after delivery of rhesus-positive infant | | 331.76 | |
| 69 | Antivenene Malaysian Pit Viper Injection | - | B | Bitten by pit viper | | 344.77 | |
| 70 | Antivenene Serum (Cobra) Injection | - | B | Treatment for cobra bites | | 344.77 | |
| 71 | Antivenene Serum (King Cobra) Injection (Purified King Cobra Antivenom 0.8 mg/10 ml) | | KPK | King Cobra envenomation | A&E | 353.85 | Import Permit |
| 72 | Antivenene Serum (Sea snake) 1000 units/26.3 ml Injection | - | B | Treatment for sea snake bites | | 13,224.00 | |
| 73 | Antivenene Serum Snake polyvalent Injection | | B | Antidote for snake bites | | | |
| 74 | Aprepitant Tripack 80 mg Cap (2's)+ 125 mg (1's) | Emend | A* | In combination with other antiemetic agents for prevention of delayed nausea and vomiting associated with initial and repeat course of highly emetogenic chemotherapy | MED | 225.00 | |
| 75 | Aqueous Cream | - | C | Dry skin | | 6.60 (500 g) | 30 g, 200 g, 500 g |
| 76 | Aqueous Morphine HCl 10 mg/5 ml | | B | For use in management of moderate to severe pain especially that associated with neoplastic disease | | 77.40 (1 L) - Compound | Diluent : BP Syrup |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|--|-----------------|----------|---|------------|--------------------------------|---------------|
| 77 | Aripiprazole 10mg Tablet | Abilify, AripMT | A* | i) Treatment of acute episodes of schizophrenia and for maintenance of clinical improvement during continuation therapy. ii) Treatment of acute manic episodes associated with bipolar I disorder | PSY | 136.85 (30's) | |
| 78 | Aripiprazole 15mg Tablet | Abilify, AripMT | A* | | PSY | 187.76 (30's) | |
| 79 | Artemether 20mg + Lumefantrine 120mg | Riamet | A/KK | Acute uncomplicated falciparum malaria | MED | 62.00 (24's) | |
| 80 | Artesunate 60 mg Inj | Artesun | KPK | Treatment of severe falciparum malaria (<i>indication requested and approved by KPK</i>) | MED | 21.60 | Import Permit |
| 81 | Ascorbic Acid 100 mg Tablet | | C | Vitamin C deficiency | | 0.12 | |
| 82 | Atenolol 100 mg Tablet | Ternomin | B | Hypertension, angina pectoris, myocardial infarction and arrhythmias | MED | 12.76 (100's), 27.00 (28's) | |
| 83 | Atenolol 50 mg Tablet | Ternomin | B | | | 27.00 (28's) | |
| 84 | Atomoxetine HCl 10 mg Capsule | Strattera | A* | Attention deficit hyperactivity disorder (ADHD) in children 6 years and older who do not respond to methylphenidate or who have intolerable effects or have tics. Diagnosis should be made according to DSM IV criteria or the guidelines in ICD-10 | PSY | 281.50 (28's) | |
| 85 | Atomoxetine HCl 18 mg Capsule | Strattera | A* | | PSY | 280.00 (28's) | |
| 86 | Atorvastatin 20 mg Tablet | Lipitor | A* | Hypercholesterolaemia and coronary heart disease intolerant or not responsive to other forms of therapy | MED | 19.30 (100's) | |
| 87 | Atorvastatin 40 mg Tablet | Lipitor | A* | Hypercholesterolaemia and coronary heart disease intolerant or not responsive to other forms of therapy | MED | 99.00 (30's) | |
| 88 | Atracurium Besylate 25 mg/2.5 ml Injection | Tracrium | A* | Muscle relaxation | | 4.58 | |
| 89 | Atropine Sulphate 1 % Eye Drops | - | B | Determination of refraction, strabismus, iritis and iridocyclitis, after extra or intracapsular extraction of lens | OPHTHAL | 6.41 (5 ml) | |
| 90 | Atropine Sulphate 1 mg/ml Injection | - | B | i) Reduce vagal inhibition, salivary and bronchial secretion in anaesthesia ii) Reversal of excessive bradycardia iii) Reversal of effect of competitive muscle relaxants iv) Overdosage with other compounds having muscarinic action v) Organophosphate poisoning | | 2.65 | |
| 91 | Azathioprine 50 mg Tablet | Imuran | A | i) Acute leukaemia ii) Immunosuppressive agent | MED | 124.12 (100's) | |
| 92 | Azelaic Acid 20% Cream | Skinoren | A* | Acne vulgaris | DERM | 24.23 (25 g) | |
| 93 | Azithromycin 250 mg Tablet | Zithromax | A* | i) Treatment of complicated respiratory tract infection not responding to standard macrolides ii) Adult treatment of uncomplicated genital infections due to Chlamydia trichomatis or susceptible Neisseria gonorrhoea iii) Prophylaxis against Mycobacterium avium complex in patients with advanced HIV | MED | 162.55 (60's) | |
| 94 | Azithromycin 500 mg Injection | Zithromax | A* | Only for treatment of severe atypical pneumonia | | 7.65 | |
| 95 | Bacampicillin 400 mg Tablet | Penglobe | B | Infections caused by ampicillin-sensitive gram positive & gram negative microorganisms | | 50.50 (100's) | |
| 96 | Baclofen 10 mg Tablet | Lioresal | B | Spasticity of the skeletal muscle | | 33.83 (50's) | |
| 97 | Balanced Salt Solution | Ocusol | A | For irrigation during ocular surgery | | 25.46 (500ml) | |
| 98 | BCG Vaccine Freeze-Dried Injection | - | C | For the prevention of tuberculosis | | 13.07 | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|--|--------------|----------|--|------------|-------------------|-------------|
| 99 | Beclomethasone Dipropionate 100 mcg/dose Inhalation | Becotide | B | Prophylaxis of asthma especially if not fully controlled by bronchodilators | | 14.51 (200 D) MDI | |
| 100 | Benzathine Penicillin 2.4 mega units Injection (1.8 g) | Penadur L.A. | B | i) Treatment of mild to moderately severe infections due to Penicillin G sensitive organisms ii) Treatment of syphilis | | 5.22 | |
| 101 | Benzhexol 2 mg Tablet | | B | i) Parkinson's disease ii) Drug induced parkinsonism iii) Dystonias | PSY, MED | 34.00 (1000's) | |
| 102 | Benzoyl Peroxide 5% Gel | Panoxyl | B | Mild to moderate acne vulgaris | DERM | 18.60 (60 g) | |
| 103 | Benzydamine HCl 0.15% Solution | | B | For relief of painful condition of the oral cavity | ENT | 9.66 | |
| 104 | Benzydamine Hydrochloride 3.0 mg/ml Throat Spray | | A* | Temporary relief of painful conditions of the mouth and throat including tonsillitis, sore throat, radiation mucositis, aphthous ulcers, pharyngitis, swelling, redness, inflammatory conditions, post-surgical and periodontal procedures. (For pediatric and otorhinolaryngology use. Restrict to patients who are not able to gargle) | ENT | 17.50 (15 ml) | |
| 105 | Benzyl Benzoate 12.5 % Emulsion (Child) | - | C | Scabies and pediculosis, for child under 2 years | | Dilution | |
| 106 | Benzyl Benzoate 25 % Emulsion (Adult) | - | C | Scabies and pediculosis | | 1.89 | |
| 107 | Benzylpenicillin 1 mega unit (600 mg) Injection | - | B | i) Infections caused by susceptible organisms ii) Infective endocarditis | | 2.32 | |
| 108 | Benzylpenicillin 5 mega units (3 g) Injection | - | B | i) Infections caused by susceptible organisms ii) Infective endocarditis | | 4.17 | |
| 109 | Beractant Intratracheal Suspension (200 mg phospholipids in 8 ml vial) | Survanta | A* | Treatment of newborn baby with birth weight of 700 g or greater undergoing mechanical ventilation for respiratory distress syndrome, whose heart rate and arterial oxygenation are continuously monitored | PAED | 1,722.80 | |
| 110 | Betahistine Dihydrochloride 24 mg Tablet | Betaserc | A* | Vertigo, tinnitus and hearing loss associated with Meniere's disease | ENT, MED | 49.50 (50's) | |
| 111 | Betamethasone 17-valerate 0.1% Cream | Betnovate | A | Eczemas, prurigo nodularis, psoriasis (excluding widespread plaque psoriasis) | DERM | 5.31 (30 g) | |
| 112 | Betamethasone 17-Valerate 0.1% Ointment | Betnovate | A | Eczema, prurigo nodularis, psoriasis (excluding widespread plaque psoriasis) | DERM | 2.00 (15 g) | |
| 113 | Betamethasone 17-valerate 1:2 Cream | | A | Eczemas, prurigo nodularis, psoriasis (excluding widespread plaque psoriasis) | | Compound | 30 g, 100 g |
| 114 | Betamethasone 17-valerate 1:4 Cream | | A | | | Compound | 30 g, 200 g |
| 115 | Betamethasone 17-valerate 1:8 Cream | | A | | | Compound | 30 g |
| 116 | Betamethasone 17-valerate 1:4 Ointment | | A | | | Compound | 30 g, 100 g |
| 117 | Betamethasone 17-valerate 1:8 Ointment | | A | | | Compound | 30 g |
| 118 | Betamethasone Disodium Phosphate 0.1 % Eye Drops | Betnesol | A | Non-infected inflammatory conditions of the eyes | OPHTHAL | 2.60 (5 ml) | |
| 119 | Bimatoprost 0.03% Ophthalmic Solution | Lumigan | A* | Lowering of intraocular pressure in patients with open-angle glaucoma and ocular hyperten | OPHTHAL | 40.20 (3 ml) | |
| 120 | Bisacodyl 10 mg Suppository | Dulcolax | C | i) Constipation ii) Bowel preparation for radiological procedures and surgery | | 0.27 | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|---|-----------------------|----------|--|--------------------|-----------------------------|---------------|
| 121 | Bisacodyl 5 mg Tablet | Dulcolax | C | | | 0.03 | |
| 122 | Bismuth Subgallate and Benzyl Benzoate Suppository | Anusol | C | For relief of pruritus, burning and soreness in patients with haemorrhoids and perianal conditions | | 0.52 | |
| 123 | Bismuth Subnitrate, Iodoform and Liquid Paraffin Paste | BIPP | B | As a mild antiseptic for wounds and abscesses. Sterile gauze impregnated with paste for packing cavities after otorhinological surgery | | | Ward Supply |
| 124 | Bisoprolol Fumarate 2.5 mg Tablet | Concor | A | Treatment of stable moderate to severe congestive cardiac failure in addition to ACEI's and diuretics | MED | 16.30 (100's) | |
| 125 | Bisoprolol Fumarate 5 mg Tablet | Concor | A | | MED | 16.30 (100's) | |
| 126 | Bleomycin HCl 15 mg Injection | Bleocin | A | Squamous cell carcinoma, germ cell tumours, lymphomas. Routes: SC, IM, IV (either as bolus or as infusion over 24 hours), intra-arterial, intra-pleural | | 158.92 | CDR |
| 127 | Bortezomib 3.5 mg Injection | Velcade | A* | Treatment of multiple myeloma in patient who have received at least one prior therapy | HEMATO | 2857.00 | CDR |
| 128 | Brimonidine Tartrate 0.15% Ophthalmic | Alphagan P | A* | Lowering of intraocular pressure in patients with open-angle glaucoma or ocular hypertension | OPHTHAL | 38.65 (5 ml) | |
| 129 | Bromhexine HCl 4 mg/2 ml Injection | Bisolvon | A | Secretolytic therapy in acute and chronic bronchopulmonary diseases associated with abnormal mucous secretion and impaired mucous transport | | 0.91 | |
| 130 | Bromhexine HCl 4 mg/5 ml Elixir | Bisolvon | B | | | 1.05 (60 ml) | |
| 131 | Bromhexine HCl 8 mg Tablet | Bisolvon | B | | | 0.02 | |
| 132 | Bromocriptine Mesilate 2.5 mg Tablet | Parlodel | A/KK | i) Hypogonadism or Galactorrhoea ii) Acromegaly | MEDICAL, ENDOCRINE | 58.52 (100's) | |
| 133 | Budesonide 500 mcg/2 ml Nebulising Solution | Pulmicort | B | Maintenance treatment of asthma as prophylactic therapy especially if not fully controlled by bronchodilators | | 4.32 (2 ml) | |
| 134 | Budesonide 1 mg/2 ml Nebulising Solution | Pulmicort | B | | MED, PAED | 5.83 (2 ml) | |
| 135 | Budesonide 160 mcg and Formoterol 4.5 mcg Inhalation | Symbicort | A/KK | i) Regular treatment of asthma where use of a combination (inhaled corticosteroid & long-acting β_2 -agonist) is appropriate. ii) Symptomatic treatment of patients with severe COPD (FEV1 | MED | 103.40 (120 D) - Turbuhaler | |
| 136 | Budesonide 200 mcg/dose Inhalation | Pulmicort | B | Maintenance treatment of asthma as prophylactic therapy especially if not fully controlled by bronchodilators | | 27.26 (300 D) | |
| 137 | Budesonide 200 mcg/dose Inhalation (Easyhaler) | Pulmicort | B | Maintenance treatment of asthma as prophylactic therapy especially if not fully controlled by bronchodilators | | 45.00 (200 D) | |
| 138 | Bumetanide 0.5 mg/ml Injection | Burinex | A* | Oedema used in furosemide allergic patient | NEPHRO | 18.30 | |
| 139 | Bumetanide 1 mg Tablet | Burinex | A* | Oedema used in furosemide allergic patient | NEPHRO | 7.00 (10's) | |
| 140 | Bupivacaine 0.5 % Heavy Injection | Marcaine Spinal Heavy | A | Used for spinal anaesthesia | ANAES | 16.96 | |
| 141 | Bupivacaine 0.5 % Injection | Marcaine | B | For peripheral sympathetic nerve and epidural (excluding caudal) anaesthesia and obstetrics anaesthesia | | 5.00 (20 ml) | |
| 142 | Bupivacaine 0.5 % with Adrenaline 1:200,000 Injection | Marcaine-Adrenaline | B | Regional nerve block or epidural block. | | 20.20 (20 ml) | |
| 143 | Cabergoline 0.5 mg Tablet | Dostinex | A* | i) Treatment of hyperprolactinaemic disorders ii) Prevention of puerperal lactation and suppression of lactation in HIV infected | O&G | 150.15 (8's) | |
| 144 | Caffeine Anhydrous Powder (Syrup 2 g in 200 ml or 10 mg/ml) | | KPK | Used in preterm infants to treat apnea of prematurity | PAEDS | 494.00 (500gm) | Import Permit |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|---|------------|----------|---|--------------------|------------------|---------|
| 145 | Calamine Cream | - | C | Prickly heat or insect bites | | 1.33 (25 g) | |
| 146 | Calamine Lotion | - | C | Prickly heat or insect bites | | 5.33 (120 ml) | |
| 147 | Calamine with 2% Precipitated Sulphur Lotion | - | C | Acne vulgaris | | Compound | 120 ml |
| 148 | Calamine with 4% Precipitated Sulphur | - | C | | | Compound | 120 ml |
| 149 | Calamine with 6% Precipitated Sulphur | - | C | | | Compound | 120 ml |
| 150 | Calcipotriol 50 mcg/g Cream | Daivonex | A* | Only for the treatment of Psoriasis Vulgaris | DERM | 74.40 (30 g) | |
| 151 | Calcipotriol 50 mcg/g Ointment | Daivonex | A* | | DERM | 75.00 (30 g) | |
| 152 | Calcipotriol 50 mcg/ml Scalp Solution | Daivonex | A* | Only for the treatment of Psoriasis Vulgaris | DERM | 86.00 (30 ml) | |
| 153 | Calcipotriol Hydrate 50 mcg/g & Betamethasone Dipropionate 0.5 mg/g Ointment | Daivobet | A* | Resistant plaque psoriasis | DERM | 94.74 (30 g) | |
| 154 | Calcipotriol monohydrate 50 mcg/g and Betamethasone dipropionate 0.5 mg/g Gel | Xamiol | A* | Topical treatment of scalp psoriasis | DERM | 63.60 (15 g) | |
| 155 | Calcitonin (synthetic Salmon) 100 IU Injection | Miacalcic | A* | Acute hypercalcaemia | MED | 191.55 (5's) | |
| 156 | Calcitonin (Synthetic Salmon) 200 IU Nasal Spray | Miacalcic | A* | Osteoporosis | MED | 237.20 (200 D) | |
| 157 | Calcitriol 0.25 mcg Capsule | Rocaltrol | A/KK | Treatment of: i) Postmenopausal osteoporosis ii) Renal osteodystrophy in patients on haemodialysis iii) Hypoparathyroidism and rickets iv) Secondary hyperparathyroidism in renal failure | ORTHO, MED, NEPHRO | 44.46 (100's) | |
| 158 | Calcitriol 1 mcg/ml Injection | Calcijex | A* | Management of hypocalcaemia and/or secondary hyperparathyroidism in patients undergoing chronic renal dialysis | NEPHRO | 13.00 | |
| 159 | Calcium Carbonate 500 mg Tablet | | A/KK | To be used only for elemental calcium supplementation and phosphate binding activity in patients with chronic renal failure | NEPHRO, MED | 0.04 | |
| 160 | Calcium Dobesilate 500 mg Tablet | | KPK | For diabetic retinopathy | MED | 48.50 (30's) | KPK |
| 161 | Calcium Gluconate 10% Injection | - | B | i) Acute hypocalcaemia ii) Hypocalcaemic tetany iii) Cardiac resuscitation | | 7.80 | |
| 162 | Calcium Lactate 300 mg Tablet | - | C | For prophylaxis of calcium deficiency and treatment of chronic hypocalcaemia | | 4.40 (30's) | |
| 163 | Calcium Polystyrene Sulphonate Powder | Kalimate | A | Hyperkalemia resulting from acute or chronic renal failure | MED, NEPHRO | 1.58 (5 g) | |
| 164 | Capecitabine 500 mg Tablet | Xeloda | A* | i) Metastatic breast cancer in elderly and poor performance status patients and refractory to taxanes ii) Metastatic colon cancer, first line in elderly and poor performance status patients iii) Colon cancer, adjuvant therapy for stage III (Duke's Stage C) following surgery iv) First line treatment of patients with advanced gastric cancer in combination with a platinum-based regimen | | 1,240.00 (120's) | CDR |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|--|---------------|----------|--|-------------|----------------|-------------|
| 165 | Captopril 25 mg Tablet | | B | i) Hypertension ii) Congestive heart failure iii) Post-myocardial infarction iv) Diabetic nephropathy | MED | 7.30 (100's) | |
| 166 | Carbachol 0.01% Intraocular Solution | Miostat | A | For intraocular use for miosis during surgery | OPHTHAL | 17.00 (1.5 ml) | Ward Supply |
| 167 | Carbamazepine 100 mg/5 ml (2% w/v) Syrup | Tegretol | A | Epilepsy | PAED | 50.80 (250 ml) | |
| 168 | Carbamazepine 200 mg CR Tablet | Tegretol CR | A | Epilepsy | MED | 185.85 (200's) | |
| 169 | Carbamazepine 200 mg Tablet | Tegretol | B | i) Epilepsy ii) Trigeminal neuralgia | MED, DENTAL | 148.48 (500's) | |
| 170 | Carbamide (Urea) 10 % in Aqueous Cream | | B | Contact irritant dermatitis, infantile eczemas, acute and chronic allergic eczemas, ichthyosis, hyperkeratotic | | Compound | 30 g |
| 171 | Carbetocin 100 mcg/ ml Injection | Duratocin | A* | Prevention of uterine atony and postpartum hemorrhage following elective cesarean section under epidural or spinal anaesthesia | | 344.24 (5's) | |
| 172 | Carbimazole 5 mg Tablet | Neo-mercazole | B | Hyperthyroidism | | 70.76 (1000's) | |
| 173 | Carboplatin 450 mg Injection | Paraplatin | A* | Adult solid tumours, paediatric tumours. Salvage therapy for lymphoma | | 78.00 | CDR |
| 174 | Carboprost Tromethamine 250 mcg Injection | Hemabate | A* | Postpartum haemorrhage refractory to oxytocin | O&G | 151.00 | |
| 175 | Carvedilol 25 mg Tablet | Dilatrend | A/KK | | MED | 16.00 (100's) | |
| 176 | Carvedilol 6.25 mg Tablet | Dilatrend | A/KK | Treatment of stable moderate to severe congestive cardiac failure in addition to ACEI's and diuretics | MED | 12.00 (100's) | |
| 177 | Caspofungin Acetate 50 mg Injection | Cancidas | A* | i) Confirmed systemic fungal infection in patients who are refractory or intolerant to other fungal therapies. ii) For pediatric patient (12 month and older) for the following indications : a) Empirical therapy for presumed fungal infections in febrile, neutropenic patients b) Treatment of invasive candidiasis, including candidemia and the following Candida infections ; intra-abdominal abscesses, peritonitis and pleural space infections c) Treatment of esophageal candidiasis d) Treatment of invasive Aspergillosis in patients who are refractory to or intolerant of others therapy (eg : Amphotericin B) | ICU, MED | 573.00 | |
| 178 | Caspofungin Acetate 70 mg Injection | Cancidas | A* | | ICU, MED | 561.74 | |
| 179 | Cefepime 1 g Injection | Maxipime | A* | Febrile neutropenia, septicaemia, lower respiratory tract infection, urinary tract infection, skin and skin structure infections, gynaecologic and intra-abdominal infections | | 11.00 | |
| 180 | Cefoperazone Sodium 1 g Injection | Cefobid | A | Infections due to gram-negative bacteria | | 5.22 | |
| 181 | Cefoperazone Sodium 500 mg & Sulbactam Sodium 500 mg Injection | Sulperazon | A | i) Treatment of infections due to multi-drug resistance pathogens producing B-lactamase ii) Treatment of infections caused by Acinetobacter species | | 15.70 | |
| 182 | Cefotaxime 1 g Injection | Claforan | A | Infections due to gram-negative bacteria | | 6.90 | |
| 183 | Ceftazidime 1 g Injection | Fortum | A | Severe gram negative bacterial infections | | 11.07 | |
| 184 | Ceftazidime 2 g Injection | Fortum | A | | | 17.40 | |
| 185 | Ceftriaxone 0.25 g Injection | Rocephin | A/KK | i) Gonorrhoea ii) Chancroid | | 10.50 | |
| 186 | Ceftriaxone 1 g Injection | Rocephin | A | Infections caused by susceptible organisms | | 9.04 | |
| 187 | Cefuroxime Axetil 125 mg Tablet | Zinnat | A/KK | Upper respiratory tract, GUT, skin & soft tissue infections, urinary tract infection (UTI), pyelonephritis | | 0.82 | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|--|---------------|----------|--|--|----------------|-------------|
| 188 | Cefuroxime Axetil 125 mg/5 ml Suspension | Zinnat | A | Infections caused by susceptible organisms | | 19.80 (50 ml) | |
| 189 | Cefuroxime Sodium 750 mg Injection | Zinacef | A | Infections caused by susceptible organisms, surgical prophylaxis | | 6.26 | |
| 190 | Cefuroxime Sodium 1.5 g Injection | Zinacef | A | Infections caused by susceptible organisms, surgical prophylaxis | | 11.07 | |
| 191 | Celecoxib 200 mg Capsule | Celebrex | A* | i) Osteoarthritis ii) Rheumatoid Arthritis iii) Acute pain iv) Ankylosing Spondylitis | ORTHO, RHEUMATO, PAIN, DENTAL | 172.25 (100's) | |
| 192 | Celecoxib 400 mg Capsule | Celebrex | A* | | ORTHO, RHEUMATO, PAIN, DENTAL | 29.88 (10's) | |
| 193 | Cephalexin Monohydrate 125 mg/5 ml Syrup | Ceporex | B | Respiratory tract infections, ear, nose and throat infections, urinary tract infections, obstetric and gynaecologic infections | | 1.45 (60 ml) | |
| 194 | Cephalexin Monohydrate 250 mg Capsule | Ceporex | B | i) Respiratory tract infection, urinary tract infection ii) Complicated, recurrent or chronic infections, bronchitis iii) Pneumonia | | 74.47 (500's) | |
| 195 | Cetirizine HCl 10 mg Tablet | Zyrtec | A/KK | Urticaria, allergic dermatoses (insect bites, atopic eczema), perennial rhinitis, allergic rhinitis | DERM | 203.00 (500's) | |
| 196 | Cetrimide 1 % Lotion | Cetavlon | C | As shampoo and cleansing agent | | Compound | 240 ml |
| 197 | Cetrorelix 0.25 mg Injection | Cetrotide | A* | Prevention of premature ovulation in patients undergoing a controlled ovarian stimulation, followed by oocyte pick-up and assisted reproductive techniques | O&G | 836.75 (7's) | |
| 198 | Charcoal, Activated 25 g Granules | - | A | Emergency treatment of acute oral poisoning and drug overdose. | | 12.05 (50 g) | |
| 199 | Charcoal, Activated 250 mg Tablet | - | C | i) Diarrhoea and food poisoning ii) Reduce absorption of drugs, plant, inorganic poison and chemicals in poisoning cases | | 0.23 | |
| 200 | Chloral Hydrate 200 mg/5 ml Mixture | - | B | Preoperative sedation | | | |
| 201 | Chlorambucil 2 mg Tablet | Leukeran | A | Low grade lymphoma, chronic lymphocytic leukaemia. Ovarian cancer | | 68.22 (28's) | CDR |
| 202 | Chloramphenicol 0.5% Eye Drops | Chloromycetin | C | Broad spectrum antibiotic in superficial eye infections | | 0.98 (5 ml) | |
| 203 | Chloramphenicol 1% Eye Ointment | Chloromycetin | C | Conjunctivitis and other superficial eye infection | | 1.11 (3 g) | |
| 204 | Chloramphenicol 5% w/v Ear Drops | Chloromycetin | C | Acute otitis media, otitis externa with perforation | | 4.00 | |
| 205 | Chloramphenicol Sodium Succinate 1 g Injection | Chloromycetin | B | Treatment of typhoid, paratyphoid fevers, bronchopneumonia and enteric infection | | 7.13 | |
| 206 | Chlorhexidine Gluconate 0.2 % Mouthwash | | C | As a gargle | | | 120 ml |
| 207 | Chlorhexidine Gluconate 0.5 % in Alcohol 70% Solution | | | To be used undiluted for hand and skin disinfections. | GOT | 60 ml | Floor Stock |
| 208 | Chlorhexidine Gluconate 1:2000 in 70% Alcohol Solution | | C | Cord Dressing | | Compound | |
| 209 | Chlorhexidine Gluconate 2% in Alcohol 70% Solution | SteriPrep | C | Use as disinfectant in central venous catheter care bundle | ICU | 4.60 (60 ml) | |
| 210 | Chlorhexidine Gluconate 4% Scrub | | C | Surgical hand scrub/disinfection, pre-op skin preparation | | 9.90 (1 L) | Floor Stock |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|--|------------------|----------|--|------------------------|------------------------|---------------|
| 211 | Chlorhexidine Gluconate 5% Solution | | C | i) Preoperative skin disinfection ii) Wounds or burns iii) Emergency disinfection of instruments | | 5.22 (120 ml) | Floor Stock |
| 212 | Chloroquine Phosphate 250 mg Tablet (150 mg Chloroquine base) | - | C | Treatment of malaria - acute attack | | 60.00 (500's) | Ward Supply |
| 213 | Chlorpheniramine Maleate 10 mg/ml | | B | Allergic conditions | | 1.85 | |
| 214 | Chlorpheniramine Maleate 2 mg/5 ml Syrup | | C | Symptomatic treatment of allergic conditions responsive to antihistamine | | 3.00 (60 ml) | |
| 215 | Chlorpheniramine Maleate 4 mg Tablet | | C | Symptomatic treatment of allergic conditions responsive to antihistamines | | 2.84 (100's) | |
| 216 | Chlorpromazine HCl 25 mg Tablet | Largactil | B | Psychosis mania and agitation | | 86.53 (500's) | |
| 217 | Chlorpromazine HCl 100 mg Tablet | Largactil | B | | | 64.72 (500's) | |
| 218 | Cholestyramine Resin 4 g Powder | Questran light | A | i) Hypercholesterolemia ii) Pruritus of skin associated with partial biliary obstruction iii) Diarrhoea due to bile acid malabsorption iv) Familial hypercholesterolemia - heterozygous v) Generalized atherosclerosis | MED | 148.00 (50's) | Import Permit |
| 219 | Choline Salicylate 8.7%, Cetylkonium Chloride 0.01% Dental Gel | Bonjela | B | For relief of the pain and discomfort in mouth ulcers and sores, infant teething and denture irritation | | 5.08 (15 g) - Oral Aid | |
| 220 | Chorionic Gonadotrophin Human (HCG) 5000 IU Injection | Pregnyl | A* | Treatment of infertile women to induce ovulation and as a luteal support in controlled ovarian hyperstimulation cycles | O&G | 31.00 | |
| 221 | Ciclosporin 100 mg Capsule Microemulsion | Sandimmun Neoral | A* | | DERM | 647.00 (50's) | |
| 222 | Ciclosporin 100 mg/ml Drink Solution | Sandimmun Neoral | A* | Only for : i) Patients in whom donor specific transplantation cannot be carried out and in young children to minimise side-effects of steroids ii) Follow-up cases of bone marrow transplant iii) Patients with severe Rheumatoid arthritis not responding to other second line drugs iv) Patients with idiopathic nephrotic syndrome who are steroid toxic or poor response to cyclophosphamide v) Severe aplastic anaemia, pure red cell aplasia vi) Cases of recalcitrant psoriasis and atopic eczema | PAED | 1,068.00 (50 ml) | Transit |
| 223 | Ciclosporin 25 mg Capsule Microemulsion | Sandimmun Neoral | A* | | NEPHRO, RHEUMATO, DERM | 161.75 (50's) | |
| 224 | Ciclosporin 50 mg/ml Injection | Sandimmun | A* | i) Post bone marrow transplant ii) Solid organ transplant | NEPHRO | 17.40 | |
| 225 | Cinnarizine 25 mg Tablet | Stugeron | B | Vestibular disorders | | 4.75 (100's) | |
| 226 | Ciprofloxacin 100 mg/50 ml Injection | Ciprobay | A | Treatment of infections due to susceptible bacterial strains | | 11.8 | |
| 227 | Ciprofloxacin 200 mg/100 ml Injection | Ciprobay | A | | | 10.80 | |
| 228 | Ciprofloxacin 250 mg Tablet | Ciprobay | A | Treatment of infections due to susceptible bacterial strains | | 0.10 | |
| 229 | Ciprofloxacin HCl 0.3% Ophthalmic Solution | Ciloxan | A* | i) For corneal ulcer ii) For bacterial conjunctivitis | | 5.50 (5 ml) | |
| 230 | Cisatracurium Besylate 2 mg/ml Injection | | A* | As an adjunct to general anaesthesia to facilitate endotracheal intubation, to provide skeletal muscle relaxation during surgery and to facilitate mechanical ventilation. Restricted to patients with lung problem such as asthma. | | 104.95 (5's) | |
| 231 | Cisplatin (Cis-Platinum) 50 mg Injection | Platinul | A | Germ cell tumours, ovarian tumours, adult solid tumours, lymphomas | | 18.56 | CDR |
| 232 | Clarithromycin 250 mg Tablet | Klacid | A* | Only for i) treatment of complicated respiratory tract infection not responding to standard macrolides ii) eradication of Helicobacter pylori infection | | 0.45 | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|--|------------------|----------|---|-------------|----------------|-----------|
| 233 | Clindamycin HCl 300 mg Capsule | Lincocin | A* | i) Skin and soft tissue infections, bone& joint infections ii) Cerebral toxoplasmosis iii) Children less than 8 years old: Treatment and prophylaxis of malaria in combination with quinine, as an alternative to doxycycline | MED, DENTAL | 0.62 | |
| 234 | Clindamycin Phosphate 150 mg/ml Injection | Lincocin | A* | i) Skin and soft tissue infections, bone & joint infections ii) Cerebral toxoplasmosis | | 14.30 | 300mg/2ml |
| 235 | Clobazam 10 mg tablet | | A* | As adjunctive therapy in patients with epilepsy not adequately stabilised with their basic medication. | PAED | 66.30 (100's) | |
| 236 | Clobetasol Propionate 0.05% Cream | Dermovate | A | Short term treatment only of more resistant dermatoses eg. psoriasis, recalcitrant eczemas, lichen planus, discoid lupus erythematosus and other conditions which do not respond satisfactorily to less potent steroids | DERM | 3.25 (15 g) | |
| 237 | Clobetasol Propionate 0.05% Ointment | Dermovate | A | | DERM | 3.25 (15 g) | |
| 238 | Clobetasone Butyrate 0.05% Cream | Eumovate | A/KK | Eczema and dermatitis of all types | DERM | 8.10 (25 g) | |
| 239 | Clomifene Citrate 50 mg Tablet | Clomid | A | Anovulatory infertility | O&G | 0.49 | |
| 240 | Clonazepam 2 mg Tablet | Rivotril | B | i) Epilepsy ii) Non-epileptic myoclonus | | 98.00 (500's) | |
| 241 | Clopidogrel 75 mg Tablet | Plavix | A* | Prevention of myocardial infarct, stroke or established peripheral arterial disease. As second/third line treatment in patients who are sensitive to acetylsalicylic acid & intolerant to ticlopidine | MED | 17.90 (30's) | |
| 242 | Clostridium Botulinum Toxin Type A 100 units | Botox | A* | i) Focal dystonias ii) Hemifacial spasm iii) Spasticity including cerebral palsy | MED, REHAB | 1,056.64 | |
| 243 | Clostridium Botulinum Toxin Type A 500 units | Dysport | A* | | MED, REHAB | 1,333.50 | |
| 244 | Clotrimazole 1% Cream | Canesten | B | Cutaneous candidiasis, Tinea corporis, Tinea cruris, Tinea pedis and Tinea versicolor | | 1.18 (15 g) | |
| 245 | Clotrimazole 1% Ear Drop | Candid Ear Drops | B | Otomycosis; concomitant therapy with antibiotics and corticosteroid ear drops | ENT | 5.00 (15 ml) | |
| 246 | Clotrimazole 1% Solution | | A | Cutaneous candidiasis, tinea orporis, tinea cruris, tinea pedis and tinea versicolor | DERM | 4.60 (20 ml) | |
| 247 | Clotrimazole 500 mg Vaginal Tablet | | B | Vaginal candidiasis | O&G | 2.55 | |
| 248 | Cloxacillin Sodium 125 mg/5 ml Suspension | Orbenin | B | Treatment of susceptible bacterial infections, notably penicillinase-producing staphylococci | | 10.44 (60 ml) | |
| 249 | Cloxacillin Sodium 250 mg Capsule | Orbenin | B | Treatment of susceptible bacterial infections, notably penicillinase-producing staphylococci | | 150.80 (500's) | |
| 250 | Cloxacillin Sodium 500 mg Injection | Orbenin | B | Treatment of susceptible bacterial infections, notably penicillinase-producing staphylococci infections | | 2.33 | |
| 251 | Clozapine 25 mg Tablet | Clozaril | A | Treatment of resistant schizophrenia | PSY | 21.63 (50's) | |
| 252 | Clozapine 100 mg Tablet | Clozaril | A | | PSY | 64.78 (50's) | |
| 253 | Coal Tar 1 % in Betamethasone 1:4 Ointment | | B | Dandruff, seborrhoeic dermatitis, atopic dermatitis, eczema and psoriasis | | Compound | 200 g |
| 254 | Coal Tar 3 % in Betamethasone 1:4 Ointment | | B | Dandruff, seborrhoeic dermatitis, atopic dermatitis, eczema and psoriasis | | Compound | 200 g |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|--|-----------------|----------|---|----------------|------------------------------|---------------|
| 255 | Coal Tar 6 % in Betamethasone 1:4 Ointment | | B | Dandruff, seborrhoeic dermatitis, atopic dermatitis, eczema and psoriasis | | Compound | 200 g |
| 256 | Coal Tar 1 % in Vaseline | | B | Dandruff, seborrhoeic dermatitis, atopic dermatitis, eczema and psoriasis. Used as a mild astringent for the skin, as a soothing and protective application in eczema and as a protective to slight excoriation. | | Compound | 200 g |
| 257 | Coal Tar 3 % in Vaseline | | B | | | Compound | 200 g |
| 258 | Coal Tar 6 % in Vaseline | | B | | | Compound | 200 g |
| 259 | Coal Tar 3 % in Salicylic Acid 2 % Ointment | | B | Dandruff, seborrhoeic dermatitis, atopic dermatitis, eczema and psoriasis | | Compound | 200 g |
| 260 | Coal Tar 6 % in Vaseline in Salicylic Acid 2 % Ointment | | B | | | Compound | 200 g |
| 261 | Coal tar solution 1% w/w, Tar (pine) 1% w/w, salicylic acid 2% w/w (Sebitar Shampoo) | Sebitar shampoo | B | Dandruff, seborrhoeic dermatitis, atopic dermatitis, eczema and psoriasis | DERM | 24.00 (250 ml) | |
| 262 | Cocaine 10 % Solution | - | B | To produce local anaesthesia or vasoconstriction during endoscopic nasal surgery, turbinectomy septoplasty, polypectomy etc | | 1,113.65 (200 ml) - Compound | |
| 263 | Cocoids Co. Ointment | - | B | Scalp psoriasis and severe seborrhoeic dermatitis | | Compound | 240 ml |
| 264 | Colchicine 0.5 mg Tablet | - | B | i) Acute gout and prophylaxis of recurrent gout. ii) Leucocytoclastic Vasculitis either cutaneous or systemic involvement, Behcet's syndrome, Urticarial vasculitis, Systemic sclerosis, Sweet's syndrome and severe recalcitrant aphthous stomatitis | | 106.00 (1000's) | |
| 265 | Colistimethate Sodium 1,000,000 IU or 1 MU Injection (Colistin E) | Colomycin | KPK | Treatment of multidrug resistance Acinetobacter Baumannii infection | ANAES | 12.60 | Import Permit |
| 266 | Conjugated Oestrogens 0.3 mg Tablet | Premarin | A | i) Osteoporosis associated with oestrogen deficiency ii) Female hypostrogenism iii) Vasomotor symptoms associated with oestrogen deficiency or atrophic vaginitis and urethritis | O&G, ENDOCRINE | 19.00 (28's) | |
| 267 | Conjugated Oestrogens 0.625 mg & Medroxyprogesterone Acetate 2.5 mg Tablet | Premelle 2.5 | A | Management of moderate to severe vasomotor symptoms associated with menopause, prevention and management of postmenopausal osteoporosis, atrophic vaginitis and atrophic urethritis in post menopausal woman with intact uterus | O&G | 42.50 (28's) | |
| 268 | Conjugated Oestrogens 0.625 mg/g Cream | Premarin | A | Atrophic vaginitis and post menopausal atrophic urethritis | O&G | 35.81 (14 g) | |
| 269 | Copper Sulphate Crystal | - | C | Wounds | | | |
| 270 | Crotamiton 10 % Cream | Eurax | A/KK | i) Pruritus ii) Scabies iii) Insect bite reactions | DERM | 6.00 (20 g) | |
| 271 | Cyanocobalamin 1 mg Injection | - | B | i) Prophylaxis of anaemia associated with Vitamin B12 deficiency ii) Uncomplicated pernicious anaemia or Vitamin B12 malabsorption | | 1.89 | |
| 272 | Cyclopentolate 1% Eye Drops | Cyclogyl | A | Mydriasis and cycloplegia | | 20.55 (15 ml) | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|--|----------------------|----------|--|--------------|-----------------|---------------|
| 273 | Cyclophosphamide 200 mg Injection | Endoxan | A | i) Solid tumours (adult and paediatric), leukaemia, non-Hodgkin's lymphoma, multiple myeloma ii) Severe lupus nephritis (Class III and IV) iii) Other systemic vasculitis iv) Systemic lupus erythematosus, rheumatoid arthritis, polyarteritis nodosa, wegenger granulomatosis v) Pemphigus vulgaris | | | CDR |
| 274 | Cyclophosphamide 1 g Injection | Endoxan | A | | | 16.75 | CDR |
| 275 | Cyclophosphamide 50 mg Tablet | Endoxan | A | i) Solid tumours, leukaemia, lymphoma, autoimmune disorders, autoimmune bullous diseases, connective tissue disease, pyoderma gangrenosum ii) For severe lupus nephritis (Class III & IV), systemic vasculitis and steroid resistant/dependent nephrotic syndrome iii) Systemic lupus erythematosus (SLE), rheumatoid arthritis, polyarteritis nodosa, wegenger granulomatosis | | 248.00 (100's) | CDR |
| 276 | Cycloserine 250 mg Capsule | - | A* | Multi-Drug Resistance Tuberculosis treatment failure. (For respiratory physicians) | MED | 6.30 | |
| 277 | Cyproheptadine 4 mg Tablet | | KPK | As an antidote in serotonin syndrome | A&E | 2.05 | Import Permit |
| 278 | Cyproterone Acetate 2 mg & Ethinyloestradiol 0.035 mg Tablet | Diane 35/ Estelle 35 | A* | Androgen dependent diseases in women | O&G | 19.00 (21's) | |
| 279 | Cytarabine 100 mg Injection | Cytosar | A | i) Central nervous system lymphoma ii) Meningeal leukemia iii) Non Hodgkin's Lymphoma iv) High dose cytarabine as conditioning to cytorreduce the disease before stem cell transplant for relapsed or refractory leukemia v) As salvage for acute lymphocytic leukemia vi) As salvage for acute myeloid leukemia vii) As palliative chemotherapy in elderly acute myeloid leukemia/ myelodysplastic syndrome | | 13.00 | CDR |
| 280 | Cytarabine 1 g Injection | Cytosar | A | | | 21.00 | CDR |
| 281 | Dabigatran Etexilate 110 mg Capsule | Pradaxa | A* | i) Prevention of venous thromboembolic events in patients who have undergone total knee replacement or total hip replacement surgery ii) | HEMATO, ORTO | 129.50 (30's) | |
| 282 | Dabigatran Etexilate 150 mg Capsule | Pradaxa | A* | Reduction of the risk of stroke and systemic embolism in patients with non-valvular atrial fibrillation (AF) | HEMATO, ORTO | 129.50 (30's) | |
| 283 | Dacarbazine 100 mg Injection | - | A* | i) Malignant melanoma, sarcomas, neuroblastomas and other childhood solid tumours ii) Hodgkin's Disease | | 38.42 | CDR |
| 284 | Dacarbazine 200 mg Injection | | A* | | | 75.00 (20 ml) | CDR |
| 285 | Danazol 200 mg Capsule | | A/KK | i)Endometriosis and gynaecomastia ii)Menorrhagia iii)Prophylaxis of hereditary angioedema | O&G, MED | 113.00 (100's) | |
| 286 | Dantrolene Sodium 20 mg Injection | Dantrium | KPK | Malignant hyperthermia. | ANAES, MED | 4,380.00 (12's) | Import Permit |
| 287 | Daunorubicin HCl 20 mg Injection | Cerubidin | A* | i) Acute myeloblastic leukaemia (AML) ii) Acute lymphoblastic leukemia (ALL) | | 45.00 | CDR |
| 288 | Deferasirox 125 mg Dispersible Tablet | Exjade | A* | Treatment of chronic iron overload due to blood transfusions (transfusional haemosiderosis) in adult and pediatric patients aged 2 years and above | PAEDS | 648.00 (28's) | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|--|------------|----------|--|------------|-----------------|------------------------|
| 289 | Deferasirox 500 mg Dispersible Tablet | Exjade | A* | Treatment of chronic iron overload due to blood transfusions (transfusional haemosiderosis) in adult and pediatric patients aged 2 years and above | PAEDS, MED | 1,940.00 (28's) | |
| 290 | Deferiprone 100 mg/ml Syrup | | KPK | Thalassemia | PAED | 595.95 (500 ml) | KPK |
| 291 | Deferiprone 500 mg Tablet | Ferriprox | A* | Treatment of iron overload in patients with thalassemia major for whom desferrioxamine therapy is contraindicated or inadequate. Add on therapy to desferrioxamine for thalassemia patients with cardiac complication | PAEDS, MED | 98.74 (50's) | |
| 292 | Desferrioxamine B Methanesulphonate 0.5 g Injection | Desferal | A | i) Acute iron poisoning in children ii) Investigation and treatment of haemochromatosis iii) Diagnosis and treatment of aluminium toxicity in patients with renal failure and dialysis iv) Chronic iron toxicity or overload | PAEDS, MED | 10.42 | |
| 293 | Desflurane Liquid | Suprane | A | i) Induction and maintenance of anaesthesia in adult ii) Maintenance of anaesthesia in infants & children | ANAES | 492.00 (240 ml) | Anaesthetic inhalation |
| 294 | Desloratadine 5 mg Tablet | Aerius | A* | Allergic rhinitis and chronic idiopathic urticaria | ENT | 1.00 | |
| 295 | Desmopressin 0.2 mg Tablet | Minirin | A | i) Central diabetes insipidus ii) Primary nocturnal enuresis iii) Treatment of nocturia associated with nocturnal polyuria in adult | MED, SURG | 176.33 (30's) | |
| 296 | Desmopressin 100 mcg/ml Nasal Spray | Minirin | A | i) Diabetes Insipidus ii) Primary nocturnal enuresis | MED | 92.80 (2.5 ml) | |
| 297 | Desmopressin Acetate 4 mcg/ml Injection | Minirin | A | i) Diabetes insipidus ii) Haemostasis in peri-operative situations | | 39.00 | |
| 298 | Desogestrel 150 mcg & Ethinylestradiol 30 mcg Tablet | Marvelon | C | Contraception | O&G | 13.00 (21's) | |
| 299 | Desvenlafaxine Succinate 50mg Extended Release Tablet | Pristiq | A* | For the treatment of major depressive disorder (MDD). | | 97.60 (28's) | |
| 300 | Dexamethasone 0.5 mg Tablet | | A | Croup, septic shock, cerebral oedema and respiratory distress syndrome including status asthmaticus | | 0.04 | |
| 301 | Dexamethasone 0.7 mg Intravitreal Implant | Ozurdex | KPK | For right central retinal vein occlusion with macular oedema. | OPHTHAL | 4,525.26 | KPK, Ward Supply |
| 302 | Dexamethasone 4 mg Tablet | | KPK | Multiple myeloma | HEMATO | 0.43 | Import Permit |
| 303 | Dexamethasone and Neomycin Sulphate and Polymyxin B Eye Ointment | Maxitrol | A | Treatment of ocular inflammation when concurrent use of an antimicrobial is judged necessary | OPHTHAL | 8.60 (3.5 g) | |
| 304 | Dexamethasone and Neomycin Sulphate and Polymyxin B Sulphate Ophthalmic Suspension | Maxitrol | A | Treatment of ocular inflammation when concurrent use of an antimicrobial is judged necessary | OPHTHAL | 6.29 (5 ml) | |
| 305 | Dexamethasone Sodium Phosphate 8 mg/2 ml Injection | | B | Croup, septic shock, cerebral oedema and respiratory distress syndrome including status asthmaticus | | 0.69 | |
| 306 | Dexmedetomidine HCl 100 mcg/ml Injection | Precedex | A* | 1) Sedation of intubated and mechanically ventilated ICU patients. For use only by specialist anaesthetist. 2) For sedation of non-intubated patients prior to and/or during surgical and other procedures | | 65.00 | |
| 307 | Dextrose Powder | - | B | Use as a diagnostic agent for diabetes | | 6.50 (1 kg) | Pack of 75 mg |
| 308 | Diazepam 10 mg/2 ml Injection | Valium | B | i) Status epilepticus ii) Skeletal muscle spasm iii) Anxiety disorders | | 1.45 | |
| 309 | Diazepam 5 mg Rectal Solution | Stesolid | C | Status epilepticus, skeletal muscle spasm | | 42.44 | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|---|-----------------|----------|---|-----------------|----------------|---------------|
| 310 | Diazepam 5 mg Tablet | Valium | B | i) Muscle spasm of varied aetiology, including tetanus ii) Anxiety disorders | MED, PSY | 0.34 | |
| 311 | Diazoxide 100 mg Capsule | Proglidem | KPK | Persistent hypoglycaemia secondary to hyperinsulinemia | PAED | 722.00 (100's) | Import Permit |
| 312 | Diclofenac 1% Emulgel | Voltaren | A | Post-traumatic inflammation of the tendons, ligaments & joints. Localised forms of soft tissue rheumatism and degenerative rheumatism | ORTHO, RHEUMATO | 1.45 (20 g) | |
| 313 | Diclofenac Sodium 12.5 mg Suppository | Voltaren | A | Pain and inflammation in rheumatic disease and juvenile arthritis | | 0.31 | |
| 314 | Diclofenac Sodium 25 mg Suppository | | A | | | 0.60 | |
| 315 | Diclofenac Sodium 50 mg Suppository | | A | | | 0.80 | |
| 316 | Diclofenac Sodium 100 mg Suppository | | KPK | Used for post-operative pain relief | ANAES | 0.45 | KPK |
| 317 | Diclofenac Sodium 50 mg Tablet | Voltaren | B | Pain and inflammation in rheumatic disease | | 0.02 | |
| 318 | Diclofenac Sodium 75 mg/3 ml Injection | Voltaren | A | Pain and inflammation in rheumatic disease | | 0.32 | |
| 319 | Didanosine 100 mg Tablet (ddl) | Videx | A* | HIV infection, in combination with other antiretrovirals | MED | 78.00 (60's) | |
| 320 | Didanosine 400 mg Enteric Coated Capsule | Videx EC | A* | HIV infection, in combination with other antiretrovirals | MED | 158.00 (30's) | |
| 321 | Digoxin 0.25 mg Tablet | Lanoxin | B | Heart failure, with atrial fibrillation, supraventricular arrhythmias (particularly atrial fibrillation) | MED | 27.26 (240's) | |
| 322 | Digoxin 250 mcg/ml Injection | Lanoxin | A | Heart failure with atrial fibrillation, supraventricular arrhythmias (particularly atrial fibrillation) | MED | 54.35 (5's) | |
| 323 | Digoxin 50 mcg/ml Elixir | | B | Heart failure, supraventricular arrhythmias (particularly atrial fibrillation) | PAED | 56.50 (60 ml) | |
| 324 | Digoxin Immune Fab 40 mg Injection | | KPK | Life-threatening digoxin/digitalis toxicity with presenting symptoms of ventricular arrhythmias or bradyarrhythmias that is unresponsive to treatment with atropine | A&E | 5250.00 | Import Permit |
| 325 | Dihydrocodeine Tartrate 30 mg Tablet | DF 118 | B | For the control of moderate to severe chronic pain | | 31.32 (100's) | |
| 326 | Diltiazem HCl 30 mg Tablet | Herbesser | B | Treatment of angina pectoris in the following cases: i) inadequate response or intolerance to beta-blockers and Isosorbide Dinitrate ii) contraindication to beta-blockers iii) coronary artery spasm | NEPHRO | 57.06 (100's) | |
| 327 | Dinoprostone (Prostaglandin E2) 3 mg Vaginal Tablet | Prostin E2 | A | Induction of labour by vagina | O&G | 270.00 (8's) | |
| 328 | Diosmin 450 mg and Hesperidin 50 mg Tablet | Daflon | A/KK | i) Haemorrhoids ii) Chronic venous insufficiency | SURG, MED | 8.80 (30's) | |
| 329 | Diphenhydramine HCl 14 mg/5 ml and Ammonium Chloride 135 mg/5 ml Expectorant (Adult) | Benadryl Adult | C | Cough | | 3.36 (90 ml) | |
| 330 | Diphenhydramine HCl 7 mg/5 ml & Ammonium Chloride 62.5 mg/5 ml Expectorant (Infant) | Benadryl Infant | C | Cough | | 1.07 (60 ml) | |
| 331 | Diphenoxylate with Atropine Sulphate Tablet | Lomotil | B | Acute diarrhoea | | 7.86 (100's) | |
| 332 | Diphtheria, Tetanus, Acellular Pertussis, Inactivated Polio Virus, Haemophilus Influenza Type B Vaccine [DTaP-IPV- Hib] | | B | Immunisation of children against Diphtheria, Tetanus, Acellular Pertussis, Polio and Haemophilus Influenza Type B infection | | | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|--|------------|----------|---|-----------------|----------------|--------------------------|
| 333 | Dipyridamole 75 mg Tablet | Persantin | B | As an adjunct to oral anticoagulation/ antiplatelet therapy in the prophylaxis of cerebrovascular events | MED | 103.24 (500's) | |
| 334 | Dobutamine HCl 250 mg/20 ml Injection | | A | Hypotension and heart failure | MED | 8.35 | |
| 335 | Docetaxel 20 mg/0.5 ml Injection | Taxotere | A* | i) Adjuvant treatment of patients with high risk node-positive breast cancer in combination with doxorubicin and cyclophosphamide ii) Breast cancer, locally advanced or metastatic, not previously on cytotoxic therapy, in combination with doxorubicin iii) First line therapy in non small cell lung cancer in stage 3- 4 and performance status 0 ? 1, in combination with cisplatin iv) Inoperable locally advanced squamous cell carcinoma of head and neck, in combination with cisplatin and 5-FU for induction treatment v) Prostate cancer, in combination with prednisolone | | 684.66 | CDR |
| 336 | Docetaxel 80 mg /2 ml Injection | Taxotere | A* | | | 1,215.97 | CDR |
| 337 | Domperidone 1 mg/ml Suspension | Motilium | B | Nausea, vomiting, dyspepsia, gastro-esophageal reflux | PAED | 18.70 (100 ml) | |
| 338 | Domperidone 10 mg Tablet | Motilium | B | Nausea, vomiting, dyspepsia, gastro-esophageal reflux. KPK LUAR INDIKASI : Off-label to increase milk production. | SURG, MED, PAED | 10.34 (500's) | PAED - KPK LUAR INDIKASI |
| 339 | Donepezil HCl 10 mg Tablet | Aricept | A | Treatment of mild to moderate dementia in Alzheimer's disease, as well as in patients with severe Alzheimer's disease. [psychiatrists and neurologists only] | PSY, MED | 133.88 (28's) | |
| 340 | Donepezil HCl 5 mg Tablet | Aricept | A | Treatment of mild to moderate dementia in Alzheimer's disease, as well as in patients with severe Alzheimer's disease. [psychiatrists and neurologists only] | PSY, MED | 92.40 (28's) | |
| 341 | Dopamine HCl 40 mg/ml Injection | | B | Non-hypovolemic hypotension | | 2.55 | |
| 342 | Dorzolamide HCl 2% Ophthalmic Solution | Trusopt | A* | All glaucoma patients where beta-blockers are contraindicated and when intraocular pressure is not well controlled by other drugs | OPHTHAL | 48.70 (5 ml) | |
| 343 | Dothiepin HCl 25 mg Capsule | Prothiaden | A | Depression of any aetiology | | 0.30 | |
| 344 | Doxazosin Mesilate 4 mg CR Tablet | Cardura XL | A* | Benign Prostatic Hyperplasia | SURG | 110.00 (100's) | |
| 345 | Doxorubicin HCl 50 mg Injection | Adriamycin | A | i) Solid tumours, leukaemia, non-Hodgkin's lymphoma ii) Leukaemia (ALL induction) iii) Multiple myeloma | | 24.00 | CDR |
| 346 | Doxycycline 100 mg Capsule | | B | Infections due to susceptible organisms | | 101.50 (500's) | |
| 347 | D-Penicillamine 0.25 g Capsule | Cuprimine | A | i) Treatment of severe lead poisoning, it is used as adjunctive treatment following initial treatment with another chelating agent. May also be used as sole therapy in the treatment of asymptomatic patients with moderately elevated blood concentrations ii) Wilson's Disease: to aid in elimination of copper ions | | 1.50 | |
| 348 | Duloxetine 30 mg Capsule | Cymbalta | A* | Major depressive disorder, diabetic peripheral neuropathic pain | PSY | 115.75 (28's) | |
| 349 | Duloxetine 60 mg Capsule | Cymbalta | A* | Major depressive disorder, diabetic peripheral neuropathic pain | PSY | 115.75 (28's) | |
| 350 | Dutasteride 0.5 mg Capsule | Avodart | A* | Benign prostatic hyperplasia in men with an enlarged prostate gland | SURG | 102.00 (30's) | |
| 351 | Dydrogesterone 10 mg Tablet | Duphaston | A/KK | i) Dysmenorrhoea ii) Endometriosis iii) Dysfunctional uterine bleeding (to arrest and to prevent bleeding) iv) Threatened abortion v) Habitual abortion vi) Post menopausal complaints (hormone replacement therapy in combination with oestrogen) | O&G | 40.30 (20's) | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|---|------------------|----------|---|------------------|--|------------|
| 352 | Efavirenz 600 mg Tablet | Stocrin | A/KK | Combination therapy for HIV infections with a protease inhibitor and or Nucleoside Reverse Transcriptase Inhibitors (NRTIs) | MED | 195.30 (30's) | |
| 353 | Emulsificants Ointment | - | C | Xerosis and ichthyosis | | Compound | 100g, 200g |
| 354 | Enalapril 5 mg Tablet | Renitec | B | i) Hypertension ii) Congestive heart failure | | 4.64 (30's) | |
| 355 | Enalapril 10 mg Tablet | Renitec | B | | | 3.46 (100's) | |
| 356 | Enalapril 20 mg Tablet | Renitec | B | | | 1.74 (30's) | |
| 357 | Enoxaparin Sodium 20 mg Injection | Clexane | A* | i) Prevention of Deep Vein Thrombosis(DVT) especially in perioperative and high risk surgical cases ii) Treatment of DVT iii) Unstable angina and non Q wave Myocardial Infarction | MED | 29.10 (2's) | |
| 358 | Enoxaparin Sodium 40 mg Injection | Clexane | A* | | MED | 39.00 (2's) | |
| 359 | Enoxaparin Sodium 60 mg Injection | Clexane | A* | | MED | 47.88 (2's) | |
| 360 | Entacapone 200 mg Tablet | Comtan | A | Parkinson's Disease. An adjunct to standard levodopa/benserazide or levodopa/carbidopa for use in patients with parkinson's disease and end of dose motor fluctuations, who cannot be stabilised on those combinations | MED | 367.20 (100's) | |
| 361 | Entecavir 0.5 mg Tablet | Baraclude | A* | First line treatment of Chronic Hepatitis B in patients who satisfy the criteria for treatment and require long-term therapy or have a very high baseline viral load | MED | 324.62 (30's) | |
| 362 | Eperisone HCl 50 mg Tablet | Myonal | A | Myotonic symptoms associated with cervical syndrome, periarthritis of shoulder and lumbago spastic paralysis | ORTHO, DENTAL | 72.70 (100's) | |
| 363 | Ephedrine HCl 30 mg/ml Injection | - | B | Treatment of bronchial spasm in asthma, adjunct to correct haemodynamic imbalances and treat hypotension in epidural and spinal anaesthesia | | 1.02 | |
| 364 | Epirubicin 50 mg Injection | | A* | Breast cancer, Non-Hodgkin's lymphoma, Leukaemia (ALL induction), gastric cancer, ovarian cancer | | 114.84 | CDR |
| 365 | Ertapenem 1 g Injection | Invanz | A* | i) Patient with confirm ESBL producing gram-negative infection. ii) Empiric treatment for severe community acquired pneumonia or other infections when Pseudomonas aeruginosa is not suspected. | | 109.70 | |
| 366 | Erythromycin Ethylsuccinate 200 mg/5 ml Suspension | Erythrocin | B | Treatment of susceptible bacterial infections | | 6.26 | |
| 367 | Erythromycin Ethylsuccinate 400 mg Tablet | EES | B | Treatment of susceptible bacterial infections | | 0.26 | |
| 368 | Erythromycin Lactobionate 500 mg Injection | Erythrocin | A* | Only for treatment of i) certain forms of meningitis ii) septicaemia not responding to usual antibiotics iii) mycoplasma pneumonia iv) infection with gram-positive organisms (e.g. tetanus, streptococcal infection) associated with Penicillin allergy, only when oral erythromycin cannot be given | | 13.20 | |
| 369 | Erythromycin Stearate 250 mg Tablet | Erythrocin | B | Infections due to susceptible organism | | 100.34 (500's) | |
| 370 | Erythropoietin Human Recombinant 2000 IU/0.5 ml Injection | Eporex, Recormon | A | i) Treatment of anaemia associated with chronic renal failure. Dialysis patients who are haemoglobin less than 8 g or exhibiting symptoms of anaemia although haemoglobin more than 8 g and pre-transplant cases ii) Anaemia in cancer (non-myeloid malignancies) with concomitant chemotherapy | NEPHRO | 95.00 (6's) - Alpha (Eporex), 160.80 (6's) - Beta (Recormon) | |
| 371 | Erythropoietin Human Recombinant 4000 IU/0.4 ml Injection | Eporex, Recormon | A | | NEPHRO | 61.48 - Beta (Recormon) | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|--|-----------------------|----------|---|------------|---|---------|
| 372 | Erythropoietin Human Recombinant 10,000 IU/ml Injection | Eprex | A* | | HEMATO | 1,605.97 (6's) Alpha (Eprex Protect) | |
| 373 | Escitalopram 10 mg Tablet | Lexapro | A* | i) Treatment of major depressive episodes ii) Treatment of panic disorder with or without agoraphobia | PSY | 14.90 (30's) | |
| 374 | Esmolol HCl 10 mg/ml Injection | Brevibloc | A* | Tachycardia and hypertension in perioperative period | MED | 35.00 | |
| 375 | Esomeprazole 20 mg Tablet | Nexium | A* | i)Gastro-oesophageal reflux disease ii)H. pylori eradication | MED | 25.30 (14's) | |
| 376 | Esomeprazole 40 mg Tablet | Nexium | A* | | MED | 25.30 (14's) | |
| 377 | Esomeprazole 40 mg Injection | Nexium | A* | i) Acute erosive/ ulcerative oesophagitis ii) Non -variceal upper gastrointestinal bleed | MED | 22.63 | |
| 378 | Essential Phospholipids Capsule | Essentiale | A/KK | Nutritional supplement in liver disorders | MED | 19.14 (100's) | |
| 379 | Estradiol 1 mg (14 tablet) & Estradiol 1 mg with Dydrogesterone 10 mg (14 tablet) | Femoston 1/10 | A* | Hormone Replacement Therapy for women with disorders due to natural or surgically induced menopause with intact uteri | O&G | 37.00 (28's) | |
| 380 | Estradiol 1 mg with Dydrogesterone 5 mg Tablet | Femoston Conti Tablet | A* | i) Hormone replacement therapy for the relief of symptoms due to oestrogen deficiency ii) Prevention of postmenopausal osteoporosis in women with a uterus | O&G | 36.00 (28's) | |
| 381 | Estradiol Valerate 1 mg Tablet | Progynova | A* | Oestrogen replacement therapy - only those who cannot tolerate Premarin | O&G | 16.00 (28's) | |
| 382 | Estradiol Valerate 2 mg and Norgestrel 500 mcg with Estradiol Valerate 2 mg Tablet | Progyluton | B | Pre and post menopausal syndrome, primary and secondary amenorrhoea, menstrual irregularities. Deficiency symptoms after oophorectomy or radiological castration for noncarcinomatous disease | O&G | 32.00 (21's) | |
| 383 | Etanercept 50 mg Injection | | A* | i) Moderately to severe rheumatoid arthritis as monotherapy or in combination with methotrexate in patients with inadequate response to methotrexate alone. ii) Active polyarticular-course juvenile idiopathic arthritis in children 2-17 years with inadequate response to, or who have proved intolerant of methotrexate. iii) Psoriatic arthritis as monotherapy or in combination with methotrexate in patients (inadequate response to methotrexate alone. iv) Active ankylosing spondylitis in adults v) Moderate to severe plaque psoriasis who failed to respond to, or who have a contraindication to, or are intolerant to other systemic therapy including cyclosporine, methotrexate or PUVA | RHEUMATO | | |
| 384 | Ethambutol HCl 400 mg Tablet | | B | Tuberculosis | MED | 160.00 (500's) | |
| 385 | Ethionamide 250 mg Tablet | | A* | As second-line therapy in the treatment of Multi Drug Resistant Tuberculosis only in combination with other efficacious agents and only when therapy with isoniazid, rifampicin, or other first-line agents has failed. | MED | 1.80 | |
| 386 | Ethyl Chloride Spray | - | C | For minor surgical procedures including lancing boils, incision and drainage of small abscesses, pain due to athletic injuries and pain due to injection administration | | 10.49 | |
| 387 | Etomidate 20 mg/10 mg Injection | Etomidate Lipuro | A* | Induction of general anaesthesia for haemodynamically unstable patients | | 15.00 | |
| 388 | Etonogestrel 68 mg Implant | Implanon | A* | Contraception | O&G | 304.8 | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|---|---------------------------------|----------|--|-------------------------------|---------------------|---------|
| 389 | Etoposide 100 mg/5 ml Injection | Vepesid | A* | i) For treatment of children with solid tumours, juvenile myelomonocytic leukemia (JMML) and Langerhan cell histiocytosis ii) Leukaemia, lymphoma iii) Testicular cancer, lung cancer, gestational trophoblastic disease, gastric cancer, sarcoma | | 16.30 | CDR |
| 390 | Etoricoxib 120 mg Tablet | Arcoxia | A* | | ORTHO, DENTAL, RHEUMATO | 99.60 (30's) | |
| 391 | Etoricoxib 60 mg Tablet | Arcoxia | A* | i)Acute and chronic treatment of signs and symptoms of osteoarthritis (OA) and rheumatoid arthritis (RA) ii)Acute gouty arthritis iii)Acute pain | ORTHO | 182.00 (100's) | |
| 392 | Etoricoxib 90 mg Tablet | Arcoxia | A* | i)Acute and chronic treatment of signs and symptoms of osteoarthritis (OA) and rheumatoid arthritis (RA) ii)Acute gouty arthritis iii)Acute pain | ORTHO, DENTAL, RHEUMATO | 185.00 (100's) | |
| 393 | Everolimus 0.25 mg Tab | Certican | KPK | Renal transplant rejection prophylaxis | NEPHRO | 703.50 (60's) | KPK |
| 394 | Everolimus 0.75 mg Tab | Certican | KPK | Renal transplant rejection prophylaxis | NEPHRO | 2,107.00 (60's) | KPK |
| 395 | Exemestane 25 mg Tablet | Aromasin | A* | Treatment of post-menopausal women with advanced breast cancer whose disease has progressed following tamoxifen and non-steroidal aromatase inhibitors | SURG | 609.60 (30's) | |
| 396 | Ezetimibe 10 mg & Simvastatin 20 mg Tablet | Vytorin | A* | Primary hypercholesterolemia | MED | 108.00 (30's) | |
| 397 | Ezetimibe 10 mg Tablet | Ezetrol | A* | i) Co-administration with statins for patients who have chronic heart disease or are chronic heart disease equivalent or familial hypercholesterolaemia with target LDL-C not achieved by maximum dose of statins ii) Monotherapy in patients with documented biochemical intolerance to statins | MED | 94.90 (30's) | |
| 398 | Factor IX Injection | Repline/ Cetaceum | A | Prevention and control of bleeding in patients with factor IX deficiency due to haemophilia B | MED | 508.00 (Repline) | |
| 399 | Factor VIIa (Recombinant) eptacog alfa (activated) 50 KIU (1 mg) Injection | Novoseven | A* | Treatment of bleeding episodes and prevention of excessive bleeding in connection with surgery in patients with inherited or acquired haemophilia with inhibitors to coagulation factors VIII or IX | ANAES, SURG | 2,552.08 | |
| 400 | Factor VIIa (Recombinant) eptacog alfa (activated) 100 KIU (2 mg) Injection | Novoseven | A* | | ANAES | 5,104.15 | |
| 401 | Factor VIII (Recombinant) Octocog Alfa 250 IU Injection | Aleviate | A* | Treatment and prophylaxis of bleeding in patients with hemophilia A (Congenital Factor VIII deficiency). It does not contain von Willebrand factor and is not indicated in von Willebrand's disease. | MED | 187.50 (250 IU) | |
| 402 | Felodipine 5 mg Tablet | Plendil | A/KK | Hypertension | MED | 5.14 (30's) | |
| 403 | Felodipine 10 mg Tablet | Plendil | A/KK | | MED | 7.28 (30's) | |
| 404 | Fenofibrate 145 mg tablet | Lipanthyl | A* | As second line therapy after failed gemfibrozil in patients: i) Hypercholesterolemia and hypertriglyceridemia alone or combined | ENDOCRINE | 27.65 (30's) | |
| 405 | Fentanyl 12 mcg/h Transdermal Patch | Durogesic | A* | As a second line drug in the management of chronic severe cancer pain not responding to non-narcotic analgesic. Not to be used in opioid naive patients.The use is to be restricted to pain specialists, palliative medicine specialists and oncologists | PALLIATIVE | 177.85 (5's) | |
| 406 | Fentanyl 25 mcg/h Transdermal Patch | Durogesic | A* | As a second line drug in the management of chronic cancer pain. The use is to be restricted to pain specialists, palliative medicine specialists and oncologists. | PALLIATIVE, PAIN | 108.90 (5's) | |
| 407 | Fentanyl 50 mcg/h Transdermal Patch | Durogesic | A* | | PALLIATIVE, PAIN | 185.00 (5's) | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|---|---------------------------------------|----------|---|---------------------|---------------------------|---------------|
| 408 | Fentanyl Citrate 50 mcg/ml Injection | | A | Analgesia during operation, relief of pain in the immediate postoperative period. Adjunct in maintenance of general / regional anaesthesia. | | 1.56 | |
| 409 | Ferric Ammonium Citrate 800 mg/10 ml Paediatric Mixture | - | C | Prevention and treatment of iron-deficiency anaemias | | Compound | |
| 410 | Ferrous Fumarate 200 mg Tablet | - | C | Prevention and treatment of iron-deficiency anaemias | | 5.04 (30's) | |
| 411 | Filgrastim (G-CSF) 30 MU/ml Injection | Neupogen | A* | i) Reduction in the duration of neutropenia and incidence of febrile neutropenia in cytotoxic chemotherapy for malignancy except chronic myeloid leukemia and myelodysplastic syndrome ii) Haemopoietic stem cell transplantation (HSCT)/stem cell harvesting | MED | 168.20 | |
| 412 | Finasteride 5 mg Tablet | Proscar | A* | Treatment and control of benign prostatic hyperplasia | MED | 106.00 (30's) | |
| 413 | Flavoxate HCl 100 mg Tablet | Urispas | A | Urinary frequency and incontinence, dysuria, urgency, bladder spasm due to catheterisation | SURG, PALLIATIVE | 37.00 (100's) | |
| 414 | Fluconazole 0.2 % Eye Drops | | | Fungal corneal ulcer. | OPHTHAL | Compound | Aseptic prep |
| 415 | Fluconazole 100 mg Capsule | | A | i) Oropharyngeal candidiasis, atrophic oral candidiasis associated with dentures, other candidal infections of mucosa ii) Tinea pedis. | | 161.97 (30's) | |
| 416 | Fluconazole 2 mg/ml Injection | | A | | | 19.80 | |
| 417 | Fludarabine Phosphate 50 mg Injection | Fludara | A* | B-cell chronic lymphocytic leukaemia who have not responded to or whose disease had progressed during or after treatment with at least one standard alkylating-agent containing regimen | | 728.40 | CDR |
| 418 | Fludrocortisone Acetate 0.1 mg Tablet | Florinef | A | As an adjunct to glucocorticoids in the management of primary adrenocortical insufficiency in Addison's disease and treatment of salt-losing adrenogenital syndrome | PAED, ANAES | 125.00 (100's) | Import Permit |
| 419 | Flumazenil 0.1 mg/ml Injection | Anexate | B | i) Diagnosis and/or management of benzodiazepine overdose due to self-poisoning or accidental overdose ii) Reversal of sedation following anaesthesia with benzodiazepine | | 35.00 | |
| 420 | Flunarizine HCl 5 mg Capsule | Sibelium | B | i) Migraine prophylaxis ii) Maintenance treatment of vestibular disturbances and of cerebral and peripheral disorders | | 0.40 | |
| 421 | Fluorescein 1 mg Ophthalmic Strip | Fluorets | B | Diagnostic fluorescein angiography or angioscopy of the fundus and of the iris vasculature | | 57.70 (100's) | |
| 422 | Fluorescein Sodium 10% in 5 ml Injection | Fluorescite | A | Diagnostic fluorescein angiography or angioscopy of the fundus and of the iris vasculature | OPHTHAL | 0.57 | |
| 423 | Fluorometholone 0.1% Ophthalmic Suspension | FML liquifilm, Flarex opth Susp | A* | Treatment of steroid responsive ocular inflammation | OPHTHAL | 4.68 (5 ml) | |
| 424 | Fluorouracil 1 g/20 ml Injection | | A* | | | 41.35 | CDR |
| 425 | Fluorouracil 250 mg/5 ml Injection | 5-FU | A* | Cancers of gastro-intestinal tract, breast and pancreas, head and neck. Ophthalmological indication: trabeculectomy | | 41.55 | CDR |
| 426 | Fluoxetine HCl 20 mg Capsule | Prozac | A | i) Depressive illness ii) Obsessive-compulsive disorder | PSY | 5.95 (30's) | |
| 427 | Flupenthixol Decanoate Depot 20 mg/ml Injection | Fluanxol | B | Chronic psychoses | PSY | 13.34 | |
| 428 | Fluticasone Furoate 27.5 mcg/dose Nasal Spray | | A* | Treatment of nasal symptoms (rhinorrhea, nasal congestion, nasal itching and sneezing) and ocular symptoms (itching/burning, tearing/watering, and redness of the eye) of seasonal and perennial allergic rhinitis. | ENT | 27.40 (120 D) | |
| 429 | Fluticasone Propionate 125 mcg/dose Inhalation | Flixotide | B | Prophylactic treatment for asthma | PAED, MED | 27.46 (120 D) Evohaler | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|---|----------------|----------|--|------------|------------------|---------------|
| 430 | Fluvoxamine 100 mg Tablet | Luvox | B | | PSY | 32.40 (30's) | |
| 431 | Fluvoxamine 50 mg Tablet | Luvox | B | Depressive disorder | PSY | 27.30(60's) | |
| 432 | Folic Acid 5 mg Tablet | - | C | i) For the prevention and treatment of folate deficiency states ii) For the prevention of neural tube defect in the foetus | | 97.44 (110's) | |
| 433 | Follitropin Alpha (Recombinant Human FSH) 300 IU Injection | Gonal F | A* | i) Infertility treatment in anovulatory women who have been unresponsive to treatment with clomiphene citrate ii) Stimulation of follicular development for intra-uterine cycles iii) Stimulation of follicular development in assisted reproductive technology in the management of infertility | O&G | 244.90 | |
| 434 | Fomepizole 1500 mg/1.5 ml Injection | | KPK | Methanol poisoning with metabolic acidosis. | A&E | 4009.00 | Import Permit |
| 435 | Fondaparinux Sodium 2.5 mg/0.5 ml Injection | Arixtra | A* | i) Prevention of venous thromboembolic events (VTE) in orthopedic surgery (e.g. hip fracture, major knee or hip replacement surgery), abdominal surgery in patients at risk of thromboembolic complication. ii) Treatment of unstable angina or non-ST segment elevation myocardial infarction [UA/NSTEMI] in patients for whom urgent invasive management (PCI) is not indicated. iii) Treatment of ST segment elevation myocardial infarction (STEMI) in patients managed with thrombolytics or are not receiving other forms of reperfusion therapy | MED | 195.50 (10's) | |
| 436 | Framycetin Sulphate 0.5%, Dexamethasone 0.05% and Gramicidin 0.005% Ear Drops | Sofradex | A/KK | Otitis externa | ENT | 11.71 | |
| 437 | Frusemide 10 mg/ml Injection | Lasix | B | Pulmonary oedema | | 0.29 | |
| 438 | Frusemide 40 mg Tablet | Lasix | B | Pulmonary oedema | | 16.70 (500's) | |
| 439 | Fuller's Earth 30% Suspension | Fuller's Earth | C | Adsorbent in pesticide poisoning | | 6.00 (60 g) | |
| 440 | Fusafungine 1% Nasal Spray | Locabiotol | A | Local antibiotic, anti-inflammatory treatment of infectious and inflammatory syndromes of the respiratory mucosa | ENT | 45.90 | |
| 441 | Fusidate, Sodium 250 mg Tablet | Fucidin | A* | Treatment of infections caused by susceptible organisms especially Staphylococcal infections including Methicillin Resistant Staphylococcus aureus (MRSA) | | 1.49 | |
| 442 | Fusidic Acid 1% Eye Drops | Fucithalmic | A | For staphylococcal infections | OPHTHAL | 15.80 (5 g) | |
| 443 | Fusidic Acid 2% Cream | | A | Skin infections caused by staphylococci, streptococci, corynebacterium minutissimum and other sodium fusidate-sensitive organisms | DERM | 3.11 (15 g) | |
| 444 | Fusidic Acid 2% in Betamethasone Valerate 0.1% Cream | Fucicort | A/KK | Inflammatory dermatosis where bacterial infection is likely to occur eg atopic eczema, discoid eczema, stasis eczema, seborrheic dermatitis, contact dermatitis, lichen simplex chronicus, psoriasis, discoid lupus erythematosus | DERM | 7.20 (15 g) | |
| 445 | Fusidic Acid 2% Ointment | | | Skin infections caused by staphylococci, streptococci, corynebacterium minutissimum and other sodium fusidate-sensitive organisms | DERM | 3.10 (15 g) | |
| 446 | Fusidic Acid 50 mg/ml Suspension | Fucidin | A* | Treatment of infections caused by staphylococcal especially Methicillin Resistant Staphylococcus aureus (MRSA) | | 97.80 (90 ml) | |
| 447 | Fusidic Acid 500 mg Injection | Fucidin | A* | Treatment of severe staphylococcal infections especially Methicillin Resistant Staphylococcus aureus (MRSA). To be used in combination therapy only | | 83.84 | |
| 448 | Gabapentin 100 mg Tablet | Neurontin | A* | i) Add-on therapy for intractable partial epilepsy, refractory to standard anti-epileptic drugs ii) Treatment of various types of neuropathic pain, both peripheral (which includes diabetic neuropathy, post-herpetic neuralgia, trigeminal neuralgia) in adult more than 18 years | | 92.45 (50's) | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|---|--------------|----------|---|---------------------|----------------------------|-------------|
| 449 | Gabapentin 300 mg Capsule | Neurontin | A* | | ORTHO, MED, PAIN | 13.30 (100's) | |
| 450 | Gabapentin 600 mg Tablet | | A* | | PAIN | 202.00 (100's) | |
| 451 | Gamma Benzene Hexachloride 0.1 % Lotion | Lindane | C | Scabies | | Dilution | 120 ml |
| 452 | Gamma Benzene Hexachloride 1 % Lotion | Scaboma | A/KK | Only for scabies in children. | DERM | 2.61 (100 ml) | |
| 453 | Ganciclovir Sodium 546 mg/10 ml Injection | Cymevene | A* | Treatment of cytomegalovirus (CMV) disease in immunocompromised patients, prevention of CMV disease during immunosuppressive therapy following organ transplantation | MED | 140.00 | |
| 454 | Gemcitabine HCl 1 g Injection | Gemzar | A* | i) Locally advanced or metastatic non-small cell lung cancer ii) Locally advanced or metastatic pancreatic cancer iii) In combination with carboplatin in the treatment of patients with recurrent epithelial ovarian carcinoma, who have relapsed more than six months, following platinum-based therapy iv) In combination with paclitaxel for treatment of patients with metastatic breast cancer who have relapsed following adjuvant/ neoadjuvant chemotherapy. Prior chemotherapy should have included an anthracycline unless clinically contraindicated | | 151.50 | CDR |
| 455 | Gemprost (Prostaglandin E1 Synthetic Analogue) 1 mg Pessary | Cervagem | A | Inducing abortion in the first trimester | O&G | 135.90 | Ward Supply |
| 456 | Gemfibrozil 300 mg Capsule | Lopid | A/KK | Treatment of hyperlipoproteinaemias (TYPES IIA, IIB, III, IV, V) | MED | 5.22 (30's) | |
| 457 | Gentamicin 0.1% Cream | | A* | For localised infections | DERM | 2.30 (15 g) | |
| 458 | Gentamicin 0.3% Eye Drops | Garamycin | A/KK | Broad spectrum antibiotic in superficial eye infections and also for <i>Pseudomonas aeruginosa</i> | OPHTHAL | 2.00 (5 ml) | |
| 459 | Gentamicin 0.3% Eye Ointment | Garamycin | A/KK | Conjunctivitis, blepharitis, blepharo-conjunctivitis, keratitis, keratoconjunctivitis, episcleritis, dacryocystitis, corneal ulcers, styes and infected eye socket | OPHTHAL | 4.27 (5 g) | |
| 460 | Gentamicin 1.4 % Fortified Eye Drops | - | A | Broad spectrum antibiotic in superficial eye infections and also for <i>Pseudomonas aeruginosa</i> | OPHTHAL | Compound | |
| 461 | Gentamicin Sulphate 80 mg/2 ml Injection | Garamycin | B | Infections due to susceptible organisms | | 0.52 | |
| 462 | Glibenclamide 5 mg Tablet | Daonil | B | Diabetes mellitus type 2 | | 4.52 (100's) | |
| 463 | Gliclazide 60 mg Modified Release Tablet | Diamicron MR | B | As monotherapy or in combination with other oral antidiabetic agents in type 2 diabetes in adults when dietary measures, physical exercise and weight loss alone are not sufficient to control blood glucose | MED | 24.30 (60's) | |
| 464 | Gliclazide 80 mg Tablet | Diamicron | B | Diabetes mellitus type 2 | | 12.76 (100's) | |
| 465 | Glucagon (Lyophilised) 1 mg/ml Injection | Glucagen | B | Management of hypoglycaemia | | 118.20 | |
| 466 | Glucose 20% in Glycerin Nasal Douche | | C | Atrophic Rhinitis or Ozoena | ENT | 0.335 (10ml) - Compound | 10 ml |
| 467 | Glycerin | - | C | As a lubricant and osmotic dehydrating agent | | Repack | 10 ml |
| 468 | Glycerin 25% and Sodium Chloride 15% Enema | Ravin | C | Constipation | | 0.78 (20 ml) | |
| 469 | Glycerin 25% in Aqueous Cream | - | C | As emollient for eczema | DERM | Compound | 200 g |
| 470 | Glyceryl Trinitrate 0.5 mg Tablet | | C | Prophylaxis and treatment of angina and left ventricular failure | | 2.61 (30's) | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|--|------------------|----------|---|------------|-----------------|---------------|
| 471 | Glyceryl Trinitrate 25 mg/5 ml Injection | | A | Prophylaxis and treatment of angina, left ventricular failure. Not for direct IV injection. | MED | 9.86 | |
| 472 | Glycopyrrolate 200 mcg/ml Injection | - | A* | i) To reduce secretions (respiratory tract) for certain types of surgery ii) Reversal of neuromuscular block in patients where atropine is contraindicated | ANAES | 3.10 | |
| 473 | Goserelin 3.6 mg Depot Injection | Zoladex | A | Prostate cancer, endometriosis, leiomyoma uteri and assisted reproduction, breast cancer in premenopausal and perimenopausal women suitable for hormonal manipulation | | 265.35 | |
| 474 | Granisetron HCl 1 mg Tablet | Kytril | A | Prevention and treatment of nausea and vomiting associated with chemotherapy and radiotherapy | SURG | 24.28 | |
| 475 | Granisetron HCl 1 mg/ml Injection | Kytril | A | i) Prevention and treatment of nausea and vomiting associated with chemotherapy and radiotherapy ii) Post-operative nausea and vomiting | SURG | 6.71 (3 ml) | CDR |
| 476 | Griseofulvin (Ultramicrosized 125 mg = 250 mg Microsized) Tablet | Fulcin | B | Dermatophyte infections of the skin, scalp, hair and nails, where topical therapy has failed or inappropriate | | 97.90 (1000's) | |
| 477 | Haemophilus Influenzae Type B Conjugate 10 mcg Vaccine | Act-Hib | C | Immunisation of infants against Haemophilus Influenzae Type B | | 31.66 | |
| 478 | Haemophilus Influenzae Type B Conjugate 10 mcg Vaccine. | Hiberix | C | Immunisation of infants against Hib. | | 15.19 | |
| 479 | Haloperidol 1.5 mg Tablet | Serenace | B | Schizophrenia and other psychoses | PSY | 3.70 (30's) | |
| 480 | Haloperidol 5 mg Tablet | Serenace | B | | PSY | 0.04 | |
| 481 | Haloperidol 5 mg/ml Injection | Serenace | B | Acute psychoses and mania | PSY | 3.00 | |
| 482 | Hemato Polyvalent Snake Antivenin | | KPK | Envenomation with haematological effect from snake bite (unknown species) | A&E | 462.00 | Import Permit |
| 483 | Heparin 1000 units/ml Injection | - | B | i) Prophylaxis and treatment of venous thrombosis and pulmonary embolism. ii) Treatment of myocardial infarction and arterial embolism. iii) Prevention of clotting in arterial and heart surgery and for prevention of cerebral thrombosis | | 10.44 (5 ml) | |
| 484 | Heparin 5000 units/ml Injection | - | B | | | 12.76 (5 ml) | |
| 485 | Heparin Sodium 50 units in Sodium Chloride Injection | Hepsal | B | To maintain patency of peripheral venous catheters | | 0.66 | |
| 486 | Hepatitis B Immunoglobulin (Human) Injection | Hyperhep/Hepabig | A | i) For post-exposure prophylaxis of hepatitis B ii) Prophylaxis against recurrence of hepatitis B infection in chronic hepatitis B post liver transplantation | PAED | 128.50 | |
| 487 | Hepatitis B Vaccine Inj (ADULT) | | C | Immunisation against infections caused by Hepatitis B virus | | 4.87 | |
| 488 | Hepatitis B Vaccine Inj (PAED) | | C | | | 2.43 | |
| 489 | Homatropine 2% Eye Drops | - | B | Treatment of anterior segment inflammation. Producing cycloplegia and mydriasis for refraction | OPHTHAL | 11.70 (15 ml) | |
| 490 | Human Albumin 25 % Inj | - | B | | | 131.48 (50 ml) | |
| 491 | Human Albumin 5 % Inj | - | B | i) Acute hypovolemic shock ii) Hypoproteinaemia iii) Neonatal hyperbilirubinaemia | | 131.48 (250 ml) | |
| 492 | Human Normal Globulin Injection | Intragam | A | i) Hypogammaglobulinaemia and other deficiency states ii) Severe refractory idiopathic thrombocytopenia purpura (platelet less than 20,000) with internal bleeding, particularly central nervous system iii) Septicaemia in immunocompromised patients or patients not responding to antibiotics iv) Chronic lymphocytic leukaemia not responding to conventional therapy | | 556.80 | |
| 493 | Hydralazine 10 mg Tab | Apresoline | KPK | For hypertension secondary to primary hyperaldosteronism | MED | 105.85 (100's) | Import Permit |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|--|-------------|----------|---|--------------------|-------------------------|------------------|
| 494 | Hydralazine HCl 20 mg Injection | Apresoline | B | Hypertensive crisis in pregnancy | O&G | 13.00 | Import Permit |
| 495 | Hydrochlorothiazide 50 mg Tablet | | B | Diuretic, hypertension | | 2.43 (30's) | |
| 496 | Hydrocortisone 1% Cream | - | B | Inflammatory and pruritic manifestations of corticosteroid responsive dermatoses | | 2.71 (30 g) - Repack | |
| 497 | Hydrocortisone 10 mg Tablet | - | B | Glucocorticoid replacement therapy in primary or secondary adrenal insufficiencies and long term management of congenital adrenal hyperplasia in children | PAED, ENDOCRINE | 0.58 | |
| 498 | Hydrocortisone Enema 0.1% | | B | Adjunctive treatment for ulcerative colitis and proctitis | | Compound | |
| 499 | Hydrocortisone Sodium Succinate 100 mg Injection | | C | Conditions responsive to systemic or local glucocorticoid injection therapy especially in emergencies | | 1.21 | |
| 500 | Hydrogen Peroxide 25 % Mouthwash | | C | Anti-infectives and antiseptics for local oral treatment. | | Compound | 240 ml |
| 501 | Hydroxocobalamin 5 g Injection | Cyanokit | KPK | Cyanide Poisoning | A&E | 3853 | Import Permit |
| 502 | Hydroxychloroquine Sulphate 200 mg Tablet | Plaquenil | A | i) SLE and mixed connective tissue disease for skin, joint and serosa ii) Second line therapy for acute rheumatoid arthritis | MED | 105.36 (60's) | |
| 503 | Hydroxyethyl Cellulose Jelly | KY Jelly | B | For lubricating purpose | SURG | | |
| 504 | Hydroxyethyl Starch 6 % (Poly (O-2-hydroxyethyl)) Injection (Tetraspan) | Haes-Steril | B | | A&E, OT | 34.00 (500 ml) | Free Flex bag |
| 505 | Hydroxyethyl Starch 6% Injection (Volulyte) | Haes-Steril | B | | | 35.52 (500 ml) | Free Flex bag |
| 506 | Hydroxyethyl Starch 6% Injection (Voluven) | Haes-Steril | B | Therapy and prophylaxis of hypovolaemia and shock in connection with surgery trauma, infections and burns | | 32.51 (500 ml) | Free Flex bag |
| 507 | Hydroxyurea 500 mg Capsule | Hydrea | A | i)Solid tumours ii) Chronic myelocytic leukaemia and myeloproliferative disease iii)Severe psoriasis eg. Extensive plaque psoriasis, erythrodermic psoriasis, pustular psoriasis -as third line therapy. | MED | 93.60 (100's) | |
| 508 | Hydroxyzine HCl 25 mg Tablet | Atarax | A | Allergic pruritus | DERM | 61.20 (500's) | |
| 509 | Hyoscine N-Butylbromide 10 mg Tablet | | B | | | 148.24 (500's) | |
| 510 | Hyoscine N-Butylbromide 20 mg/ml Injection | | B | Gastrointestinal tract and genito-urinary tract spasm, dyskinesia of the biliary system | | 0.69 | |
| 511 | Hypromellose 0.3% Eye Drops | Dacrolux | B | Tear deficiency, ophthalmic lubricant; for relief of dry eyes and eye irritation | OPHTHAL | 3.75 (15 ml) - Iris | |
| 512 | Hypromellose 0.3%, Carbomer 980 Ophthalmic Gel (GenTeal) | Genteal Gel | B | Symptomatic relief of severe dry eye conditions and as lens lubricant during ophthalmic diagnostic procedures | OPHTHAL | 16.50 (10 g) | |
| 513 | Ibandronic Acid 150 mg Tablet | Bonviva | A* | Treatment of postmenopausal osteoporosis to reduce the risk of fracture. Review treatment after 2 years and if there is positive response, treatment may be continued up to 5 years and then re-evaluate. Treatment should be stopped if there is no positive response after 5 years. Otherwise, patient needs to be given drug holiday for 1 to 2 years and then continue treatment shall the benefit outweigh the risk. | ORTHO | 431.80 | |
| 514 | Ibuprofen 100mg/5ml Syrup | Brufen | KPK | Patent Ductus Arteriosus (PDA) closure | PAED | 2.94 (60 ml) | KPK |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|---|---------------------|----------|---|------------|---|---------------|
| 515 | Ibuprofen 200 mg Tablet | Brufen | B | Pain and inflammation in rheumatic disease | | 1.39 (20's) | |
| 516 | Idarubicin 10 mg Injection | Zavedos | A* | i) Acute promyelocytic leukaemia ii) Relapse Acute myeloid leukemia (with sibling match) iii) Acute myeloid leukemia, acute lymphoblastic leukemia (salvage therapy) | | 755.00 | CDR |
| 517 | Ifosfamide 1 g Injection | Holoxan | A* | i) Solid tumours ii) Leukaemia iii) Lymphoma | | 69.60 | CDR |
| 518 | Iloprost 50 mcg Injection (Prostacycline Analogue) | | KPK | Effective alternative in patients with severe Raynaud's Phenomenon not responding to the first line management (calcium channel blockers) | MED | 337.00 | Import Permit |
| 519 | Imatinib Mesylate 100 mg Tablet | Glivec | A* | i) ADULT and CHILD: Philadelphia positive (Ph+) chronic myeloid leukaemia in chronic phase and in early acceleration after failure of interferon therapy ii) Treatment of patients with unresectable and or metastatic, malignant gastrointestinal stromal tumours (GIST) who are positive for CD117/c-kit | | 4,492.00 (60's) | CDR |
| 520 | Imatinib Mesylate 400 mg Tablet | Glivec | A* | | | 8,290.00 (30's) | CDR |
| 521 | Imipenem 500 mg and Cilastatin 500 mg Injection | Tienam | A* | Severe infections caused by susceptible pathogens especially useful in infections involving ESBL organisms. Not to be used for prophylaxis | | 29.23 | |
| 522 | Imiquimod 5 % w/w Cream | Aldara | A* | Treatment of external genital and perianal warts or condyloma acuminata in adults | DERM | 19.80 (250 mg Cream or 12.5 mg Imiquimod) | |
| 523 | Indacaterol Maleate 150 mcg Inhalation Powder | | A* | Maintenance bronchodilator treatment of airflow obstruction in adult patients with chronic obstructive pulmonary disease (COPD). | MED | 93.99 (30's) | |
| 524 | Indinavir Sulfate 400 mg Capsule | Crixivan | A* | i) Post-exposure prophylaxis (PEP) among healthcare workers in high-risk HIV occupational exposure ii) For therapy as part of combination antiretroviral treatment on adult HIV patients ie Highly Active Anti-Retroviral Therapy (HAART) | MED | 422.00 (180's) | |
| 525 | Indomethacin 25 mg Capsule | Indocid | B | Pain and inflammation in rheumatic disease | | 25.52 (500's) | |
| 526 | Infliximab 100 mg Injection | Remicade | A* | i) Rheumatoid arthritis (moderate to severe), in combination with methotrexate ii) Ankylosing spondylitis in patients with active disease despite treatment with methotrexate iii) Crohn's Disease in patients who have an inadequate response to conventional therapies. iv) Fistulizing Crohn's Disease in patients who have an inadequate response to conventional therapies v) Ulcerative Colitis in patients who have an inadequate response to conventional therapies | RHEUMATO | 2,080.60 | |
| 527 | Insulin Aspart 100 IU/ml Injection | Novorapid (Flexpen) | A* | Diabetic Type 1 and 2 in patients that still experienced hypoglycaemia with use of human insulin | MED, PAED | 112.40 (5's) | |
| 528 | Insulin Aspart 30% and Protaminated Insulin Aspart 70% 100 U/ml Injection | Novomix (Flexpen) | A* | Diabetic type 1 and 2 in patients that still experienced hypoglycaemia with use of human insulin | MED | 111.24 (5's) | |
| 529 | Insulin Detemir 100 IU/ml Injection in Prefilled syringe/cartridge | Levemir (Flexpen) | A* | i) Type 1 Diabetes patients on basal bolus regimen, whom experience hypoglycemia with conventional insulin, to be used in combination with rapid or short-acting insulin. ii) Type 2 Diabetes patients on oral anti-diabetics and basal insulin regimen or basal bolus insulin regimen whom experience hypoglycemia with conventional basal insulin. | ENDOCRINE | 200.76 (5's) | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|--|---|----------|--|----------------|--------------------------|--------------------|
| 530 | Insulin Lispro 100 IU/ml Injection in Prefilled syringe/cartridge | Humalog (Kwikpen) | A* | i) As initial therapy in children with Type 1 diabetes ii) Type 1 diabetes patients on basal bolus regimen, not controlled or experience hypoglycaemia with conventional insulin, to be used in combination with long-acting insulin iii) Type 2 diabetes patients on basal bolus or premixed regimen, not controlled or experience hypoglycaemia with conventional insulin, to be used in combination with intermediate-acting insulin or long-acting insulin iv) Patients with diabetes in pregnancy with poor postprandial control or experience hypoglycaemia with conventional short-acting insulin | ENDOCRINE | 108.10 (5's) | |
| 531 | Insulin Lispro 25% & Insulin Lispro Protamine 75% 100 IU/ml Injection in Prefilled syringe/cartridge | Humalog Mix25 (Kwikpen) | A* | Patients with Type 2 diabetes whom experience hypoglycemia with the use of human premixed insulin. | MED | 108.10 (5's) | |
| 532 | Insulin Recombinant Neutral Human short-acting 100 IU/ml Injection in 10ml vial | Actrapid (Vial) | B | Insulin dependent diabetes mellitus, non insulin dependent diabetes unresponsive to treatment to diet or oral hypoglycaemics, hyperkalaemia to assure proper utilisation of glucose and reduce glucosuria in non diabetic patients receiving parenteral nutrition | MED, O&G | 17.86 (10 ml) | |
| 533 | Insulin Recombinant Synthetic Human, intermediate-acting 100 IU/ml Injection in 10ml vial | Insulatard (Vial) | B | | MED, O&G | 17.86 (10 ml) | |
| 534 | Insulin Recombinant Synthetic Human, intermediate-acting 100 IU/ml Penfill and Refill | Humulin (Penfill), Insulatard (Penfill) | N B | | MED, O&G, PAED | 30.94 (5's) - Insulatard | |
| 535 | Insulin Recombinant Synthetic Human, pre-mixed 100 IU/ml Penfill and Refill | Mixtard (Penfill) | B | | MED | 33.95 (5's) | |
| 536 | Insulin Recombinant Synthetic Human, short-acting 100 IU/ml Penfill and Refill | Actrapid (Penfill) | B | | MED, O&G, PAED | 30.94 (5's) | |
| 537 | Interferon Alfa-2b 30 MIU Multidose Injection Pen | Intron-A | A | | MED | 874.00 | |
| 538 | Interferon Alpha-2b 3 MIU Injection | Intron-A | A* | For the treatment of i) Hairy cell leukaemia ii) Chronic myelogenous leukaemia iii) AIDS related Kaposi's Sarcoma iv) Chronic Hepatitis B v) Chronic Hepatitis C vi) Advanced renal cell carcinoma | MED | 874.00 | |
| 539 | Interferon Beta-1a 44 mcg | Rebif | A* | Multiple sclerosis of the relapsing remitting type with 2 or more relapses within the last 2 years | MED | 3,556.00 (12's) | |
| 540 | Ipratropium Bromide 0.025% Inhalation Solution (250 mcg/ml) | Atrovent (Nebules) | B | Only for treatment of : i) Patients with ischaemic heart disease who develop extrasystole with salbutamol or terbutaline ii) Patients with chronic bronchitis who have airway obstruction and who do not respond to salbutamol or terbutaline. Reversible airways obstruction, particularly in chronic obstructive pulmonary disease | | 59.91 (60's) | 500mcg/2ml Nebules |
| 541 | Ipratropium Bromide 0.5 mg and Salbutamol 2.5 mg per UDV - Inhalation Solution | Combivent (Nebules) | B | Management of reversible bronchospasm associated with obstructive airway diseases | | 17.00 (20's) | Ward Supply |
| 542 | Ipratropium Bromide 20 mcg and Fenoterol 50 mcg/dose Inhalation | Berodual® | B | Management of symptoms in chronic obstructive airway disorders with reversible bronchospasm such as bronchial asthma and chronic bronchitis with or without emphysema | MED | 15.20 (200 D) | |
| 543 | Irbesartan 150 mg Tablet | Aprovel | A/KK | Hypertension, diabetic nephropathy (in patients who cannot tolerate ACE inhibitors because of cough) | MED | 27.38 (28's) | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|--|----------------------|----------|--|------------|-----------------|---------------|
| 544 | Irbesartan 300 mg Tablet | Aprovel | A/KK | | MED | 38.07 (28's) | |
| 545 | Irbesartan 300 mg & Hydrochlorothiazide 12.5 mg Tablet | CoAprovel | A* | Hypertension in patients who cannot tolerate ACE inhibitors because of cough | MED | 38.17 (28's) | |
| 546 | Irinotecan HCl Trihydrate 100 mg/5ml Injection | Campto | A* | Only for patients with colorectal cancer who: i) have relapsed within 6 months after the end of adjuvant chemotherapy with 5-fluorouracil-based regime ii) have progressive disease despite 5-fluorouracil chemotherapy for advanced disease iii) good performance status (WHO of 2 or less) The treatment must be given in a tertiary oncology centre or have clearance in writing by an oncologist | | 275.30 | CDR |
| 547 | Iron Dextran 50 mg Fe/ml Injection | Cosmofer/ Imferon | B | Severe iron deficiency anaemia | | 13.92 | |
| 548 | Iron Sucrose 100 mg/5 ml Injection | Venofer | A* | Dialysis patients on erythropoietin therapy, second and third trimester pregnancy and post partum anaemia patients with iron deficiency: i) who are not responsive to oral iron therapy ii) who may be at risk of allergic reactions to iron dextran injection | | 182.78 (5's) | |
| 549 | Isoflurane Liquid (Anaesthetic Inhalation) | Forane | B | i) Induction and ii) Maintenance of anaesthesia | | 174.00 | |
| 550 | Isoniazid 100 mg Tablet | - | B | i) Tuberculosis ii) Tuberculous meningitis | MED, PAED | 32.31 (100's) | |
| 551 | Isoniazid 50 mg/ml Syrup | | KPK | Antimicrobial for tuberculosis | PAED | 325.00 (473 ml) | Import Permit |
| 552 | Isosorbide Dinitrate 10 mg Tablet | | B | Prophylaxis and treatment for: i) Angina ii) Left ventricular failure | | 8.41 (1000's) | |
| 553 | Isosorbide-5-Mononitrate 30 mg SR Tablet | Imdur | A | Prophylaxis and treatment of angina pectoris | MED | 24.18 (30's) | |
| 554 | Isotretinoin 10 mg Capsule | Roaccutane | A* | Only for treatment of i) Severe nodulo-cystic acne ii) Acne conglobata iii) Acne fulminans iv) Severe acne vulgaris failing conventional | DERM | 118.20 (60's) | |
| 555 | Isotretinoin 20 mg Capsule | Roaccutane | A* | Only for treatment of i) Severe nodulo-cystic acne ii) Acne conglobata iii) Acne fulminans iv) Severe acne vulgaris failing conventional treatment WARNING: THIS DRUG IS TERATOGENIC | DERM | 188.00 (60's) | |
| 556 | Itopride HCl 50 mg Tablet | Ganaton | A* | Treatment of gastrointestinal symptoms of functional, non-ulcer dyspepsia (chronic gastritis) i.e sensation of bloating, early satiety, upper abdominal pain or discomfort, anorexia, heartburn, nausea and vomiting | SURG, MED | 35.90 (30's) | |
| 557 | Itraconazole 100 mg Capsule | | A* | i) Dermatomycosis including pityriasis versicolor ii) Oral candidiasis iii) Palmar tinea manus and plantar tinea pedis iv) Fingernail | DERM | 201.90 (28's) | |
| 558 | Ivabradine 5 mg Tablet | Coralan | A* | Symptomatic treatment of chronic stable angina pectoris in patients with normal sinus rhythm, who have a contraindication or intolerance to beta blockers | MED | 140.56 (56's) | |
| 559 | Ivabradine 7.5 mg Tablet | Coralan | A* | | MED | 142.50 (56's) | |
| 560 | Kanamycin 1 g Injection | - | A* | i) Treatment of gonorrhoea and neonatal meningitis ii) Treatment of TB patients who require reserved second line drugs but have no pre-existing renal complications | | 3.35 | |
| 561 | Ketamine 10 mg/ml Injection | Ketalar | B | Sole anaesthetic for short procedures or induction of anaesthesia in certain types of patients (e.g in shock states) | | 10.20 | |
| 562 | Ketoconazole 2% Shampoo | | A | Resistant dandruff only | DERM | 11.00 (120 ml) | |
| 563 | Ketoconazole 200 mg Tablet | | A/KK | i) Pityriasis versicolor ii) Systemic mycosis (other skin mycoses) iii) Nail infections | DERM | 24.13 (100's) | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|---|------------|----------|---|-----------------------------|-----------------|---------------|
| 564 | Ketoprofen 2.5% Gel | Orudis | A | As a short term treatment for traumatic lesions, sprains, tendinitis, oedema, bruises | ORTHO, RHEUMATO | 3.96 (30 g) | |
| 565 | Ketoprofen 30 mg Transdermal Plaster | Ketotop | A | Treatment of signs & symptoms of arthritis deformans, periartthritis humero-scapularis, tendinitis, peritendinitis, sore muscle, swelling, pain resulting from trauma (eg. contusion, distorsion, sprain). | ORTHO, PAIN, RHEUMATO | 2.90 (6's) | |
| 566 | Ketorolac Tromethamine 0.5% Eye drops | Acular | A | i) Ocular itching due to allergic conjunctivitis ii) Prophylaxis and reduction of inflammation and associated symptoms following ocular surgery | OPHTHAL | 15.27 (5 ml) | |
| 567 | Ketorolac Tromethamine 30 mg/ml Injection | Toradol | A* | Short term management of moderate to severe postoperative pain | | 8.74 | |
| 568 | Labetalol HCl 100 mg Tablet | Trandate | B | Hypertension (including in pregnancy) | MED | 28.71 (100's) | |
| 569 | Labetalol HCl 5 mg/ml Injection | Trandate | B | Hypertension crisis | | 12.48 (5ml) | |
| 570 | Lactulose 3.35 g/5 ml Liquid | Duphalac | B | i) Constipation ii) Hepatic encephalopathy | | 3.44 (100 ml) | |
| 571 | Lamivudine 10 mg/ml Oral Solution | 3TC | A* | HIV infection in combination with other antiretroviral agents | MED | 231.60 (240 ml) | |
| 572 | Lamivudine 100 mg Tablet | Zeffix | A* | Management of chronic hepatitis B infection associated with evidence of hepatitis B viral replication and active liver inflammation | MED | 205.15 (28's) | |
| 573 | Lamivudine 150 mg Tablet | 3TC | A/KK | HIV infection in combination with other antiretroviral agents | MED | 156.00 (60's) | |
| 574 | Lamotrigine 50 mg Tablet | Lamictal | A | i) Adjunctive or monotherapy for partial seizures and generalised tonic clonic seizures not satisfactorily controlled with other antiepileptic drugs ii) Prevention of mood episodes in adult 18 years and above with bipolar disorder, predominately by preventing depressive episodes | MED, PAED, PSY | 8.50 (30's) | |
| 575 | Lamotrigine 100 mg Tablet | Lamictal | A | | MED, PAED | 12.00 (30's) | |
| 576 | Lansoprazole 30 mg Tablet | | A* | i) Peptic ulcer disease ii) Reflux oesophagitis iii) Zollinger-Ellison Syndrome iv) For eradication of Helicobacter pylori in combination with antibiotic | MED | 13.10 (30's) | |
| 577 | Lanthanum Carbonate 1000 mg Chewable Tablet | Fosrenol | A* | Phosphate binding agent for the treatment of hyperphosphataemia in dialysis patients with sustained hypercalcaemia of more than three months and secondary hyperparathyroidism | NEPHRO | 808.10 (90's) | |
| 578 | L-Arginine HCl 50 % (5 g /10 ml) Injection | | KPK | Anti-hyperammonemic Drug Cocktail | PAED | 139.33 | Import Permit |
| 579 | L-Asparaginase 10,000 IU Injection | Leunase | A* | i) Acute lymphoblastic leukemia ii) Non-hodgkin's lymphoma | HEMATO | 3,558.97 | CDR |
| 580 | Latanoprost 0.005% and Timolol Maleate 0.5% eye drops | Xalacom | A* | For reduction of Intraocular Pressure (IOP) in patients with Open-angle Glaucoma (OAG) and Ocular Hypertension (OH) who are insufficiently responsive to topical beta-blocker. | OPHTHAL | 30.78 (2.5 ml) | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|---|--------------------|----------|---|------------|------------------|---------|
| 581 | Latanoprost 0.005% Eye Drops | Xalatan | A* | Reduction of elevated intraocular pressure in patients with open-angle glaucoma | OPHTHAL | 8.90 (2.5 ml) | |
| 582 | Leflunomide 10 mg Tablet | Arava | A* | i) Persistent active rheumatoid arthritis ii) Active psoriatic arthritis | RHEUMATO | 262.30 (30's) | |
| 583 | Leflunomide 20 mg Tablet | Arava | A* | | RHEUMATO | 383.00 (30's) | |
| 584 | Lenalidomide 5 mg Capsule | Revlimid | A* | In combination with dexamethesone is indicated for the treatment of multiple myeloma patients who have received at least one prior therapy | HEMATO | | CDR |
| 585 | Lenalidomide 10 mg Capsule | Revlimid | A* | | HEMATO | 24,084.50 (21's) | CDR |
| 586 | Lenalidomide 15 mg Capsule | Revlimid | A* | | HEMATO | 24,084.50 (21's) | CDR |
| 587 | Lenalidomide 25 mg Capsule | Revlimid | A* | | HEMATO | 23,757.15 (21's) | CDR |
| 588 | Letrozole 2.5 mg Tablet | Femara | A* | i) Treatment of hormone responsive metastatic or locally advanced breast cancer after failure of tamoxifen ii) Adjunct for node positive postmenopausal women with early breast cancer (positive or unknown oestrogen or positive progesterone receptor status / receptor status) who have received 5 years of adjuvant tamoxifen therapy | SURG, O&G | 97.85 (30's) | |
| 589 | Leucovorin Calcium (Calcium Folate) 15 mg Tablet | | A | Treatment of folic acid antagonist overdose | | 78.00 (10's) | |
| 590 | Leucovorin Calcium (Calcium Folate) 50 mg Injection | Leucovorin Calcium | A | i) Biochemical modulator for 5-Fluorouracil in the treatment of colorectal cancer ii) As rescue for high dose methotrexate iii) Gestational trophoblastic disease | A&E | 11.60 | |
| 591 | Leuprolide Acetate 3.75 mg Injection | Lucrin Depot | A* | i) Endometriosis ii) Hormonal therapy in advanced prostate cancer | O&G | 292.50 | |
| 592 | Leuprolide Acetate 11.25 mg Injection | Lucrin | A* | | O&G | 945.15 | |
| 593 | Levetiracetam 500 mg Tablet | Keppra | A* | i) Monotherapy therapy in the treatment of partial onset seizures with or without secondary generalization in patients from age 16 years of age with newly diagnosed epilepsy ii) Adjunctive treatment in partial onset seizures with or without secondary generalization in adults and children from 4 years of age with epilepsy; juvenile myoclonic epilepsy and idiopathic generalized tonic clonic epilepsy from 12 years of age | MED, PAED | 152.90 (100's) | |
| 594 | Levobupivacaine 5mg/ml Injection | Chirocaine | A | Production of local or regional anesthesia for surgery and obstetrics, and for postoperative pain management | ANAES | 14.65 | |
| 595 | Levocetirizine Dihydrochloride 5 mg Tablet | Xyzal | A* | Symptomatic treatment of allergic rhinitis (including persistent allergic rhinitis) and chronic idiopathic urticaria | DERM, ENT | 0.26 | |
| 596 | Levodopa 100 mg and Carbidopa 25 mg Tablet | Sinemet | B | Parkinson's disease | MED | 49.88 (100's) | |
| 597 | Levodopa 250 mg and Carbidopa 25 mg Tablet | Sinemet | B | | MED | 94.19 (100's) | |
| 598 | Levodopa 100 mg, Benserazide 25 mg HBS | Madopar HBS | B | Parkinson's Disease | MED | 106.20 (100's) | |
| 599 | Levodopa 100 mg, Carbidopa 25 mg and Entacapone 200 mg Tablet | Stalevo® | A* | Idiopathic Parkinson's disease | MED | 385.50 (100's) | |
| 600 | Levodopa 150 mg, Carbidopa 37.5 mg and Entacapone 200 mg Tablet | Stalevo® | A* | Idiopathic Parkinson's disease | MED | 384.70 (100's) | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|--|----------------------------|----------|---|------------|---|---|
| 601 | Levodopa 200 mg, Benserazide 50 mg Tablet | Madopar | B | Parkinson's Disease | MED | 800.40 (1000's) | |
| 602 | Levofloxacin 500 mg Tablet | | A* | Community acquired pneumonia | MED | 23.38 (5's) | |
| 603 | Levonorgestrel 1.5 mg Tablet | Escapelle | A* | Emergency contraception within 72 hours of unprotected sexual intercourse for the female victim of sexual violence to prevent unwanted pregnancy | O&G | 2.95 | |
| 604 | Levonorgestrel 150 mcg and Ethinylloestradiol 30 mcg Tablet | Rigevidon | C | Contraception | O&G | 2.97 (21's) | |
| 605 | Levonorgestrel 52 mg Intrauterine System | Mirena | A* | i) Contraception (Initial release rate of 20 mcg/24 hours). ii) Idiopathic menorrhagia | O&G | 575.00 | |
| 606 | Levothyroxine Sodium 25 mcg Tablet | | B | Hypothyroidism | PAED | 11.17 (100's) | |
| 607 | Levothyroxine Sodium 100 mcg Tablet | Oroxine | B | Hypothyroidism | MED, PAED | 26.60 (200's) | |
| 608 | Lidocaine 25mg and Prilocaine 25mg Cream | Emla | A | Used for painless venepunctures, radial artery cannulations before extradural/spinal and other regional blocks in children above 1 year old and adults. Also used in chronic renal failure patients for insertion of A-V fistulas and shunts for haemodialysis. | A&E, SURG | 25.00 (5 g) | |
| 609 | Lignocaine 10 % w/w Spray | | B | For surface anaesthesia in dental practice, in otorhinolaryngology and paracentesis | | 117.70 (50 ml) | |
| 610 | Lignocaine 2% Jelly | | B | Use for endotracheal tubes and instruments, painful procedures in the ear, nose and throat, burns, wounds, abrasions, lacerations; catheterisation of the male and female urethra and for symptomatic treatment of cystitis and urethritis | | 3.94 | |
| 611 | Lignocaine 2% Viscous Solution | | A | For post-tonsilectomy, sore throat, dumping syndrome, hiccough, reflux vomiting, painful lesions of the mouth, cardiospasm, instrumentation of the respiratory and digestive tract | | 63.85 | Ward Supply |
| 612 | Lignocaine 2% with Chlorhexidine 0.05% Gel | Cathejell | B | To provide local anaesthesia and lubrication during catheterization, exploration by sound and other endourethral operations and examinations, cytoscopy and symptomatic treatment of painful cystitis | ANAES | 8.50 (12.5 g) | Import Permit |
| 613 | Lignocaine HCl (Lidocaine) 2% Injection | | B | Local aneth by infiltration IV regional anesthesia and nerve block. Emergency management of ventricular arrhythmias particularly after myocardial infarction and cardiac surgery | | 1.16 (5 ml plastic amp), 1.83 (10 ml glass vial) | IM - Glass vial, IV infusion - Plastic ampule |
| 614 | Lignocaine HCl 5% and Phenylephrine HCl 0.5% Nasal Spray | Co-Phenylcaine Forte Spray | A* | Preparation of nasal mucosa for surgery (eg. Cautery to Little's area), aid the treatment of acute nose bleeds and removal of foreign bodies from the nose, topical anaesthesia of the pharynx prior to direct or indirect laryngoscopy, topical anaesthesia and local vasoconstriction prior to endoscopy of the upper airways | MED | 195.13 (50 ml) | |
| 615 | Lignocaine, Aluminium Acetate, Zinc Oxide and Hydrocortisone Suppository | Xyloproct | B | Anorectal pain, pruritis, inflammation and irritation | | 1.20 | |
| 616 | Linezolid 2 mg/ml Injection (600 mg/300 ml) | Zyvox | A* | MRSA patient with severe sepsis requiring intensive care and not clinically responding to vancomycin | | 149.40 (300 ml) | |
| 617 | Linezolid 600 mg Tablet | Zyvox | A* | MRSA patient with severe sepsis requiring intensive care and not clinically responding to vancomycin. | ANAES | 130.15 | Ward Supply |
| 618 | Liquid Paraffin | - | C | Constipation | | | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|--|------------------|----------|---|-----------------|--------------------|-------------|
| 619 | Lithium Carbonate 300 mg Tablet | - | A | i) Prophylaxis and treatment of acute mania and hypomania episodes ii) Prophylaxis of manic depression in bipolar illness or bipolar depression and recurrent depression | PSY | 344.59 (1000's) | |
| 620 | Lopinavir 100 mg and Ritonavir 25 mg Tablet | Kaletra | KPK | Paediatric HIV | PAED | 345.00 (60's) | KPK |
| 621 | Lopinavir 200 mg and Ritonavir 50 mg Tablet | Kaletra | A* | As second line protease inhibitor if intolerant to indinavir/ ritonavir as part of HAART regimen | MED | 574.50 (120's) | |
| 622 | Lopinavir 80 mg and Ritonavir 20 mg Oral Solution | Kaletra | A | Management of patients with asymptomatic and symptomatic (early or advanced) HIV Infection with CD4 cell counts | PAED | 828.00 (160 ml) | |
| 623 | Loratadine 1 mg/ml Syrup | Clarityne | A | Allergic rhinitis, chronic urticaria and other allergic dermatological disorders | ENT, PAED, DERM | 1.71 (60 ml) | |
| 624 | Loratadine 10 mg Tablet | Clarityne | B | Allergic rhinitis and allergic dermatoses | ENT | 12.58 (100's) | |
| 625 | Loratadine 5 mg and Pseudoephedrine Sulphate 120 mg Tablet | Clarinase | A/KK | For treatment of allergic rhinitis and allergic dermatoses | ENT | 1.10 | |
| 626 | Lorazepam 1 mg Tablet | Ativan | A/KK | i) Severe anxiety ii) Insomnia | PSY | 0.22 | |
| 627 | Losartan 50 mg Tablet | Cozaar | A/KK | Patients intolerant of ACE inhibitors, only in the treatment of i) Hypertensive patient with left ventricular hypertrophy ii) Hypertension in diabetics with proteinuria or nephropathy | MED | 30.00 (30's) | |
| 628 | Losartan Potassium 100 mg Tablet | Cozaar | A/KK | | MED | 37.05 (30's) | |
| 629 | Losartan Potassium 50 mg and Hydrochlorothiazide 12.5 mg Tablet | Hyzaar | A/KK | Hypertension in patients who cannot tolerate ACE inhibitors because of cough, hypertensive patient with left ventricular hypertrophy | MED | 30.00 (30's) | |
| 630 | Losartan Potassium 100 mg and Hydrochlorothiazide 12.5 mg Tablet | Hyzaar | A* | | MED | 36.70 (30's) | |
| 631 | Lovastatin 20 mg Tablet | | B | Hypercholesterolaemia and coronary heart disease | | 3.50 (100's) | |
| 632 | Lugol's Solution (Iodine and Potassium Iodide Solution) | Lugol's Solution | B | i) Pre-operative treatment of thyrotoxicosis ii) Thyrotoxicosis crisis | | Compound | Ward Supply |
| 633 | Magnesium Sulphate 45% Paste | - | C | Inflammatory skin conditions such as boils and carbuncles | | Compound | 15 g |
| 634 | Magnesium Sulphate 50% Injection | - | C | Treatment and prophylaxis of hypomagnesaemia. Prevention and treatment of life-threatening seizures in the treatment of toxemias of pregnancy (pre-eclampsia and eclampsia) | | 8.65 | |
| 635 | Magnesium Trisilicate Mixture | - | C | Heartburn, dyspepsia | | 2.03 (200 ml) | |
| 636 | Magnesium Trisilicate Tablet | - | C | Heartburn, dyspepsia | | 3.77 (30's) | |
| 637 | Mebeverine HCl 135 mg Tablet | | B | Irritable bowel syndrome | SURG | 40.90 (50's) | |
| 638 | Meclozine HCl 25 mg and Pyridoxine 50 mg Tablet | | B | Nausea and vomiting of pregnancy | O&G | 0.48 | |
| 639 | Mecobalamin 500 mcg Tablet | Methylcobal | B | Peripheral neuropathies | | 9.80 (120's) | |
| 640 | Medroxyprogesterone Acetate 150 mg/3 ml Injection | Provera/Farlutal | B | Prevention of pregnancy and to provide long term contraception | O&G | 15.10 | |
| 641 | Medroxyprogesterone Acetate 5 mg Tablet | Provera/Farlutal | B | i) Secondary amenorrhoea ii) Abnormal uterine bleeding due to hormonal imbalance | O&G | 25.50 (100's) | |
| 642 | Mefenamic Acid 250 mg Capsule | Ponstan | B | Mild to moderate pain | | 4.52 (20's) | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|---|---------------|----------|--|------------|----------------|---------|
| 643 | Megestrol Acetate 160 mg Tablet | | KPK | Palliative treatment of advanced carcinoma of endometrium | O&G | 124.05 (30's) | KPK |
| 644 | Meloxicam 7.5 mg Tablet | Mobic | A/KK | Only for patients not responding to other NSAIDs in the treatment of i) painful osteoarthritis ii) rheumatoid arthritis | ORTHO | 0.07 | |
| 645 | Melphalan 2 mg Tablet | Alkeran | A | i) Multiple myeloma ii) Neuroblastoma, rhabdomyosarcoma iii) Recurrent neuroblastoma (palliative) | | 39.50 | CDR |
| 646 | Meningococcal A, C, Y, W 135 Vaccine Injection | | B | Immunisation against meningococcal diseases caused by Neisseria meningitidis Group A, Group C, Group Y or Group W-135 | SURG | 463.50 | |
| 647 | Menotrophin 150 IU Injection (Follicle Stimulating Hormone 150 IU and Luteinizing Hormone 150 IU) | Menonys | A* | Treatment of infertility where clomifene has fail or stimulation of follicle growth as part of an assisted reproductive technology (ART) | O&G | 98.50 | |
| 648 | Menotrophin 75 IU Injection (Follicle Stimulating Hormone 75 IU and Luteinizing Hormone 75 IU) | Menonys | A* | Treatment of infertility where clomifene has fail or stimulation of follicle growth as part of an assisted reproductive technology (ART) | O&G | 50.00 | |
| 649 | Menthol 1.6% in Industrial Methylated Spirit Inhalation | - | C | Decongestion of the upper respiratory tract | | Compound | |
| 650 | Mercaptopurine 50 mg Tablet | Puri-Nethol | A | i) Langerhan's cell histiocytosis ii) Acute lymphoblastic leukaemia iii) Acute promyelocytic leukaemia APLM (maintenance) | | 244.20 (25's) | CDR |
| 651 | Meropenem 500 mg Injection | Meronem | A* | i. Empirical treatment for presume infections in patients (adult and children) with febrile neutropenia, used as monotherapy or in combination with anti-virals or antifungal agent ii. Septicaemia iii. Serious infections in renal impaired patients | | 7.87 | |
| 652 | Meropenem 1 g Injection | Meronem | A* | | | 15.15 | |
| 653 | Mesalazine 500 mg Tablet | Salofalk | A | Inflammatory bowel disease of ulcerative colitis and Crohn's disease. Only for patients who cannot tolerate or do not respond to Sulfasalazine | MED | 141.30 (100's) | |
| 654 | Mesna 100 mg/ml Injection | | A | For prevention of urotoxic effects of oxazaphosphorines e.g. ifosfamide and cyclophosphamide | | 8.53 | CDR |
| 655 | Metformin 500 mg and Glibenclamide 2.5 mg Tablet | Glucovance | B | As second-line therapy when diet, exercise and initial treatment with sulphonylurea or metformin do not result in adequate glycemic control in patients with type 2 diabetes mellitus | MED | 12.19 (120's) | |
| 656 | Metformin 500 mg and Glibenclamide 5 mg Tablet | Glucovance | B | | MED | 13.41 (120's) | |
| 657 | Metformin HCl 500 mg Extended Release Tablet | Glucophage XR | A/KK | Diabetes mellitus who experienced gastrointestinal side effects with normal metformin | MED | 15.00 (60's) | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|---|-------------|----------|---|-------------------------------|-----------------------------------|---------------|
| 658 | Metformin HCl 500 mg Tablet | Glucophage | B | Diabetes mellitus | | 7.60 (100's) | |
| 659 | Methadone 5mg/ml Syrup | | A/KK | Detoxification treatment of narcotic addiction | PSY (METHADON E CLINIC) | 1.80 (60 ml), (29.15 (1 Liter) | |
| 660 | Methimazole 5 mg Tablet | | KPK | Primary thyrotoxicosis | MED | 80.00 (500's) | KPK |
| 661 | Methionine 500 mg Tablet | | KPK | Acetaminophen poisoning | A&E | 136.50 (100's) | Import Permit |
| 662 | Methotrexate 1 g/10 ml Injection | | KPK | i) Solid tumours ii) Gestational trophoblastic disease iii) Acute leukaemia/lymphomas iv) Rheumatoid arthritis, psoriatic arthropathy, severe/erythrodermic psoriasis | | 71.00 | CDR |
| 663 | Methotrexate 2.5 mg Tablet | - | A | i) Acute lymphoblastic leukaemia and acute promyelocytic leukemia (maintenance) ii) Extensive plaque psoriasis, erythrodermic psoriasis, pustular psoriasis, Reiter's syndrome, connective tissue disease | RHEUMATO | 22.60 (28's) | |
| 664 | Methotrexate 50 mg Injection | - | A | | | 8.70 | CDR |
| 665 | Methoxsalen 10 mg Capsule | Meladinine | A | Protection before exposure to sunlight, psoriasis and vitiligo | DERM | 48.80 (30's) | |
| 666 | Methyl Salicylate 25% Ointment | - | C | Relief of pain associated with musculoskeletal discomfort | | 3.13 (25 g) | |
| 667 | Methyldopa 250 mg Tablet | | B | Hypertension | | 18.60 (90's) | |
| 668 | Methylene Blue 1% Injection | - | B | For treatment of idiopathic and drug-induced methaemoglobinemia | O&G | 14.80 | Import Permit |
| 669 | Methylphenidate HCl 10 mg Tablet | | A | Hyperkinetic disorder (attention deficit hyperactivity disorder) | PSY, PAED, PALLIATIVE | 51.25 (30's) | |
| 670 | Methylphenidate HCl 18 mg Extended-release Tablet | Concerta | A* | Attention deficit hyperactivity disorder (ADHD) | PSY | 168.80 (30's) | |
| 671 | Methylphenidate HCl 36 mg Extended-release Tablet | Concerta | A* | | PSY | 284.90 (30's) | |
| 672 | Methylprednisolone Sodium Succinate 1 g Injection | Solu-Medrol | A | Suppression of inflammatory and allergic disorders, cerebral oedema, immunosuppression treatment of haematological and oncological disorders, treatment of shock states and endocrine disorders | MED | 76.80 | |
| 673 | Metoclopramide HCl 1 mg/ml Syrup | Maxolon | B | i) Dyspepsia, flatulence, hiatus hernia, peptic ulceration, reflux oesophagitis, gastritis, duodenitis, cholelithiasis, nausea, vomiting ii) Promote bowel transit during diagnostic procedures | | 2.50 (100 ml) | |
| 674 | Metoclopramide HCl 10 mg Tablet | Maxolon | B | | | 0.02 | |
| 675 | Metoclopramide HCl 5 mg/ml Injection | Maxolon | B | i) Dyspepsia, flatulence, hiatus hernia, peptic ulceration, reflux oesophagitis, gastritis, duodenitis, cholelithiasis, nausea, vomiting ii) Promote bowel transit during diagnostic procedures | | 0.36 | |
| 676 | Metolazone 5 mg Tablet | | A* | Oedema in congestive cardiac failure, nephrotic syndrome and impaired renal function | NEPHRO | 236.00 (100's) | KPK |
| 677 | Metoprolol Tartrate 100 mg Tablet | | B | Hypertension, angina, myocardial infarction, arrhythmias | | 17.40 (100's) | |
| 678 | Metronidazole 200 mg Tablet | Flagyl | B | Anaerobic infection | | 6.31 (100's) | |
| 679 | Metronidazole 500 mg/100 ml Injection | | A | Anaerobic infections | | 2.52 | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|---|--------------------|----------|--|------------------|-------------------------|-------------------|
| 680 | Miconazole 2% Cream | | B | i) Fungal infections: Tinea pedis, Tinea corporis, Tinea capitis and other dermatophyte infections caused by Trichophyton and Epidermophyton species ii) Antifungal agent that has been in various candida infections including vaginal candidiasis | | 1.18 (15 g) | |
| 681 | Miconazole 2% in Hydrocortisone Cream | | B | Fungal infections | | Compound | 30 g |
| 682 | Midazolam 5 mg/ml Injection | Dormicum | A | Pre-operative sedation, induction of general anaesthesia, premedication and sedation in ICU and sedation for minor procedures | | 1.50 | |
| 683 | Midazolam 15 mg/3ml Injection | Dormicum | A | | | 2.50 | |
| 684 | Midazolam 7.5 mg Tablet | Dormicum | A/KK | Pre and post-operative sedation | | 1.19 | |
| 685 | Milrinone 1mg/ml Injection | Primacor | KPK | Acute Decompensated Heart Failure (ADHF) | ANAES | 100.00 | KPK |
| 686 | Minoxidil 5 mg Tablet | | A* | Severe hypertension | NEPHRO | 79.40 (100's) | |
| 687 | Mirtazapine 15 mg Orodispersible Tablet | | A* | Episodes of major depression | PSY | 68.00 (30's) | |
| 688 | Mirtazapine 30 mg Orodispersible Tablet | | A* | | PSY | 133.78 (30's) | |
| 689 | Mitomycin-C 10 mg Injection | Mitomycin-C | A* | i) Gastrointestinal, lung, breast, cervical cancers ii) Bladder tumours iii) Ophthalmological conditions: conjunctival squamous neoplasia, squamous cell carcinoma of conjunctiva, trabeculectomy chronic lymphocytic leukaemia, chronic myelogenous leukaemia. Gastric, colorectal, lung cancer | | 378.94 | CDR |
| 690 | Mitoxantrone 20 mg/10ml Injection | Novantrone | A* | Acute leukaemia, elderly patients with acute myeloid leukaemia (AML), relapsed/resistant acute leukaemia, non-Hodgkin's lymphoma (NHL) | | 551.90 | CDR |
| 691 | Moclobemide 150 mg Tablet | Aurorix | A* | Treatment of depressive syndrome | PSY | 245.55 (100's) | |
| 692 | Mometasone Furoate 0.1% Cream | Elomet | A* | Steroid responsive dermatosis and vitiligo. Used where a potent steroid is required for short duration not more than 6 weeks | DERM | 9.20 (5 g) | |
| 693 | Mometasone Furoate 50 mcg Aqueous Nasal Spray | Nasonex | A* | Allergic rhinitis | ENT | 27.68 (140 D) | |
| 694 | Monobasic Sodium Phosphate 48%, Dibasic Sodium Phosphate 18% (Fleet Phospho-soda) | Fleet Phospho-soda | A | Bowel cleansing prior to colonoscopy, radiological examination or bowel surgery | SURG | 5.00 (45 ml) | Oral |
| 695 | Montelukast Sodium 10 mg Tablet | Singulair | A* | Chronic treatment of asthma and relief of symptoms of seasonal allergic rhinitis for children more than 15 years and adults | ENT, MED | 26.76 (28's) | |
| 696 | Montelukast Sodium 4 mg Oral Granules | Singulair | A* | Asthmatics, not controlled on high dose inhaled corticosteroids more than 1600 mcg/day and with co-morbid allergic disorders. Chronic treatment of asthma | ENT, PAED | 111.40 (28's) | |
| 697 | Montelukast Sodium 5 mg Chewable Tablet | Singulair | A* | Asthmatics, not controlled on high dose inhaled corticosteroids more than 1600 mcg/day and with co-morbid allergic disorders. Chronic treatment of asthma | ENT, PAED | 26.76 (28's) | |
| 698 | Morphine HCl 10 mg/5 ml Solution | - | B | For use in management of moderate to severe pain especially that associated with neoplastic disease | PAIN, PALLIATIVE | 117.40 (1 L) - Compound | Diluent : Extemp® |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|---|--------------|----------|---|------------------|----------------|------------------|
| 699 | Morphine Sulphate 10 mg Controlled Release Tablet | MST Continus | A | Prolonged relief of severe pain associated with neoplastic disease; assists in procuring sleep where sleeplessness is due to pain or shock | PAIN, PALLIATIVE | 43.70 (30's) | |
| 700 | Morphine Sulphate 10 mg/ml Injection | - | B | For moderate to severe pain especially that associated with neoplastic disease | | 11.39 (10's) | |
| 701 | Morphine Sulphate 30 mg Controlled Release Tablet | MST Continus | A | | PAIN, PALLIATIVE | 115.50 (30's) | |
| 702 | Moxifloxacin 0.5% Ophthalmic Solution | Vigamox | A* | Treatment of conjunctivitis caused by susceptible organism | OPHTHAL | 19.10 (5 ml) | |
| 703 | Moxifloxacin 400 mg Tablet | Avelox | A* | Second line therapy for Severe Community Acquired Pneumonia (CAP) patients with co-morbidity or with recent antibiotic therapy, suspected infections of resistant pathogens including Streptococcus pneumoniae, Haemophilus influenzae & Mycoplasma pneumoniae. | MED | 39.85 (5's) | |
| 704 | Multivitamin Drops (Infant) | Abdec | B | For prevention and treatment of vitamin deficiencies | | 17.80 (30 ml) | Floor stock only |
| 705 | Multivitamin Injection | Parentrovite | B | For prevention and treatment of vitamin deficiencies | | 48.00 | |
| 706 | Multivitamin Syrup | - | C | For prevention and treatment of vitamin deficiencies | | 1.40 (60 ml) | |
| 707 | Multivitamin Tablet | - | B | For prevention and treatment of vitamin deficiencies | | 4.45 (60's) | |
| 708 | Mupirocin 2% Cream | Bactroban | A | Skin infection by Staphylococcus aureus (including MRSA), Staphylococcus epidermidis and beta-haemolytic streptococcus | DERM | 18.60 (15 g) | |
| 709 | Mupirocin 2% Ointment | Bactroban | A | For MRSA infections only | DERM | 8.65 (15 g) | |
| 710 | Mycophenolate Mofetil 250 mg Capsule | Cellcept | A* | i) Prophylaxis of acute organ rejection in patients receiving allogenic renal, cardiac and hepatic transplant ii) Used with steroids for induction and maintenance of severe lupus nephritis resistant or intolerant to cyclophosphamide therapy | NEPHRO | 267.38 (100's) | |
| 711 | Mycophenolate Mofetil 500 mg Tablet | Cellcept | A* | | NEPHRO | 267.38 (50's) | |
| 712 | Mycophenolate Sodium 180 mg Tablet | Myfortic | A* | Prophylaxis of acute transplant rejection in adult patients receiving allogenic renal transplant in combination with ciclosporin and corticosteroids | NEPHRO | 391.16 (120's) | |
| 713 | Mycophenolate Sodium 360 mg Tablet | Myfortic | A* | | NEPHRO | 792.00 (120's) | |
| 714 | Nalbuphine HCl 10 mg/ml Injection | Nubain | B | Perioperative analgesia, for relief of moderate to severe pain | | 3.48 | |
| 715 | Naloxone HCl 0.4 mg/ml Injection | | B | For the complete/partial reversal of narcotic depression including respiratory depression induced by opioids such as natural and synthetic narcotics. Diagnosis of suspected acute opioids overdose | | 2.32 | |
| 716 | Naproxen Sodium 275 mg Tablet | - | A | i) Rheumatic arthritis, osteoarthritis and ankylosing spondylitis ii) Acute gout iii) Muscular skeletal disorder and dysmenorrhoea | | 57.30 (500's) | |
| 717 | Neomycin 0.5% Cream | - | B | Infections of the skin due to susceptible organisms | | 2.66 (30 g) | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|---|-------------|----------|---|------------|--------------------|---------------|
| 718 | Neostigmine Methylsulphate 2.5 mg/ml Injection | Prostigmine | B | i) Myasthenia gravis ii) Reversal of non-depolarising neuromuscular blockade | | 0.92 | |
| 719 | Nepafenac 0.1 % Ophthalmic Suspension | Nevanac | KPK | Pain and inflammation associated with cataract surgery | OPHTHAL | 19.70 (5 ml) | KPK |
| 720 | Netilmicin Sulphate 150 mg/2 ml Injection | Netromycin | A | Systemic infections | | 9.41 | |
| 721 | Neuro Polyvalent Snake Antivenin | | KPK | Antivenom of choice for snake bites with neurotoxic envenomation which species of biting snake couldn't be identified | A&E | 462.00 | Import Permit |
| 722 | Nevirapine 200 mg Tablet | | A/KK | Treatment of HIV-1 infection in combination with other antiretroviral agents | MED | 40.56 (60's) | |
| 723 | Nicardipine 2 mg/2 ml Injection | Cardepine | KPK | Hypertensive crisis | A&E | 135.40 (5's) | |
| 724 | Nifedipine 10 mg Tablet | Adalat | B | Hypertension | | 24.36 (1000's) | |
| 725 | Nilotinib 200 mg Capsule | Tasigna® | A* | Treatment of chronic phase and accelerated phase Philadelphia chromosome positive chronic myelogenous leukaemia (CML) in adults who: i) Failed imatinib ie no cytogenetic response and no haematological response by 12 months ii) Have molecular resistance to Imatinib as shown by molecular mutation studies iii) Are intolerant to Imatinib | | 15,669.00 (4x28's) | CDR |
| 726 | Nimodipine 10 mg/50 ml Infusion Solution | Nimotop | A* | Prophylaxis & treatment of ischaemic neurological deficits caused by cerebral vasospasm following subarachnoid haemorrhage of aneurysmal origin | MED | 78.43 (50 ml) | |
| 727 | Nimodipine 30 mg Tablet | Nimotop | A* | Prophylaxis & treatment of ischaemic neurological deficits caused by cerebral vasospasm following subarachnoid haemorrhage of aneurysmal origin | MED | 167.33 (30's) | Ward Supply |
| 728 | Nitrazepam 5 mg Tablet | Mogadon | B | Epilepsy (infantile spasms) | PSY | 397.70 (1000's) | |
| 729 | Nitrofurantoin 100 mg Tablet | | B | Uncomplicated lower urinary tract infections | | 147.95 (500's) | |
| 730 | Noradrenaline Acid Tartrate (Norepinephrine Bitartrate) 1 mg/ml Injection | | A | Septic shock and shock where peripheral vascular resistance is low | ANAES | 7.30 (4 ml) | |
| 731 | Nortriptyline 10 mg Tablet | | KPK | Adjunct therapy for neuropathic pain | PAIN | 87.00 (1000's) | KPK |
| 732 | Nystatin 100,000 units/g Cream | | C | Prevention and treatment of cutaneous infections caused by Candida albicans | | 4.40 (30 g) | |
| 733 | Nystatin 100,000 units/ml Suspension | Mycostatin | B | Prevention and treatment of candidiasis of the skin and mucous membranes, protection against candidas overgrowth during antimicrobial /corticosteroid therapy and as selective decontamination regimens | | 7.60 (60 ml) | |
| 734 | Nystatin 500,000 units Tablet | Mycostatin | B | Prevention and treatment of candidiasis of the skin and mucous membranes, protection against candidas overgrowth during antimicrobial /corticosteroid therapy and as selective decontamination regimens | | | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|--|---------------|----------|---|------------|----------------|---------------------------|
| 735 | Octreotide 0.1 mg/ml Injection | Sandostatin | A | i) Acromegaly ii) Treatment of patients with symptoms associated with gastro-entero-pancreatic endocrine tumours iii) Carcinoid tumours with features of the carcinoid syndrome, VIPomas, glucagonomas, gastrinomas/Zollinger-Ellison syndrome, GRFomas, insulinomas iv) Prevention of complications following pancreatic surgery v) Emergency management of bleeding gastro-eosophageal varices in patients with cirrhosis | MED | 44.70 | |
| 736 | Ofloxacin 0.3% Otic Solution | Tarivid | A | Acute otitis media with tympanostomy tubes, chronic suppurative otitis media with perforated tympanic membranes and otitis externa | ENT | 12.00 (5 ml) | |
| 737 | Ofloxacin 100 mg Tablet | Tarivid | A | i) As second-line treatment of leprosy ii) As second-line treatment for tuberculosis and multidrug resistant tuberculosis (MDR-TB) iii) Sequential therapy for UTI and pyelonephritis | MED | 0.25 | |
| 738 | Ofloxacin 200 mg Injection | Rifocin | A | Sequential therapy for UTI and pyelonephritis | ENT | 12.00 | |
| 739 | Olanzapine 5 mg Disintegrating Tablet | Zyprexa Zydis | A* | i) Acute and maintenance treatment of schizophrenia and other psychoses where positive and or negative symptoms are prominent ii) Short-term use for acute mania episodes associated with Bipolar 1 disorder | PSY | 207.70 (30's) | |
| 740 | Olanzapine 10 mg Disintegrating Tablet | Zyprexa Zydis | A* | | PSY | 300.00 (28's) | |
| 741 | Olanzapine 10 mg Tablet | Zyprexa | A* | i) Acute and maintenance treatment of schizophrenia and other psychoses where positive and or negative symptoms are prominent ii) Short-term use for acute mania episodes associated with Bipolar 1 disorder | PSY | 69.30 (28's) | |
| 742 | Olopatadine hydrochloride ophthalmic solution 0.2% | Pataday | A* | Temporary prevention of ocular itching due to allergic conjunctivitis | OPHTHAL | 29.30 (2.5 ml) | |
| 743 | Omeprazole 20 mg Capsule | Losec | A | Only for : i)Reflux oesophagitis ii)For eradication of Helicobacter pylori infection iii)Benign peptic ulcer not responding to conventional therapy iv)Zollinger-Ellison Syndrome | | 6.93 (14's) | |
| 744 | Omeprazole 40 mg Injection | Losec | A* | i) Reflux oesophagitis, eradication of H. Pylori infection, benign peptic ulcer not responding to conventional therapy, Zollinger-Ellison Syndrome ii) Endoscopically confirmed peptic ulcer | MED | 6.00 | |
| 745 | Ondansetron 2 mg/ml Injection | Zofran | A | i)Prevention of nausea and vomiting induced by chemotherapy and radiotherapy ii)Postoperative nausea and vomiting | | 12.29 | |
| 746 | Oral Rehydration Salt | - | C | Replacement of fluid and electrolytes loss in diarrhoea | | 0.08 | |
| 747 | Orlistat 120 mg Tab | Xenical | KPK | 1. Weight loss prior to bariatric surgery. 2. Weight loss in morbidly obese patient. | ENDOCRINE | 249.00 (84's) | KPK |
| 748 | Oseltamivir 12 mg/ml Syrup | | | | | | Ward Supply, A&E Pharmacy |
| 749 | Oseltamivir 75 mg Capsule | | | Treatment of acute, uncomplicated illness due to influenza infection in patients 2 weeks of age and older who have been symptomatic for no more than 2 days. | | | Ward Supply, A&E Pharmacy |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|--|-----------------|----------|---|------------|----------------|-------------|
| 750 | Oxaliplatin 50 mg Injection | Eloxatin | A* | Only for patients with colorectal cancer who: i) have relapsed within 6 months after the end of adjuvant chemotherapy with 5-fluorouracil-based regime ii) have progressive disease despite 5-fluorouracil chemotherapy for advanced disease iii) good performance status (WHO of 2 or less). The treatment must be given in a tertiary oncology centre or have clearance in writing by an oncologist | | 43.10 | CDR |
| 751 | Oxycodone HCl 5 mg Immediate Release Capsules | Oxynorm | A* | i)As a second line drug in the management of opioid responsive, moderate to severe chronic cancer pain ii)As a step-down analgesic drug in post-operative procedures (Initiated by palliative medicine physicians, oncologists, anaesthesiologists, haematologists and pain specialists only) | PAIN | 26.21 (28's) | |
| 752 | Oxycodone HCl 10 mg Immediate Release Capsules | Oxynorm | A* | | PAIN | 40.84 (28's) | |
| 753 | Oxycodone HCl 10 mg Prolonged Release Tablet | Oxycontin | A* | Management of moderate to severe chronic cancer pain non-responsive to morphine (in accordance with WHO step-wise ladder of chronic pain management) [Initiated by Chronic Pain Specialist only] | PAIN | 78.40 (28's) | |
| 754 | Oxycodone HCl 20 mg Prolonged Release Tablet | Oxycontin | A* | | PAIN | 150.85 (28's) | |
| 755 | Oxymetazoline HCl 0.025% (Paediatric) Nasal Spray | Afrin, Iliadin | A | Acute colds, paranasal sinusitis and otitis media | ENT | 8.21 (15 ml) | |
| 756 | Oxymetazoline HCl 0.05% (Adult) Nasal Spray | Afrin, Iliadin | A | Acute colds, paranasal sinusitis and otitis media | ENT | 9.18 (15 ml) | |
| 757 | Oxymetholone 50 mg Tablet | Anapolon | A | Anaemias caused by the administration of myelotoxic drugs, treatment of AIDS-wasting syndrome | PAED | 739.15 (100's) | |
| 758 | Oxytocin 10 units/ml Injection | Pitocin | B | Induction of labour | O&G | 0.69 | |
| 759 | Oxytocin 5 units & Ergometrine Maleate 0.5 mg/ml Injection | Syntometrine | C+ | i) Prevention and treatment of post partum haemorrhage ii) Management of third stage of labour | O&G | 2.64 | |
| 760 | Paclitaxel 30 mg/5 ml Injection | Taxol / Anzatax | A* | i) Treatment of recurrent breast cancer, after failure of anthracycline-based chemotherapy ii) Primary adjuvant therapy in advanced ovarian cancer in combination with cisplatin iii) Treatment of locally advanced or metastatic non-small cell lung cancer (NSCLC) in chemo-naïve patients in combination with platinum compounds | | 189.00 | CDR |
| 761 | Paliperidone 100 mg Prolonged Release Injection | Invega Sustenna | A* | | PSY | 823.49 | Ward Supply |
| 762 | Paliperidone 150 mg Prolonged Release Injection | Invega Sustenna | A* | | PSY | 847.54 | Ward Supply |
| 763 | Paliperidone 3 mg Extended Released Tablet | Invega | A* | Second or third line treatment of schizophrenia | PSY | 374.30 (28's) | |
| 764 | Paliperidone 6 mg Extended Released Tablet | Invega | A* | | PSY | 374.30 (28's) | |
| 765 | Paliperidone 75 mg Prolonged Release Injection | Invega Sustenna | A* | Second or third line treatment of acute and maintenance treatment of schizophrenia in adults | PSY | 709.57 | Ward Supply |
| 766 | Palivizumab 100 mg Injection | Synagis | A* | For the prevention of serious lower respiratory tract disease caused by respiratory syncytial virus (RSV) in paediatric patients at high risk of RSV disease | PAED | 3464.00 | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|--|---------------|----------|---|------------|-----------------|---------------|
| 767 | Pamidronate Disodium 30 mg Injection | Aredia | A* | Hypercalcaemia of malignancy (tumour -induced hypercalcaemia) | MED | 96.47 | |
| 768 | Pancreatin 150 mg Capsule | Creon 10000 | A/KK | Treatment of pancreatic exocrine insufficiency due to conditions such as cystic fibrosis, chronic pancreatitis and non-pancreatic diseases | SURG, MED | 167.50 (100's) | |
| 769 | Pancuronium Bromide 4 mg/2 ml Inj | Pavulon | B | Muscle relaxant as an adjunct to general anaesthesia | | 6.09 | |
| 770 | Pantoprazole 40 mg Injection | Controloc | A* | Bleeding peptic ulcer and acute stress ulceration | SURG | 5.95 | |
| 771 | Pantoprazole 40 mg Tablet | Controloc | A* | i) Helicobacter pylori eradication ii) Peptic ulcer disease iii) Erosive and non-erosive reflux oesophagitis (GERD and NERD) iv) Zollinger-Ellison Syndrome v) Prevention of NSAID induced gastropathy | SURG | 11.35 (28's) | |
| 772 | Paracetamol 1 g/100 ml Inj | | KPK | Part of intraoperative & postoperative pain management for multinodal analgesia for patient contraindicated for NSAID. | ANAES | 18.00 | Import Permit |
| 773 | Paracetamol 120 mg/5 ml Syrup | Panadol | C | Mild to moderate pain and pyrexia | | 2.50 (60 ml) | |
| 774 | Paracetamol 125 mg Suppository | - | B | Symptomatic relief of fever and post operative pain for paediatric cases | | 0.22 | |
| 775 | Paracetamol 250 mg Suppository | - | B | Symptomatic relief of fever and post operative pain for paediatric cases | | 0.29 | |
| 776 | Paracetamol 500 mg Tablet | Panadol | C | Mild to moderate pain and pyrexia | | 18.27 (1000's) | |
| 777 | Paraffin, White Soft (Vaseline) | Vaseline | C | Xerosis and ichthyosis | | Compound | |
| 778 | Parecoxib Sodium 40 mg Injection | Dynastat | A* | Management of post operative pain in the immediate post operative setting only | ENT | 25.60 | |
| 779 | Paricalcitril 5 mcg/ml Inj | Zemplar | KPK | Tertiary hyperparathyroidism in end stage renal failure. Patient refused parathyroidectomy. | NEPHRO | 403.67 (5's) | KPK |
| 780 | Peginterferon Alpha-2a 180 mcg Prefilled Syringe | Pegasys | A* | i) Chronic hepatitis C usually in combination with ribavirin (Important to establish hepatitis C virus (HCV) genotype and viral load where combination treatment is advocated) ii) For the treatment of both HbeAg-positive and HbeAg-negative chronic hepatitis B with compensated liver disease and evidence of viral replication who are not responding or tolerating oral antiviral therapy (Initiated by Hepatologist and Gastroenterologist only) | MED | 536.16 | |
| 781 | Pegylated Interferon Alpha-2b 80 mcg Injection | Peg-Intron | A* | Treatment of: i) Chronic Hepatitis C ii) Chronic Hepatitis B | MED | | |
| 782 | Pentamidine Isethionate 300 mg Injection | Pentamidine | A* | Only for the treatment of pneumonia due to Pneumocytosis carinii | MED | 374.12 | |
| 783 | Pentoxifylline 400 mg Tablet | Trental | A/KK | Peripheral vascular disease | MED | 48.33 (100's) | |
| 784 | Perindopril 4 mg and Indapamide 1.25 mg Tablet | Coversyl Plus | A/KK | Essential hypertension | MED | 10.46 (30's) | |
| 785 | Perindopril 4 mg Tablet | Coversyl | B | i) Hypertension ii) Congestive heart failure iii) Stable coronary artery disease | | 3.22 (30's) | |
| 786 | Perindopril 8 mg Tablet | Coversyl | B | | | 8.60 (30's) | |
| 787 | Permethrin 5% w/v Lotion | A-Scabs | A* | Treatment of scabies | DERM | 9.20 (30 ml) | |
| 788 | Perphenazine 4 mg Tablet | | B | Schizophrenia and other psychoses | PSY | 221.88 (1000's) | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|--|------------------|----------|--|----------------|----------------|---------------|
| 789 | Pethidine HCl 100 mg/2 ml Injection | - | B | | | 13.64 (10's) | |
| 790 | Pethidine HCl 50 mg/ml Injection | - | B | For relief of moderate to severe pain (medical and surgical), pre-anaesthetic medication and obstetrical analgesia | | 11.12 (10's) | |
| 791 | Phenobarbitone 30 mg Tablet | Luminal | B | Epilepsy | | 5.56 (50's) | |
| 792 | Phenobarbitone Sodium 200 mg/ml Injection | Gardenal | B | Status Epilepticus | | 16.31 | |
| 793 | Phenoxyethyl Penicillin 125 mg Tablet | Penicillin V | C | i) Treatment or prophylaxis of infections caused by susceptible organisms ii) Prophylactic, rheumatic fever | | 199.52 (500's) | |
| 794 | Phentermine 15 mg Tablet | | KPK | Obesity stage 3 | MED | 281.00 (150's) | KPK |
| 795 | Phentermine 30 mg Tablet | | KPK | Obesity stage 3 | MED | 398.00 (150's) | KPK |
| 796 | Phenylephrine 100 mg/ml Injection | | KPK | To treat hypotension by increasing the systemic vascular resistance | ANAES, OPHTHAL | 26.44 | Import permit |
| 797 | Phenylephrine HCl 2.5% Eye Drops | Mydrin | B | For pupillary dilation in uveitis, for refraction without cyclopegic. For funduscopy and other diagnostic procedures | OPHTHAL | 8.80 (5 ml) | |
| 798 | Phenytoin Sodium 100 mg Capsule | Dilantin | B | | | 0.19 | |
| 799 | Phenytoin Sodium 125 mg/5ml Suspension | Dilantin | B | Epilepsy | PAED | 90.00 (237 ml) | Import Permit |
| 800 | Phenytoin Sodium 250 mg/5ml Injection | Dilantin | B | Status epilepticus | | 26.44 | |
| 801 | Phenytoin Sodium 30 mg Capsule | Dilantin | B | Epilepsy | | 0.90 | |
| 802 | Physostigmine 2 mg/2 ml Injection | | KPK | Anticholinergic agent poisoning - reversal of anticholinergic toxicity without sedation | A&E | 332.00 (10's) | Import Permit |
| 803 | Pilocarpine 2% Eye Drops | - | B | Miotics in chronic open-angle glaucoma | OPHTHAL | 6.71(15 ml) | |
| 804 | Piperacillin 4 g & Tazobactam 500 mg Injection | Tazocin 4.5 g | A* | Febrile neutropenia, lower respiratory tract infection and severe sepsis | | 29.58 | |
| 805 | Piracetam 1 g Injection | Nootropil | A* | Treatment of cerebral functional impairment and ischaemic stroke | MED | 63.20 | |
| 806 | Piracetam 1.2 g Tablet | Nootropil | A* | Mild cognitive impairment, post concussion head syndrome, head injury disorder, chronic vertigo and myoclonus | ENT, MED, SURG | 67.00 (100's) | |
| 807 | Piribedil 50 mg Tablet | Trivastal Retard | A* | Parkinson disease | MED | 48.70 (30's) | |
| 808 | Pizotifen 0.5 mg Tablet | Sandomigran | B | Prophylactic treatment of vascular headache | MED | 37.20 (100's) | |
| 809 | Pneumococcal Vaccine (Polyvalent) | Pneumo 23 | A | Prevention of pneumococcal infections in high risk subjects from the age of 2 years including patient with a history of splenectomy or scheduled splenectomy | | 53.60 | |
| 810 | Podophyllum 20 % Paint | - | B | External anogenital warts | | Compound | 15 ml |
| 811 | Polyethylene glycol 400 0.4 % & Propylene glycol 0.3 % Eye Drops (Systane Ultra Eye Drops) | Systane Ultra | KPK | Dry eyes Syndrome | OPHTHAL | 9.28 (5 ml) | KPK |
| 812 | Polymyxin B Inj 500,000IU | | KPK | As combination therapy for multi-drug resistant Gram-negative <i>Acinetobacter sp.</i> and <i>Pseudomonas aeruginosa</i> infections (indication requested and approved by KPK) | | 56.30 | KPK |
| 813 | Polyvalent Snake Antivenin | | KPK | Antidote for snake bites | MED | 5700.00 | Import Permit |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|--|------------|----------|--|------------|-----------------|------------------|
| 814 | Potassium Chloride 1 g/10 ml Injection | - | B | For the correction of severe hypokalaemia and when sufficient potassium cannot be taken by mouth | | 1.47 | |
| 815 | Potassium Chloride 1 g/15 ml Mixture | - | C | Potassium depletion | | Compound | |
| 816 | Potassium Chloride 600 mg SR Tablet | Slow-K | B | For the treatment and specific prevention of hypokalaemia | | 0.02 | |
| 817 | Potassium Citrate 3 g/10 ml and Citric Acid Mixture | - | C | For systemic or urine alkalization | | 4.17 (120 ml) | |
| 818 | Potassium Dihydrogen Phosphate Injection (1.361 g/10 ml Inj) | - | A | For treatment of hypophosphataemia or phosphate replacement in parenteral nutrition | | 8.67 (10 ml) | |
| 819 | Potassium Permanganate 1.5 % Lotion | | C | Cleansing and deodorising suppurative eczematous reactions and wounds | | Compound | 240 ml |
| 820 | Potassium Permanganate 1:1000 (0.1%) Lotion | | C | | | Compound | 240 ml |
| 821 | Potassium Permanganate 5 % Lotion | | C | | | Compound | 240 ml |
| 822 | Povidone Iodine 10% (equivalent to 1% iodine) Solution | - | B | Skin operation prior to surgery, in cleansing open wounds, as an antiseptic for operative wounds infections | | 12.82 (1 L) | Floor stock only |
| 823 | Pralidoxime 25 mg/ml Injection | | B | Antidote in the treatment of organophosphorus insecticide poisoning and in the control of overdosage by anticholinergic drugs used in the treatment of myasthenia gravis | | 73.19 | |
| 824 | Pramipexole Dihydrochloride 0.125 mg Tablet | Sifrol | A* | Treatment for signs and symptoms of advanced idiopathic Parkinson's disease. It may be used as monotherapy or in combination with levodopa | MED | 31.86 (30's) | |
| 825 | Pramipexole Dihydrochloride 1 mg Tablet | Sifrol | A* | | MED | 850.00 (100's) | |
| 826 | Pramipexole Dihydrochloride Extended Release 0.375 mg Tablet | | A | Treatment for signs and symptoms of advanced idiopathic Parkinson's disease. It may be used as monotherapy or in combination with levodopa | MED | 90.15 (30's) | |
| 827 | Pramipexole Dihydrochloride Extended Release 1.5 mg Tablet | | A | | MED | 360.60 (30's) | |
| 828 | Pravastatin Sodium 20 mg Tablet | Pravachol | A | Hypercholesterolaemia and coronary heart disease intolerant or not responsive to other forms of therapy | MED | 14.80 (100's) | |
| 829 | Prazosin HCl 1 mg Tablet | Minipress | B | Hypertension | | 10.32 (100's) | |
| 830 | Prazosin HCl 2 mg Tablet | Minipress | B | | | 13.87 (100's) | |
| 831 | Prednisolone 1 mg Tablet | | KPK | For titration of prednisolone doses. | MEDICAL | 462.00 (1000's) | Import Permit |
| 832 | Prednisolone 3 mg/5 ml Syrup | | B | i) Replacement therapy for primary and secondary adrenocortical insufficiency ii) Adrenogenital syndrome iii) Other therapy | | 1.84 (120 ml) | |
| 833 | Prednisolone 5 mg Tablet | | B | i) Replacement therapy for primary and secondary adrenocortical insufficiency ii) Adrenogenital syndrome iii) Other therapy | | 129.34 (1000's) | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|--|------------|----------|--|------------------------------|-----------------|---------------|
| 834 | Pregabalin 150 mg Capsules | Lyrica | A* | i) Second line treatment of neuropathic pain in patients who do not respond to first line drugs ii) Fibromyalgia | PAIN | 265.80 (56's) | |
| 835 | Pregabalin 75 mg Capsule | Lyrica | A* | i) Second line treatment of neuropathic pain in patients who do not respond to first line drugs ii) Fibromyalgia | PAIN | 181.94 (56's) | |
| 836 | Probenecid 500 mg Tablet | | A | Hyperuricemia associated with gout and gouty arthritis (for cases allergic to allopurinol or serum uric acid not controlled by allopurinol alone) | RHEUMATO | 150.00 (500's) | |
| 837 | Procarbazine HCl 50 mg Capsule | Natulan | A | Lymphomas | HEMATO | 973.00 (50's) | Import permit |
| 838 | Prochlorperazine Maleate 5mg Tablet | | B | i) Severe nausea and vomiting ii) Vertigo/labyrinthine disorders | | 14.67 (500's) | |
| 839 | Prochlorperazine Mesylate 12.5 mg/ml Injection | | B | i) Severe nausea and vomiting ii) Vertigo/labyrinthine disorders | | 1.50 | |
| 840 | Procyclidine HCl 10 mg/2 ml Injection | Kemadrin | B | i) All forms of Parkinson's disease (idiopathic paralysis agitans), post-encephalitis and arteriosclerosis ii) To control troublesome extrapyramidal symptoms induced by neuroleptic drugs including pseudo-parkinsonism, acute dystonic reactions and akathisia | | 13.60 | |
| 841 | Progesterone 100 mg Capsule | Utrogestan | A* | Supplementation of the luteal phase during IVF cycles and frozen embryo transfer cycle | O&G | 40.00 (30's) | |
| 842 | Progesterone 8 % Vaginal Gel | Crinone | A* | Treatment of infertility due to inadequate luteal phase | O&G | 15.20 (1.125 g) | Ward Supply |
| 843 | Prolase Tablet | Papase | B | Oedema and inflammation in conjunction with other physical or chemotherapeutic measures | | 13.45 (500's) | |
| 844 | Promethazine HCl 25 mg/ml Injection | Phenergan | B | Allergic conditions | | 2.90 | |
| 845 | Promethazine HCl 5 mg/5 ml Syrup | Phenergan | B | Allergic conditions | | 3.00 (60 ml) | |
| 846 | Proparacaine HCl 0.5% Ophthalmic Drops | Alcaine | B | Topical anaesthesia in ophthalmic procedures | OPHTHAL | 9.35 (15 ml) | |
| 847 | Propofol 1 % Injection | Diprivan | A* | Induction & maintenance of general anaesthesia. Sedation of ventilated ICU patients | ANAES | 4.06 (20 ml) | |
| 848 | Propranolol HCl 1 mg/ml Injection | Inderal | A | Arrhythmias and thyrotoxicosis crisis | MED | 18.00 | |
| 849 | Propranolol HCl 40 mg Tablet | Inderal | B | i) Hypertension ii) Angina iii) Myocardial infarct iv) Cardiac arrhythmia v) Portal hypertension vi) Migraine vii) Thyrotoxicosis | | 47.56 (500's) | |
| 850 | Propylthiouracil 50 mg Tablet | - | B | Palliative treatment of hypothyroidism as an adjunct to ameliorate hyperthyroidism in preparation for surgical treatment or radioactive iodine therapy and in the management of thyrotoxicosis crisis | | 0.65 | |
| 851 | Protamine Sulphate 10 mg/ml Injection | - | B | Heparin overdose and following cardiac or arterial surgery or dialysis procedures when required to neutralize the effects of heparin administered during extracorporeal circulation | | 5 ml | |
| 852 | Protein Free Haemodialysate 10% Jelly | Solcoseryl | A | Trophic lesions in patients with arterial occlusive disease and with chronic venous insufficiency, burn injuries, impaired wound healing, decubitus ulcers and skin ulcer caused by irradiation | SURG, PALLIATIVE, DERM | 16.50 (20 g) | |
| 853 | Protein Free Haemodialysate 20% Eye Gel | Solcoseryl | A | Eyes disorders e.g. burns, scalds, ulcers, prevention and treatment of radiation dermatitis, traumatic and ischaemic wound | | 11.32 (5 g) | |
| 854 | Protein Free Haemodialysate 5% Ointment | Solcoseryl | A | Trophic lesions in patients with arterial occlusive disease and with chronic venous insufficiency, burn injuries, impaired wound healing, decubitus ulcers and skin ulcer caused by irradiation | SURG, PALLIATIVE | 15.75 (20 g) | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|---|--------------|----------|--|--------------------|----------------|---------------|
| 855 | Protirelin 200 mcg Inj | | KPK | Differentiating TSH pituitary adenoma from Thyroid hormone Resistant Syndrome | ENDOCRINE | 210.00 | Import permit |
| 856 | Pyrazinamide 500 mg Tablet | - | B | Tuberculosis | | 0.16 | |
| 857 | Pyridostigmine Bromide 60 mg Tablet | Mestinon | B | Myasthenia gravis | | 81.00 (150's) | |
| 858 | Pyridoxine HCl 10 mg Tablet | | B | i) Pyridoxine-dependent convulsions in infancy ii) Sideroblastic anaemia iii) B6-deficient anaemia in adult iv) Prophylaxis to peripheral neuritis in isoniazid therapy v) Nausea and vomiting of pregnancy and irradiation sickness | | 0.02 | |
| 859 | Pyridoxine HCl 100 mg/2 ml Injection | | KPK | Adjunct in management ethylene glycol poisoning/methanol, isoniazid toxicity | A&E | 54.08 (5's) | Import permit |
| 860 | Pyrimethamine 25 mg Tablet | Daraprim | KPK | Cerebral toxoplasmosis with allergy to Fansidar | MED | 87.00 (30's) | Import permit |
| 861 | Quetiapine Fumarate 200 mg Immediate Release Tablet | Seroquel | A* | i) Schizophrenia ii) Short term treatment of acute manic episodes associated with bipolar I disorder, either monotherapy or adjunct to lithium or divalproex iii) Treatment of depressive episodes associated with bipolar disorder | PSY | 122.50 (100's) | |
| 862 | Quetiapine Fumarate 300 mg Extended Release Tablet | Seroquel XR® | A* | i) Schizophrenia ii) Moderate to severe manic episodes in bipolar disorder iii) Major depressive episodes in bipolar disorder | PSY | 625.80 (60's) | |
| 863 | Quinine Dihydrochloride 600 mg/2 ml Injection | - | B | Suppression or treatment of chloroquine-resistant Plasmodium Falciparum malaria in conjunction with other antimalarial agents | | 19.71 | |
| 864 | Rabeprozole Sodium 20 mg Tablet | Pariet | A* | i) Treatment and maintenance of erosive or ulcerative gastroesophageal reflux disease (GERD) ii) Duodenal ulcers | MED, ENT | 426.72 (280's) | |
| 865 | Rabies Human Diploid Cell Vaccine (Lyophilised) Injection | Imorab | B | Pre-exposure and post-exposure vaccination against rabies | | 363.00 | |
| 866 | Raloxifene HCl 60 mg Tablet | Evista | A* | Prevention and treatment of post menopausal osteoporosis | ORTHO, RHEUMATO | 107.00 (28's) | |
| 867 | Ramipril 2.5 mg Tablet | | A | i) Hypertension and congestive heart failure ii) Post-myocardial infarction iii) Reducing risk of myocardial infarction, stroke or cardiovascular death in diabetics or patients with increased cardiovascular risks | MED | 26.85 (28's) | |
| 868 | Ramipril 5 mg Tablet | | A | | MED | 14.22 (30's) | |
| 869 | Ranitidine 150 mg Tablet | Zantac | B | i) Benign gastric and duodenal ulcer ii) Reflux oesophagitis iii) Non-ulcer dyspepsia iv) Zollinger-Ellison Syndrome | | 17.18 (100's) | |
| 870 | Ranitidine 300 mg Tablet | Zantac | B | | | 12.39 (30's) | |
| 871 | Ranitidine 150 mg/10 ml Syrup | Zantac | B | Peptic ulcer disease | | 91.58 (200ml) | |
| 872 | Ranitidine 25 mg/ml Injection | | B | i) Benign gastric/ duodenal ulceration, reflux oesophagitis, Zollinger Ellison Syndrome ii) Stress ulcer prophylaxis in post-operative and high risk patients | | 0.32 | |
| 873 | Remifentanyl 5 mg Injection | | A* | i) As an analgesic agent for use during induction and/or maintenance of general anaesthesia during surgical procedures including cardiac surgery. ii) Continuation of analgesia into the immediate post-operative period under close supervision, during transition to longer acting analgesia. iii) Provision of analgesia and sedation in mechanically ventilated intensive care patients. | ICU | 137.00 | |
| 874 | Repaglinide 2 mg Tablet | Novonorm | A* | Type 2 diabetes mellitus (as monotherapy or in combination with metformin when metformin alone is inadequate) | MED | 76.79 (90's) | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|--|------------------|----------|---|------------|------------------------|------------------------|
| 875 | Ribavirin 200 mg Capsule | Rebetol | A* | For the treatment of chronic hepatitis C (in combination with interferon alfa-2a/2b) | | | |
| 876 | Rifampicin 150 mg Capsule | | B | i) Tuberculosis ii) Leprosy iii) Prophylaxis for meningococcal meningitis | | 16.70 (100's) | |
| 877 | Rifampicin 150 mg, Isoniazid 75 mg, Pyrazinamide 400 mg & Ethambutol HCl 275 mg Tablet | AkuriT-4 | B | Treatment of both pulmonary and extrapulmonary tuberculosis, in the intensive treatment phase | MED | 23.60 (60's) - Forecox | |
| 878 | Rifampicin 300 mg Capsule | | B | | | 29.46 (100's) | |
| 879 | Risperidone 1 mg Tablet | Risperdal | B | Psychoses and schizophrenia | PSY | 7.60 (100's) | |
| 880 | Risperidone 2 mg Tablet | Risperdal | B | | PSY | 9.75 (100's) | |
| 881 | Risperidone 1 mg/ml Oral Solution | Risperdal | A | | PSY | 85.55 (30 ml) | |
| 882 | Risperidone 25 mg Injection (Long Acting) | Risperdal Consta | A* | Treatment of acute and chronic schizophrenic psychosis and other psychotic conditions, in which positive and negative symptoms are prominent. It also alleviates affective symptoms associated with schizophrenia | PSY | 311.80 | |
| 883 | Risperidone 37.5 mg Injection (Long Acting) | Risperdal Consta | A* | | PSY | 467.80 | |
| 884 | Risperidone 50 mg Injection (Long Acting) | Risperdal Consta | A* | Treatment of acute and chronic schizophrenic psychosis and other psychotic conditions, in which positive and negative symptoms are prominent. It also alleviates affective symptoms associated with schizophrenia | PSY | 620.50 | |
| 885 | Ritonavir 100 mg Capsule | Norvir | A* | Progressive or advanced HIV infection in combination with other antiretroviral agents. Criteria for use: a) Clinical AIDS b) CD4 less than 350 cells or c) Viral load more than 10,000 copies/ml | MED | 535.00 (168's) | |
| 886 | Rituximab 500 mg/50 ml Injection | Mabthera | A* | i) Treatment of patients with relapsed or chemo-resistant low grade or follicular B-cell Non-Hodgkin's lymphoma ii) Adjunctive therapy with combination chemoagents for aggressive Non-Hodgkin Lymphoma iii) Severe active rheumatoid arthritis with inadequate response or intolerance to other disease-modifying anti-rheumatic drugs (DMARDs) including one or more tumour necrosis factor (TNF) inhibitor therapies. iii) Maintenance in relapsed/ refractory follicular lymphoma after response to induction therapy. KPK LUAR INDIKASI :Secondary Autoimmune Hemolytic Anemia (AIHA) secondary to SLE | HEMATO | 4,343.00 | CDR, KPK LUAR INDIKASI |
| 887 | Rivaroxaban 10 mg Tablet | Xarelto® | A* | Prevention of venous thromboembolism in patients undergoing elective hip or knee replacement surgery | ORTHO | 188.40 (10's) | |
| 888 | Rivastigmine 1.5 mg Capsule | Exelon | A* | For psychiatrists and neurologists only. Mild to moderately severe dementia associated with Alzheimer's or Parkinson's disease | PSY | 89.00 (60's) | |
| 889 | Rivastigmine 3 mg Capsule | Exelon | A* | For psychiatrists and neurologists only. Mild to moderately severe dementia associated with Alzheimer's or Parkinson's disease | PSY | 356.40 (60's) | |
| 890 | Rivastigmine 4.6 mg/24 hr Transdermal Patch | Exelon® patch 5 | A* | Mild to moderately severe dementia associated with Alzheimer's or Parkinson's disease | PSY | 262.10 (30's) | |
| 891 | Rivastigmine 9.5 mg/24 hr Transdermal Patch | Exelon®patch 10 | A* | Mild to moderately severe dementia associated with Alzheimer's or Parkinson's disease | PSY | 265.70 (30's) | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|--|--------------------|----------|---|------------|----------------|---------|
| 892 | Rocuronium Bromide 10 mg/ml Injection | Esmeron | A* | As an adjunct to general anaesthesia to facilitate endotracheal intubation, to provide skeletal muscle relaxation during surgery and to facilitate mechanical ventilation in adults, children and infants from 3 months of age | ANAES | 18.83 | |
| 893 | Ropinirole HCl 2 mg Extended Release Tablet | | A* | Treatment of idiopathic Parkinson's disease. It may be used as monotherapy or in combination with levodopa | MED | | |
| 894 | Ropinirole HCl 4 mg Extended Release Tablet | | A* | | MED | | |
| 895 | Ropinirole HCl 0.25 mg Tablet | Requip | A* | Parkinson disease in younger patients and patients with dyskinesias, especially peak dose dyskinesias | MED | 23.80 (21's) | |
| 896 | Ropinirole HCl 1 mg Tablet | Requip | A* | Parkinson disease in younger patients and patients with dyskinesias, especially peak dose dyskinesias | MED | 16.40 (21's) | |
| 897 | Ropivacaine HCl 2 mg/ml Injection | Naropin | A* | i) Surgical anaesthesia including obstetrics ii) Acute pain management | ANAES | 14.46 | |
| 898 | Ropivacaine HCl 7.5 mg/ml Injection | Naropin | A* | i) Surgical anaesthesia including obstetrics ii) Acute pain management | ANAES | 27.30 | |
| 899 | Rosiglitazone 4 mg Tablet | Avandia | A* | Type 2 diabetes with insulin resistant features. Prescribed to new patients only if inadequate glycaemic control with all other combination of oral antidiabetic medications (such as sulphonylureas, metformin, acarbose or DPPIV inhibitors) and is the only suitable alternative. Use of rosiglitazone in combination with insulin (for new patients) is not recommended. Combined use with insulin should be limited to existing cases with stable glycaemic control and requires close monitoring in view of increased risk of fluid retention, weight gain and hypoglycaemia. In cases of existing use in patients with optimal glycaemic control, rosiglitazone should be continued with close monitoring of cardiovascular, osteoporosis and fracture risk. | MED | 75.45 (28's) | |
| 900 | Rosuvastatin 10 mg Tablet | Crestor | A* | Dyslipidaemia not responsive to atorvastatin 40 mg or equivalent doses of other statins | MED | 72.00 (28's) | |
| 901 | Rosuvastatin 20 mg Tablet | Crestor | A* | | MED | 116.00 (28's) | |
| 902 | Rotigotine 4 mg per 24 hour Transdermal | | A* | For stage IV Parkinson Disease with peak dyskinesia | MED | 305.80 (28's) | |
| 903 | Rotigotine 8 mg per 24 hour Transdermal Patch | | A* | For stage IV Parkinson Disease with peak dyskinesia | MED | 520.00 (28's) | |
| 904 | Salbutamol 0.5 % Inhalation Solution (Unit Dose Vial, UDV) | Ventolin | B | Asthma and other conditions associated with reversible airways obstruction | | 4.18 (10 ml) | |
| 905 | Salbutamol 100 mcg/dose Inhalation (Metered Dose Inhaler, MDI) | Ventolin, Buventol | B | Asthma and other conditions associated with reversible airways obstruction | | 10.44 (200 D) | |
| 906 | Salbutamol 2 mg Tablet | Ventolin | B | Asthma and other conditions associated with reversible airways obstruction | | 15.42 (1000's) | |
| 907 | Salbutamol 2 mg/5 ml Syrup | | B | Asthma and other conditions associated with reversible airways obstruction | | 1.15 (60 ml) | |
| 908 | Salbutamol 2 mg/5 ml Syrup | Ventolin | A | Asthma and other conditions associated with reversible airways obstruction | | 1.65 | |
| 909 | Salbutamol 200 mcg Inhalation Powder (Easyhaler) | | B | Asthma and other conditions associated with reversible airways obstruction | | 40.50 (200 D) | |
| 910 | Salbutamol 5 mg/5 ml Injection | Ventolin | A* | Prevention of uncomplicated premature labour only | | 39.61 | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|--|---------------|----------|---|------------|--------------------------|---------------|
| 911 | Salicylazosulphapyridine (Sulfasalazine) 500 mg Tablet | Salazopyrin | A/KK | i) Treatment of inflammatory bowel disease of ulcerative colitis and Crohn's disease ii) Rheumatoid arthritis | MED | 38.28 (100's) | |
| 912 | Salicylic Acid 10 % Ointment | | C | | | Compound | 30 g |
| 913 | Salicylic Acid 2 % & Sulphur 2% in Aqueous Cream | | B | Acne. | | Compound | 30 g |
| 914 | Salicylic Acid 2 % in Aqueous Cream | | B | Seborrhoeic dermatitis, scalp, psoriasis and hyperkeratotic skin disorders | | Compound | 30 g |
| 915 | Salicylic Acid 2 % in Betamethasone 0.1% Ointment | | B | | | Compound | 30 g |
| 916 | Salicylic Acid 2 % in Betamethasone 1:4 Cream | | B | Seborrhoeic capitis | | Compound | 30 g, 200 g |
| 917 | Salicylic Acid 2 % in Betamethasone 1:4 Ointment | | B | | | Compound | 30 g |
| 918 | Salicylic Acid 2 % in Hydrocortisone 1% Ointment | | B | Seborrhoeic capitis | | Compound | 30 g |
| 919 | Salicylic Acid 2 % Lotion | | B | Seborrhoeic dermatitis, scalp, psoriasis and hyperkeratotic skin conditions | | Compound | 120 ml |
| 920 | Salicylic Acid 2 % Ointment | | C | Seborrhoeic dermatitis, scalp, psoriasis and hyperkeratotic skin disorders | | Compound | 30 g |
| 921 | Salicylic Acid 5 % Ointment | | C | | | Compound | 30 g |
| 922 | Salicylic Acid 20% Ointment | | C | Plantar warts | | Compound | 30 g |
| 923 | Salmeterol 25 mcg and Fluticasone Propionate 125 mcg Inhalation | Seretide | A* | Regular treatment of reversible obstructive airways diseases including asthma | PAED, MED | 78.00 (120 D) Evohaler | |
| 924 | Salmeterol 50 mcg and Fluticasone Propionate 250 mcg Inhalation | Seretide | A/KK | Regular treatment of reversible obstructive airways diseases including asthma | MED | 48.50 (60 D) - Accuhaler | |
| 925 | Saxagliptin 2.5 mg + Metformin 1000 mg Extended Release Tablet (Kombiglyze XR) | Kombiglyze XR | KPK | Oral hypoglycemic agent | MED | 97.00 (56's) | Import permit |
| 926 | Saxagliptin 2.5 mg Tablet | Onglyza | A* | i) As add on therapy in type 2 diabetes patients inadequately controlled on metformin monotherapy and high risk of hypoglycaemia, especially elderly patients with co-morbidities. ii) As add on therapy in type 2 diabetes patients inadequately controlled with a sulphonylurea and intolerant/contraindicated for metformin therapy iii) As add on therapy in type 2 diabetes patients inadequately controlled on metformin and sulphonylurea combination therapy iv) In patients with renal failure where metformin contraindicated Not to be used in patients with HbA1c > 8% on single/combination OAD, as insulin initiation is preferred. | MED | 97.00 (28's) | |
| 927 | Saxagliptin 5 mg Tablet | Onglyza | A* | | MED | 79.55 (28's) | |
| 928 | Selegiline HCl 5 mg Tablet | Jumex | A* | Only for treatment of late stage Parkinsonism with on and off phenomenon | MED | 31.70 (50's) | |
| 929 | Selenium Sulphide 2.5% Shampoo | Selsun | A/KK | Dandruff, seborrhoeic dermatitis of scalp | DERM | 13.15 (75 ml) | |
| 930 | Sertraline HCl 50 mg Tablet | Zoloft | B | Major depression, obsessive-compulsive disorder (OCD), panic disorder | PSY | 20.70 (30's) | |
| 931 | Sevelamer Carbonate 800 mg Tablet | | KPK | Control of hyperphosphatemia in adult patients receiving hemodialysis or peritoneal dialysis, and with chronic kidney disease not on dialysis with serum phosphorus ≥ 1.78 mmol/L. | NEPHRO | 726.80 (180's) | KPK |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|---|-----------------------|----------|--|------------|-----------------|-----------------------------|
| 932 | Sevoflurane Liquid (Anaesthetic Inhalation) | Sevorane | A* | To be used only for i) induction and ii) maintenance of anaesthesia | ANAES | 282.38 (250 ml) | |
| 933 | Sildenafil Citrate 20 mg Film-coated Tablet | | A* | Treatment of adult patients with pulmonary arterial hypertension classified as WHO functional class II and III, to improve exercise capacity. Efficacy has been shown in primary pulmonary hypertension and pulmonary hypertension associated with connective tissue disease. KPK LUAR INDIKASI : Persistent Pulmonary Hypertension in newborn (PPHN) | PAED | 2,900.00 (90's) | KPK LUAR INDIKASI |
| 934 | Silver Nitrate 1% Lotion | | B | Use as antiseptic | DERM | Compound | 10 ml |
| 935 | Silver Sulfadiazine 1% Cream | | B | Prevention and treatment of infections in severe burns, leg ulcers where infections may prevent healing and for the prophylaxis of infections in skin grafting | | 35.40 (500 g) | 30 g |
| 936 | Simvastatin 20 mg Tablet | Zocor | A/KK | Hypercholesterolaemia and coronary heart disease intolerant or not responsive to other forms of therapy | MED | 9.86 (30's) | |
| 937 | Simvastatin 40 mg Tablet | Zocor | A/KK | | MED | 10.30 (100's) | |
| 938 | Sirolimus 1 mg Capsule | | KPK | Immunosuppressant to prevent rejection in end stage renal failure receiving living-related renal transplant | HDU | 880.00 (30's) | KPK |
| 939 | Sitagliptin 25 mg Tablet | Januvia | A* | Management of diabetes in patients with renal failure where metformin is contraindicated and elderly with multiple co-morbidities that always experience hypoglycemia with other antidiabetic.. Not to be used in diabetic patient whose sugar control, HBA1c is more than 9% | MED | | |
| 940 | Sitagliptin 100 mg Tablet | Januvia | A* | | MED | 87.60 (28's) | |
| 941 | Sitagliptin 50 mg and Metformin HCl 1000 mg Tablet | Janumet | A* | i)Type 2 diabetes patients, especially the elderly, with multiple co-morbidities that always experience hypoglycaemia with other antidiabetics who are inadequately controlled on metformin or sitagliptin alone or already being treated with the combination of sitagliptin and metformin ii)Newly diagnosed type 2 diabetes patients with high baseline HbA1c and multiple co-morbidities who may experience hypoglycaemia with other antidiabetics | MED | 87.88 (56's) | |
| 942 | Sodium Alginate 1000 mg/10 ml & Potassium Bicarbonate 200 mg/10 ml Suspension | Gaviscon | A* | Treatment of symptoms of gastro-oesophageal reflux eg. acid regurgitation, heartburn, indigestion due to the reflux of stomach contents not responding to conventional antacids or as an addition to PPI when PPI alone fails to control the symptoms | MED, SURG | 11.51 (150 ml) | |
| 943 | Sodium Benzoate 2 g/10 ml Injection | | KPK | Anti-hyperammonemic Drug Cocktail | PAED | 139.35 (10 ml) | Import permit |
| 944 | Sodium Bicarbonate 5% w/v Ear Drops | - | C | To soften the impacted ear wax | | Compound | 10 ml |
| 945 | Sodium Bicarbonate 8.4% (1 mmol/ml) Injection | - | B | For acceleration of excretion in drug intoxication (where excretion of the drug into the urine is accelerated by elevated urine pH) and for acidosis | | 0.91 (10 ml) | |
| 946 | Sodium Bicarbonate Mixture (Paediatric) | Mist Carminative Paed | C | Heartburn for rapid relief of dyspepsia | | Compound | |
| 947 | Sodium Bicarbonate Powder | | B | i) Relief of discomfort in mild urinary tract ii) Alkalinisation of urine | | Prepacking | 1 g, 2 g, 3 g, 5 g and 50 g |
| 948 | Sodium Bicarbonate, Citric Acid, Sodium Citrate and Tartaric Acid - 4 g per sachet (Ural) | Ural | B | For relieving of discomfort in mild urinary tract infection, symptomatic relief of dysuria to enhance the action to certain antibiotics especially some sulphonamides. In gout as urinary alkalinizers to prevent crystallisation of urates | SURG | 0.39 | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|---|-------------------|----------|--|------------|--|--------------------------|
| 949 | Sodium Bicarbonate, Magnesium Carbonate, Tincture Cardamom Compound Mixture (Carminative Mixture) | Carminative Adult | C | Heartburn, for rapid relief of dyspepsia | | 4.87 (60 ml) | |
| 950 | Sodium Biphosphate 16% & Sodium Phosphate 6% Enema (Fleet Enema) | Fleet enema | A | Bowel cleansing before colonic surgery, colonoscopy or radiological examination to ensure the bowel is free of solid contents. It is not to be used for treatment of constipation | SURG | 5.25 (133 ml) | Ward Supply |
| 951 | Sodium Chloride 0.9 % Eye Drops | | C | Irrigation of conjunctival sac | | 2.55 (10 ml) | |
| 952 | Sodium Chloride 0.9% Injection | - | C | For replenishing fluid and for restoring/maintaining the concentration of sodium and chloride ions | | 0.56 (10 ml), 1.30 (100 ml), 2.00 (250 ml), 2.40 (500 ml) | |
| 953 | Sodium Chloride 20% Injection | - | B | Addition of sodium electrolyte in parenteral nutrition bags especially in paediatrics or neonates with restricted fluid allowance | | 1.70 (10 ml) | |
| 954 | Sodium Chloride 3 % Eye Drops (Hypertonic Saline) | | C | Temporary relief of corneal oedema. | OPHTHAL | Compound | |
| 955 | Sodium Chloride 3% Injection | - | B | Acute dilutional hyponatraemia | | (250 ml) - TPN, 7.00 (500 ml) | |
| 956 | Sodium Chloride Powder | | C | | | Prepacking | 1 g, 2 g, 3 g and 5 g |
| 957 | Sodium Citrate, Citric Acid Mixture 3 g/10 ml (Shohl's Solution) | Mist Sod Citrate | B | Citrates and citric acid solutions are used to correct the acidosis of certain renal tubular disorders to treat metabolic acidosis for long-term urine alkalization for prevention and treatment of uric acid and calcium kidney stones and as nonparticulate neutralizing buffers | | Compound | |
| 958 | Sodium Cromoglycate 2 % Eye Drops | Opticrom | A/KK | Prevention and treatment of allergic conjunctivitis including seasonal and perennial allergic conjunctivitis and vernal keratoconjunctivitis | OPHTHAL | 6.90 (10 ml) | |
| 959 | Sodium Dihydrogen Phosphate 1 g Powder | | | Hypophosphatemia. | | 25.00 (500 g) | |
| 960 | Sodium Fusidate 2% Ointment | | A | Skin infections caused by staphylococci, streptococci, corynebacterium minutissimum and other sodium fusidate-sensitive organisms | DERM | 3.28 (5 g) | |
| 961 | Sodium Phenylbutyrate 2 g/10 ml Injection | | KPK | Anti-hyperammonemic Drug Cocktail | PAED | 172.83 (10 ml) | Import permit |
| 962 | Sodium Thiosulphate 12.5 g/50 ml Injection | | KPK | Treat cyanide poisoning and sodium nitroprusside toxicity | A&E | 218.00 | Import permit |
| 963 | Sodium Thiosulphate 20 % Solution | - | C | Fungicides. For the treatment of pityriasis versicolor | DERM | Compound | |
| 964 | Sodium Valproate 200 mg Tablet | Epilim | B | Epilepsy | | 21.50 (100's) | |
| 965 | Sodium Valproate 200 mg/5 ml Syrup | Epilim | B | Epilepsy | PAED | 55.30 (300 ml) | |
| 966 | Sodium Valproate 400 mg Injection | Epilim | B | Status epilepticus | | 87.39 | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|-----|---|----------------|----------|--|----------------------------------|---------------|---------------|
| 967 | Somatropin 12 mg (36IU) Injection | | A* | i) Growth failure due to inadequate endogenous growth hormone ii) Growth failure in girls due to gonadal dysgenesis (Turner syndrome) iii) Growth failure in short children born small gestational age (SGA) | ENDOCRINE | 610.00 | |
| 968 | Spironolactone 25 mg Tablet | Aldactone | B | Oedema and ascites in cirrhosis of the liver, congestive heart failure | | 11.25 (100's) | |
| 969 | Stavudine 30 mg Capsule | Zerit | A/KK | HIV infection, in combination with other antiretrovirals | MED | 21.50 (60's) | |
| 970 | Stavudine 30 mg, Lamivudine 150 mg & Nevirapine 200 mg Tablet | SLN 30 | A/KK | Fixed dose triple therapy for treatment of HIV infection in adults once patients have been stabilized on the maintenance regimen of nevirapine 200 mg twice daily and have demonstrated adequate tolerability to nevirapine | MED | 169.27 (60's) | |
| 971 | Sterofundin Solution | Sterofundin | A | Replacement of extracellular fluid losses in the case of isotonic dehydration, where acidosis is present or imminent. | ANAES,A&E | 4.99 (500 ml) | |
| 972 | Streptokinase 1,500,000 IU Injection | | A* | Acute myocardial infarction, acute pulmonary embolism | MED, A&E | 693.68 | |
| 973 | Streptomycin Sulphate 1 g Injection | - | B | Tuberculosis | | 1.04 | |
| 974 | Strontium Ranelate 2 g Granules | Protaxos® | A* | Treatment of postmenopausal osteoporosis to reduce risk of vertebral and hip fractures when biphosphonates are contraindicated or not tolerated | ORTHO, RHEUMATO, ENDOCRINE | 111.65 (28's) | |
| 975 | Sugammadex 100 mg/ml Injection | | A* | Indicated for reversal of neuromuscular blockade induced by rocuronium and vecuronium in selective patient group: obese, elderly, underlying cardiovascular disease. For pediatric population, sugammadex is recommended for routine reversal | ANAES | 302.70 | |
| 976 | Sulfadoxine 500 mg and Pyrimethamine 25 mg Tablet | Fansidar | B | Treatment of Plasmodium falciparum malaria in patients in whom chloroquine resistance is suspected and malaria prophylaxis for travellers to areas where chloroquine-resistant malaria is endemic | MED | 17.98 (100's) | |
| 977 | Sulphamethoxazole 200 mg & Trimethoprim 40 mg/5ml Suspension | Bactrim | B | Infections caused by susceptible pathogens | | 1.90 (100 ml) | |
| 978 | Sulphamethoxazole 400 mg & Trimethoprim 80 mg Injection | Bactrim | A | i) Severe or complicated infections when oral therapy is not feasible ii) Treatment and prophylaxis of pneumocystis carinii pneumonia (PCP) in immunocompromised patients | | 12.70 | |
| 979 | Sulphamethoxazole 400 mg & Trimethoprim 80 mg Tablet | Bactrim | B | i) Severe or complicated infections due to susceptible infection ii) Treatment and prophylaxis of pneumocystis carinii pneumonia (PCP) in immunocompromised patients | | 46.51 (500's) | |
| 980 | Sulpiride 200 mg Tablet | Dogmatil | B | Acute and chronic schizophrenia, chronic delusional psychoses | PSY | 12.60 (100's) | |
| 981 | Sunscreen SPF 50+ Cream | Ergo Sunscreen | B | Photodermatitis | DERM | 30.00 (100 g) | |
| 982 | Suxamethonium Chloride 50 mg/ml Inj | Scoline | B | Muscle relaxant as an adjunct to anaesthesia | | 4.43 | |
| 983 | Synthetic ACTH (Tetracosactrin Acetate) 250 mcg/ml Injection | Synacthen | A | Diagnostic test to differentiate primary adrenal from secondary (pituitary) adrenocortical insufficiency | MED | 250.00 (5's) | Import Permit |
| 984 | Tacrolimus 0.03 % Ointment | | A* | | DERM | 79.00 (10 g) | |
| 985 | Tacrolimus 0.1 % Ointment | | A* | For short-term and intermittent long-term therapy in the treatment of patients with moderate to severe atopic dermatitis in whom the use of alternative, conventional therapies are deemed inadvisable because of potential risks, or in the treatment of patients who are not adequately responsive to or are intolerant of alternative, conventional therapies | DERM | 85.00 (10 g) | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|------|--|---------------|----------|---|---------------------|----------------|---------|
| 986 | Tacrolimus 0.5 mg Capsule | Prograf | A* | | NEPHRO | 470.40 (100's) | |
| 987 | Tacrolimus 1 mg Capsule | Prograf | A* | i) Primary immunosuppressant agent for all solid organ transplantation ii) Rescue therapy for rejection | NEPHRO | 899.84 (100's) | |
| 988 | Tamoxifen Citrate 20 mg Tablet | Nolvadex | A | Breast cancer | SURG | 12.40 (30's) | |
| 989 | Tamsulosin HCl 400 mcg Extended Release Tablet | Harnal® OCAS | A* | Second line treatment of functional symptoms of benign prostatic hyperplasia (BPH) in patients who do not tolerate first line drugs or when first line drugs are inappropriate or contraindicated | SURG | 28.20 (30's) | |
| 990 | Tar, Coal Tar and Oleyl Alcohol Liquid | Polytar | A/KK | Dandruff, seborrheic dermatitis and atopic dermatitis | DERM | 15.28 (150 ml) | |
| 991 | Telbivudine 600 mg Tablet | Sebivo | A* | Treatment of chronic hepatitis B in patients with evidence of viral replication and active liver inflammation | MED | 270.60 (28's) | |
| 992 | Telmisartan 40 mg Tablet | Micardis | A/KK | Hypertension in patients who cannot tolerate ACE inhibitors because of cough | MED | 30.50 (30's) | |
| 993 | Telmisartan 80 mg & Hydrochlorothiazide 12.5 mg Tablet | Micardis plus | A/KK | Hypertension in patients who cannot tolerate ACE inhibitors because of cough | MED | 37.00 (30's) | |
| 994 | Telmisartan 80 mg and Amlodipine 10 mg Tablet | Twynsta | A/KK | | NEPHRO | 37.55 (30's) | |
| 995 | Telmisartan 80 mg and Amlodipine 5 mg Tablet | Twynsta | A/KK | Treatment of essential hypertension in adults: i) Replacement therapy: Patients receiving telmisartan and amlodipine from separate tablets may instead receive one tablet containing the same component doses ii) Add on therapy: Patients whose blood pressure is not adequately controlled on telmisartan or amlodipine monotherapy iii) Initial therapy: May also be used as initial therapy in patients who are likely to need multiple drugs to achieve their blood pressure goals | MED | 37.55 (30's) | |
| 996 | Telmisartan 80 mg Tablet | Micardis | A/KK | i) Hypertension in patients who cannot tolerate ACE inhibitors because of cough ii) Reduction of the risk of myocardial infarction, stroke, or death from cardiovascular causes in patients 55 years or older at high risk of developing major cardiovascular events who are unable to take ACE inhibitors | MED | 35.90 (30's) | |
| 997 | Tenecteplase 10,000 unit (50 mg) Injection | Metalyse | A* | Acute myocardial infarction where streptokinase is contraindicated due to previous streptokinase induced antibodies. [Indicated when antibodies were given more than 5 days and less than 12 months] | A&E, ANAES, MEDICAL | 3264.70 | |
| 998 | Tenofovir Disoproxil Fumarate 300 mg & Emtricitabine 200 mg Tablet | Tenvir-EM | A* | Treatment of HIV-1 infection in adults in combination with other antiretroviral agents (such as non-nucleoside reverse transcriptase inhibitors or protease inhibitors). | MED | 154.00 (30's) | |
| 999 | Terazosin HCl 1 mg Tablet | Hytrin | A | Only for treatment of Benign Prostatic Hyperplasia. Not to be used for treatment of hypertension | SURG | 28.00 (100's) | |
| 1000 | Terazosin HCl 2 mg Tablet | Hytrin | A | i) Treatment of Benign Prostatic Hyperplasia. ii) Hypertension | SURG | 5.08 (30's) | |
| 1001 | Terbinafine HCl 250 mg Tablet | | A* | Fungal infections especially onychomycosis caused by dermatophytes | DERM | 238.30 (42's) | |
| 1002 | Terbutaline 0.5 mg/dose Inhalation Powder | | B | Bronchial asthma, chronic bronchitis, emphysema and other lung diseases where bronchospasm is a complicating factor | | 52.82 (200 D) | |
| 1003 | Terbutaline Sulphate 0.3 mg/ml Syrup | Bricanyl | B | Asthma and other conditions associated with reversible airways obstruction | | 0.96 (60 ml) | |
| 1004 | Terbutaline Sulphate 0.5 mg/ml Injection | Bricanyl | B | Bronchial asthma, chronic bronchitis, emphysema and other lung diseases where bronchoconstriction is a complicating factor | | 3.94 | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|------|---|------------------|----------|--|----------------|--|-------------|
| 1005 | Terbutaline Sulphate 10 mg/ml Inhalation Solution | Bricanyl | B | Asthma and other conditions associated with reversible airways obstruction | | 28.88 (50 ml) | |
| 1006 | Terbutaline Sulphate 2.5 mg Tablet | Bricanyl | B | Asthma and other conditions associated with reversible airways obstruction | | 20.00 (500's) | |
| 1007 | Terlipressin 1 mg Injection | Glypressin | A* | Acute oesophageal variceal bleeding | | 147.44 | |
| 1008 | Testosterone 250 mg/ml Injection | Testoviron-Depot | A* | Only for treatment of male infertility, protein deficiency during convalescence after surgery and wasting disorder. In women, | MED | 17.66 | |
| 1009 | Tetanus Immunoglobulin Human 250 Units/Vial Injection | Hyper-Tet | B | Passive immunization against tetanus | | 63.91 | |
| 1010 | Tetanus Toxoid Injection | ATT | C | Immunization against tetanus infection | | 5.84 | |
| 1011 | Thalidomide 50 mg Capsule | | A* | First line induction therapy in newly diagnosed multiple myeloma, salvage therapy in relapsed multiple myeloma and maintenance therapy in multiple myeloma (contraindicated for pregnant woman; pregnancy test for females in reproductive age group before starting treatment should be done) | | 120.00 (30's) | CDR |
| 1012 | Theophylline 125 mg Tablet | Nuelin | B | Reversible airways obstruction, acute severe asthma | | 5.16 (100's) | |
| 1013 | Theophylline 250 mg Long Acting Tablet | Nuelin SR | B | Reversible airways obstruction and acute severe asthma | | 15.50 (100's) | |
| 1014 | Theophylline 80 mg/15 ml Syrup | Nuelin | B | Reversible airways obstruction and acute severe asthma | | 11.69 (100 ml) | |
| 1015 | Thiamine HCl 100 mg/ml Injection | - | B | i) For the prevention or treatment of Vitamin B1 deficiency syndromes including beri-beri and peripheral neuritis associated with pellagra ii) Wernicke-Korsakoff Syndrome | | 6.33 | |
| 1016 | Thiamine Mononitrate 10 mg Tablet (Vitamin B1) | - | C | | | 0.06 | |
| 1017 | Thiamine Mononitrate 3 mg Tablet (Vitamin B1) | - | C | i) For the prevention or treatment of Vitamin B1 deficiency syndromes including beri-beri and peripheral neuritis associated with pellagra ii) Wernicke-Korsakoff Syndrome | | 0.007 | |
| 1018 | Thioguanine 40 mg Tablet | Lanvis | A | For acute leukaemia and chronic granulocytic leukaemia | | | CDR |
| 1019 | Thiopental Sodium 500 mg Injection | Pentothal | B | i) General anaesthesia, induction ii) Anticonvulsant for cases resistant to conventional anticonvulsants in the ICU | | 6.20 | |
| 1020 | Thymol Compound Gargle | - | C | For sore throat and minor mouth inflammation | | 1.40 (60 ml) | |
| 1021 | Ticlopidine HCl 250 mg Tablet | Ticlid | A/KK | i) Prevention of thrombotic stroke for patients who are sensitive /intolerant to Acetylsalicylic Acid ii) Maintenance of coronary bypass surgery or angioplasty iii) Maintenance of patency of access in patients on chronic haemodialysis | MED | 5.00 (30's) | |
| 1022 | Tigecycline 50 mg Inj | | KPK | For complicated skin and soft tissue infection (cSSTI) caused by MRSA and infections caused by MDR Acinobacter infection | ANAES, SURG | 199.70 | KPK |
| 1023 | Timolol Maleate 0.5% Eye Drops | Timoptol | A | Elevated intraocular pressure, chronic open angle glaucoma | OPHTHAL | 19.55 (10 ml) - Timo-comod, 13.45 (5 ml) - Timolast | |
| 1024 | Tinzaparin sodium 3500 anti-Factor Xa IU/Ui/ml Injection in Prefilled syringe/cartridge | Innohep | A* | i) Treatment of deep vein thrombosis (DVT) and pulmonary embolism (PE), not amounting to hemodynamic instability. ii) Prevention of post-operative DVT in patients undergoing general and orthopaedic surgery. | ICU/CCU, GHDW | 8.66 (0.35 ml) | Ward Supply |
| 1025 | Tinzaparin sodium 4500 anti-Factor Xa IU/Ui/ml Injection in Prefilled syringe/cartridge | Innohep | A* | | ICU/CCU, ORTHO | 0.45 ml | Ward Supply |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|------|--|---------------|----------|---|------------------|----------------------------------|---------|
| 1026 | Tioconazole 1% Cream | Trosyd | A | Skin fungal infections resistant to antifungal drugs such as miconazole and clotrimazole | DERM | 19.26 (20 g) | |
| 1027 | Tiotropium Bromide Inhalation 18 mcg Capsules | Spiriva | A/KK | Long term maintenance treatment of bronchospasm and dyspnoea associated with COPD. Tiotropium has usually been added to standard therapy (e.g. inhaled steroids, theophylline, albuterol rescue) | MED | 111.60 (30's) | |
| 1028 | Tocilizumab 20 mg/ml Injection | | A* | Indicated for the treatment of moderate to severe active rheumatoid arthritis (RA) in adult patients: i) with inadequate response or intolerance to conventional disease-modifying antirheumatic drugs (DMARDs) ii) who has failed antitumour necrosis factors (anti-TNFs) iii) where TNF is contraindicated (patients with history of pulmonary tuberculosis [PTB]) It also can be used as monotherapy or with combination with methotrexate (MTX) and/ or other DMARDs. | MED (RHEUMATO) | 511.45 | |
| 1029 | Tolterodine Tartrate ER 4 mg Capsule | Detrusitol SR | A* | Treatment of overactive bladder with symptoms of urinary frequency or urge incontinence | SURG, O&G, REHAB | 144.55 (30's) | |
| 1030 | Topiramate 15 mg Capsule Sprinkle | Topamax | A* | Add-on therapy for intractable partial epilepsy | PAED | 133.40 (60's) | |
| 1031 | Topiramate 25 mg Capsule Sprinkle | Topamax | A* | | PAED | 112.35 (60's) | |
| 1032 | Topiramate 25 mg Tablet | Topamax | A* | Add-on therapy for intractable partial epilepsy | MED, PAED | 145.30 (60's) | |
| 1033 | Topiramate 50 mg Tablet | Topamax | A* | | MED, PAED | 245.95 (60's), 135.90 (100's) | |
| 1034 | Tramadol HCl 50 mg Capsule | Tramal | A/KK | Post-operative pain, chronic cancer pain, analgesia/pain relief for patients with impaired renal function | | 0.04 | |
| 1035 | Tramadol HCl 50 mg/ml Injection | Tramal | A | Post-operative pain, chronic cancer pain and analgesia/pain relief for patients with impaired renal function | | 0.82 | |
| 1036 | Tranexamic Acid 100 mg/ml Injection | | B | | | 2.78 | |
| 1037 | Tranexamic Acid 250 mg Capsule | | B | Haemorrhage associated with excessive fibrinolysis | | 0.30 | |
| 1038 | Travoprost 0.004% & Timolol 0.5% Eye Drops | | A* | To decrease intraocular pressure (IOP) in patients with open-angle glaucoma or ocular hypertension who are insufficiently responsive to other topical anti-glaucomas | OPHTHAL | 50.00 (2.5 ml) | |
| 1039 | Tretinoin 0.05% Cream | Retin-A | A/KK | Acne vulgaris and recalcitrant cases of acne (comedonal type) | DERM | 23.90 (30 g) | |
| 1040 | Triamcinolone Acetonide 0.1% Oral Paste | | B | Oral and perioral lesions | | 9.20 (5 g) | |
| 1041 | Triamcinolone Acetonide 10 mg/ml Injection | | A | Inflammation of joints, bursae and tendon sheaths | | 5.71 | |
| 1042 | Triamcinolone Acetonide 40 mg/ml Injection | | A/KK | Allergies, dermatoses, rheumatoid arthritis and ophthalmic diseases | | 2.45 | |
| 1043 | Trifluoperazine HCl 5 mg Tablet | Stelazine | B | Psychotic disorder | | 30.00 (1000's) | |
| 1044 | Trimetazidine 20 mg Tablet | Vastarel | B | Prophylactic treatment of episodes of angina pectoris | | 5.50 (100's) | |
| 1045 | Trimethoprim 300 mg Tablet | Alprim | B | Treatment of urinary tract infections due to susceptible pathogens | | 13.00 (7's) | |
| 1046 | Triprolidine HCl 2.5 mg and Pseudoephedrine HCl 60 mg Tablet | Actifed | B | Decongestion of the upper respiratory tract in common cold, hay fever, allergic and vasomotor rhinitis and aerotitis | | 0.25 | |
| 1047 | Tropicamide 1% Eye Drops | | A/KK | Topical use to produce cycloplegic refraction for diagnostic purposes | OPHTHAL | 19.93 (15 ml) | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|------|--|---------------------------|----------|--|------------|-----------------|---------------|
| 1048 | Tuberculine PPD Injection | Tuberculine | B | For routine Mantoux (tuberculin sensitivity) test | | 74.58 | |
| 1049 | Urofollitropin 150 IU Injection | Folliova | A* | Stimulation of follicular growth in infertile women | O&G | 108.00 | |
| 1050 | Urokinase 6000 IU Injection | Urokinase | A | Treatment of thromboembolic disease such as myocardial infarction, peripheral artery occlusion, pulmonary embolism, retinal artery thrombosis and other ophthalmologic use | | 38.43 | |
| 1051 | Ursodeoxycholic Acid 250 mg Capsule | Ursofalk | A | Cholestatic liver diseases (eg. primary biliary cirrhosis, primary cholangitis etc) | PAED, SURG | 258.90 (100's) | |
| 1052 | Ustekinumab 90 mg/ml Injection | | A* | Treatment of moderate to severe plaque psoriasis in adults who failed to, or who have contraindication to, or are intolerant to conventional systemic therapies including ciclosporin, methotrexate and photochemotherapy (PUVA). | DERM | 6,355.00 | |
| 1053 | Valganciclovir 450 mg Tablet | | A* | For the prevention of cytomegalovirus (CMV) disease in CMV-negative patients who have received a solid organ transplant from a CMV-positive donor. | HEMATO | 8,013.00 (60's) | |
| 1054 | Valproic Acid and Sodium Valproate (ER) 500mg Tablet | Epilim Chrono | B | i) In the treatment of generalized or partial epilepsy, particularly with the following patterns of seizures:absence, myoclonic, tonic-clonic, atonic-mixed as well as, for partial epilepsy:simple or complex seizures, secondary generalized seizures, specific syndrome (West, Lennox-Gastatut), ii) Treatment and prevention of mania associated with bipolar disorders. | PSY | 39.20 (30's) | |
| 1055 | Valsartan 80 mg and Hydrochlorothiazide 12.5 mg Tablet | Co-Diovan | A/KK | Hypertension in patients who cannot tolerate ACE inhibitors because of cough | MED | 31.00 (28's) | |
| 1056 | Valsartan 80 mg Tablet | Diovan | A/KK | Patients who cannot tolerate ACE inhibitors because of cough, in i) Hypertension ii) Heart failure iii) Post myocardial infarction | MED | 31.27 (28's) | |
| 1057 | Vancomycin HCl 500 mg Injection | | A* | Only for the treatment of MRSA and CAPD peritonitis | | 8.70 | |
| 1058 | Varicella Virus Vaccine Live Attenuated Injection | Okavax, varivax, varilrix | A* | i) Health staff working with children, pregnant women, transplant, cancer and immunocompromised patients who are at high risk of contacting varicella and transmitting it to at risk patients ii) Transplant patients or candidates who are: a) Immunocompetent and not receiving immunosuppressant drugs, do not have graft versus host disease 2 years or more after transplant b) Susceptible to Varicella-Zoster virus at least 3 weeks before grafting iii) Children: a) with impaired humoral immunity b) HIV-infected children more than 12 months of age, in CDC class N1 (asymptomatic) or A1 (mildly symptomatic) with age specific CD4 more than 25% c) with conditions that require systemic steroid therapy less than 2 mg/kg body weight or a total of 20 mg/day of prednisolone or its equivalent. [Those receiving high doses of systemic steroids at 2 mg/kg body weight or more of prednisolone for more than 2 weeks may be vaccinated after steroid therapy has been discontinued for at least three months] iv) Acute lymphoblastic leukemia at any one time and no more than 3 mg should be given in any one hourE iv) Dose used by rheumatologist: 10 - 15 mg IM injection or oral weekly. Dose used by dermatologist: 10 - 25 mg IM injection weekly ³ or more. [If platelet count of greater 100,000/mm ³ within 24 hours of vaccination are not being submitted to radiotherapy. Chemotherapy should be withheld for seven days before and after immunisation] v) Susceptible subjects in clinical trials who will be submitted for chemotherapy vi) Children and susceptible patients on chronic dialysis | | 67.50 | |
| 1059 | Varicella-Zoster Immunoglobulin 125 IU/2.5 ml Inj | | KPK | To prevent vertical transmission of chicken pox from mother to newborn child and post-natal exposure | PAED | 735.00 | Import Permit |
| 1060 | Vasopressin 20 units/ml Injection | Pitressin | A | i) Pituitary diabetes insipidus ii) Oesophageal variceal bleeding | ANAES | 21.00 | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|------|---|------------|----------|--|------------|----------------|---------|
| 1061 | Venlafaxine HCl 150 mg Extended Release Capsule | Efexor XR | A* | | PSY | 150.77 (28's) | |
| 1062 | Venlafaxine HCl 75 mg Extended Release Capsule | Efexor XR | A* | i) Depression ii) Generalized anxiety disorder iii) Social anxiety disorder (social phobia) iv) Panic disorder | PSY | 102.40 (28's) | |
| 1063 | Verapamil HCl 120 mg Sustained Release Tablet | | KPK | | MED | 58.03 (100's) | KPK |
| 1064 | Verapamil HCl 2.5 mg/ml Injection | | A/KK | Supraventricular tachycardia | MED | 11.08 | |
| 1065 | Verapamil HCl 40 mg Tablet | | B | i) Supraventricular tachyarrhythmias (SVT) prophylaxis ii) angina | | 12.30 (100's) | |
| 1066 | Vigabatrin 500 mg Tablet | | KPK | Infantile spasm with developmental delay | PAED | 345.00 (100's) | KPK |
| 1067 | Vildagliptin 50 mg and Metformin HCl 1000 mg Tablet | GalvusMet | A* | | ENDOCRINE | 88.75 (60's) | |
| 1068 | Vildagliptin 50 mg and Metformin HCl 850 mg Tablet | GalvusMet | A* | Treatment of type 2 diabetes mellitus patients who are unable to achieve sufficient glycaemic control at their maximally tolerated dose of oral metformin alone or who are already treated with the combination of vildagliptin and metformin as separate tablets. | ENDOCRINE | 88.00 (60's) | |
| 1069 | Vildagliptin 50 mg Tablet | Galvus | A* | i) As second line therapy in type 2 diabetes patients inadequately controlled on maximal tolerated dose of metformin monotherapy and high risk of hypoglycaemia. ii) As second line therapy in type 2 diabetes patients inadequately controlled on maximal tolerated dose of sulphonylurea and intolerant/contraindicated for metformin therapy. iii) As third line therapy in type 2 diabetes patients inadequately controlled with dual OAD combination therapy with sulphonylurea and metformin | ENDOCRINE | 82.84 (60's) | |
| 1070 | Vinblastine Sulphate 10 mg Injection | Velbe | A | Hodgkin's disease, choriocarcinoma resistant to other chemotherapeutic agents, non-small cell lung cancer, Langerhans cell histiocytosis | | 455.12 | CDR |
| 1071 | Vincristine Sulphate 1 mg Injection | Oncovin | A | i) Solid tumours ii) Gestational trophoblastic disease iii) Non-Hodgkin's lymphoma iv) Multiple myeloma v) Acute lymphoblastic leukemia | | 25.52 | CDR |
| 1072 | Vinorelbine 10 mg Injection | Navelbine | A* | i) First line treatment in non-small cell lung cancer in combination with cisplatin/ifosfomide ii) Metastatic breast cancer | | 216.85/50 mg | CDR |
| 1073 | Vitamin B Complex 10 ml Injection | - | B | Prophylaxis and treatment of vitamin B deficiency | | 4.45 (10 ml) | |
| 1074 | Vitamin B Complex Tablet | - | C | Prophylaxis and treatment of vitamin B deficiency | | 0.005 | |
| 1075 | Vitamin B1, B6, B12 Injection | Neurobion | B | For deficiency or raised requirement of Vitamin B1, B6, B12 | | 6.87 | |
| 1076 | Vitamin B1, B6, B12 Tablet | Neurobion | B | For deficiency or raised requirement of Vitamin B1, B6, B12 | | 0.05 | |
| 1077 | Vitamin K1 1 mg/ml Injection | Konakion | C | Vitamin K deficiency in neonates | | 1.74 | |
| 1078 | Vitamin K1 10 mg/ml Injection | Konakion | B | Haemorrhage associated with hypoprothrombinaemia caused by overdose of anticoagulants | | 2.08 | |
| 1079 | Voriconazole 200 mg Injection | Vfend | A* | i) Treatment of immunocompromised patients with progressive, possibly life-threatening infections such as invasive aspergillosis, fluconazole-resistant serious invasive candidiasis, candidiasis of the oesophagus, serious fungal infections caused by Scedosporium species and Fusarium species ii)Prevention of breakthrough fungal infections in febrile high-risk neutropenic patients | HEMATO | 409.00 | |

| No. | Generic Name | Trade Name | Category | Indications | Department | Cost (RM) | Remarks |
|------|--|-------------------|----------|---|------------|-----------------|-------------|
| 1080 | Voriconazole 200 mg Tablet | Vfend | A* | i) Treatment of immunocompromised patients with progressive, possibly life-threatening infections such as invasive aspergillosis, fluconazole-resistant serious invasive candidiasis, candidiasis of the oesophagus, serious fungal infections caused by <i>Scedosporium</i> species and <i>Fusarium</i> species ii) Prevention of breakthrough fungal infections in febrile high-risk neutropenic patients | HEMATO | 1,461.00 (10's) | Ward Supply |
| 1081 | Warfarin Sodium 1 mg Tablet | | B | Treatment and prophylaxis of thromboembolic disorders | | 40.00 (100's) | |
| 1082 | Warfarin Sodium 2 mg Tablet | | B | | | 42.00 (100's) | |
| 1083 | Warfarin Sodium 3 mg Tablet | | B | | | 33.75 (100's) | |
| 1084 | Warfarin Sodium 5 mg Tablet | | B | | | 35.00 (100's) | |
| 1085 | Water for Injection | - | C | As a diluent and vehicle for the administration of medications | | 2.27 (500 ml) | |
| 1086 | Water for Irrigation | | | | | 3.18 (1 L) | |
| 1087 | White Head Varnish Solution | | KPK | As a packing agent for bony cavity (dental) to promote secondary healing. | DENTAL | 480.00 (500 ml) | KPK |
| 1088 | Whitfield (Benzoic Acid Compound) Ointment | Whitfields | C | Tinea infections of thickened skin of palms and soles | | 0.72 (15 g) | |
| 1089 | Zidovudine 1% Injection | Retrovir | A | To reduce the rate of maternal-foetal transmission of HIV in: i) HIV-positive pregnant women over 14 weeks of gestation ii) Their newborn infants | | 146.55 | |
| 1090 | Zidovudine 10 mg/ml Syrup | Retrovir | A* | i) Management of patients with asymptomatic and symptomatic (early or advanced) HIV infections with CD4 cell counts less than 500 cu. mm. ii) Neonatal prophylaxis | PAED | 95.14 (200 ml) | |
| 1091 | Zidovudine 100 mg Capsule | Retrovir | A/KK | i) Management of patients with asymptomatic and symptomatic (early or advanced) HIV infections with CD4 cell counts less than 500 cu. mm ii) Neonatal prophylaxis | MED | 142.60 (100's) | |
| 1092 | Zidovudine 300 mg & Lamivudine 150 mg Tablet | Combivir | A/KK | HIV infection in combination with at least one other antiretroviral drug | MED | 31.50 (60's) | |
| 1093 | Zinc Oxide Cream | - | C | Skin protective in various skin conditions such as nappy rash, eczema and problem skin | | 4.51 (30 g) | 15 g |
| 1094 | Ziprasidone 20 mg/ml Injection | Zeldox | A* | Acute agitation in schizophrenia | PSY | 39.20 | |
| 1095 | Zoledronic Acid 4 mg Injection | Zometa | A* | i) Treatment of hypercalcaemia of malignancy ii) Prevention of skeletal related events in patients with multiple myeloma involving multiple bone lesions | MED | 783.92 | |
| 1096 | Zuclopenthixol 20 mg/ml Drops | Clopixol | A* | Only for psychoses with insight or compliance | PSY | 19.50 (20 ml) | |
| 1097 | Zuclopenthixol Acetate 50 mg/ml Injection | Clopixol Acuphase | - A* | Only for treatment of agitated and violent patients suffering from schizophrenia who are not responding to the available standard drugs | PSY | 68.00 (5's) | |
| 1098 | Zuclopenthixol Decanoate 200 mg/ml Injection | Clopixol Depot | A* | Only for treatment of agitated and violent patients suffering from schizophrenia who are not responding to the available standard drugs | PSY | 194.84 (10's) | |